


Concrete Notes

1. Contractor to provide shop drawings showing foundation and grounding details for pool toys stamped by a professional engineer registered to practice in Manitoba.

- Concrete to be 32 mpa at 28 days
  Maxiumum agg. size 19 mm
- 4. Air Entraining 6-9%
- 5. All reinforcing steel to be epoxy coated
- 6. Exposure Class F1 7. Contractor to provide density testing of the sub-base and the granular base course. Results of testing to be sent directly from the testing lab to the Contract Administrator.
- 8. Contractor to provide concrete testing as pre CW Standard Specification



Thickened Concrete Edge

coated rebar top and

0.01 m radius on

Adjacent surface to match—

from Pool Deck

0.04 Min. cover

Elevation at edge and drain away

Thickened Concrete Edge (Reinforce with 15m-

0.6 m long epoxy coated 15m @ 0.3m o.c.— doweled into existing concrete

epoxy coated rebar top and bottom

Existing Concrete –

0.22

1% min

concrete

bottom

Mineral Sod as noted on Plan


Topsoil as per specification —

Soil base portion of mineral sod

16-5-9 1:29:46 PM Jacob Penner Wading Pool [15-099].vwx

- -

(Reinforce with 15m epoxy



- This drawing shall not be used for construction unless signed and sealed by Landscape Architect.
- Variations and modifications to the work shown will not be allowed without prior written consent of Landscape Architect.
- Drawing and Specifications, as instruments of service, are the property of the Landscape Architect. The copyright is reserved in the name of the Landscape Architect. No reproduction may be made without the prior written consent of the Landscape Architect
- Contractors/bidders are hereby granted a limited licence to reproduce these drawings for the purposes of bidding. Such reproductions are not to be used for construction.

A 16-4-13 For Pre-Bid Opp Review No. Date

B 16-4-29 For Bid Opportunity

Jacob Penner Wading Pool 780 McGee St. Winnipeg, Manitoba

Details

Drawing No.

L-3

6 Existing Mechanical Room L-3