



ADDENDUM 4 BID OPPORTUNITY 650-2005

WINNIPEG WATER TREATMENT PROGRAM – RAW WATER PUMPING STATION FOUNDATIONS AND CONCRETE STRUCTURES

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: November 25, 2005
BY: Larry Smith
TELEPHONE NO. (204) 986-7635

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20050506

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

Section 02451(R1)

Delete: 2.1.4

Delete: 3.3.3

Section 07550(R1)

Revise: 1.1.1 to read: Supply and installation of ethylene propylene diene monomer (EPDM) membrane and insulation, including the following major items of Work:

Revise: 1.1.1.1 to read: Wall and footing membrane from elevation at 229.00 metres to elevation at 237.00 metres all around the structure.

Revise: 1.1.1.2 to read: Flashings at grade all around the structure and around 2 concrete pipes, 2360 millimetres diameter each.