



## 736-2006 ADDENDUM 1

### MCFAYDEN PARK PLAYGROUND REDEVELOPMENT

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE BID  
OPPORTUNITY**

ISSUED: August 27, 2007  
BY: Christina Harris  
TELEPHONE NO. (204) 986-6419

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID OPPORTUNITY AND SHALL  
FORM A PART OF THE CONTRACT  
DOCUMENTS**

Template Version: A20070419

---

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

---

#### **PART B – BIDDING PROCEDURES**

Revise: B2.1 to read:

B2.1 The Submission Deadline is 12:00 noon Winnipeg time, **August 30, 2007**.

#### **PART E – SPECIFICATIONS**

Revise: E5.2.3 to read:

E5.2.3 Spring / Mount

- (a) The spring toys **may** be mounted on a pinch-proof, **coil** spring assembly. The **coil** spring and mount shall be manufactured from a tempered alloy steel, galvanized and coated with a baked-on polyester powder coating. The powder coating finish shall meet or exceed ASTM standards for hardness, adhesion, impact and salt spray resistance. All fabrication cuts, drill holes and weld joints shall be sprayed with a corrosion resistant coating prior to powder coating.
  - (i) **The action of the coil of the spring toy must not allow a child sitting on the spring toy to hit the ground while springing back and forth on the toy. Once installed, if this were to happen, we would reserve the right to have the Contractor replace this piece of equipment with an alternate independent play item of similar play value in accordance with the specifications.**