## FORM A: BID (See B8

1.	Contract Title	ST VITAL PARK RIVERBANK	STABILIZATION WORKS		
2.	Bidder				
		Name of Bidder			
		Street			
		City	Province	Postal Code	
		Facsimile Number			
	(Mailing address if different)	Street or P.O. Box			
		City	Province	Postal Code	
		The Bidder is:			
	(Choose one)	a sole proprietor			
		a partnership			
		a corporation			
		carrying on business under the	above name.		
3.	Contact Person	The Bidder hereby authorizes the following contact person to the Bidder for purposes of the Bid.			
		Contact Person	Title		
		Telephone Number	Facsimile Number		
4.	Definitions	All capitalized terms used in ascribed to them in the Genera		meanings	
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Pric Prices, appended hereto.			

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:	
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)	
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)	
		a certified cheque or draft	
		and agrees that it shall be held by the City in accordance with the Contract.	
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.	
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.	
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.	
10.	Addenda The Bidder certifies that the following addenda have been received agrees that they shall be deemed to form a part of the Contract:		
		No Dated	
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.	

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

# FORM B: PRICES (R1) (See B9)

# ST VITAL PARK RIVERBANK STABILIZATION WORKS

UNIT PRICES

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
/ork Area A	I				
Site Preparation, Development and Restoration	E10	l.s.	1		
2.1m Diameter Rock Columns (No. of Columns = 214)					
Drill Rock Column Shafts	E13	v.m.	1300		
Deep Sleeving Rock Column Shafts	E13	v.m.	800		
Supply and Compact Crushed Limestone for Rock Columns	E13	tonne	9000		
Excavation and Grading	E14	c.m.	6500		
Supply and Install Geotextile under Rockfill Rip Rap	E15	s.m.	4500		
Supply and Install Rockfill Rip Rap	E16	tonne	7300		
Supply, Install and Maintain Temporary Erosion Protection	E17	s.m.	9800		
Supply and Install Catch Basin and Culverts	E18	each	2		
/ork Area B					
Excavation and Grading	E14	c.m.	2500		
Supply and Install Geotextile under Rockfill Rip Rap	E15	s.m.	6600		
Supply and Install Rockfill Rip Rap	E16	tonne	9000		
Supply, Install and Maintain Temporary Erosion Protection	E17	s.m.	2000		
L BID PRICE (GST extra) (in figures) §	6				
ius)					
	York Area A   Site Preparation, Development and Restoration   2.1m Diameter Rock Columns (No. o   Drill Rock Column Shafts   Deep Sleeving Rock Column Shafts   Supply and Compact Crushed Limestone for Rock Columns   Excavation and Grading   Supply and Install Geotextile under Rockfill Rip Rap   Supply and Install Rockfill Rip Rap   Supply and Install Catch Basin and Culverts   York Area B   Excavation and Grading   Supply and Install Geotextile under Rockfill Rip Rap   Supply and Install Catch Basin and Culverts   York Area B   Excavation and Grading   Supply and Install Geotextile under Rockfill Rip Rap   Supply and Install Rockfill Rip Rap   Supply, Install and Maintain   Temporary Erosion Protection   L BID PRICE (GST extra) (in figures) \$	REF.Ork Area ASite Preparation, Development and RestorationE102.1m Diameter Rock Columns (No. of Columns =Drill Rock Column ShaftsE13Deep Sleeving Rock Column ShaftsE13Supply and Compact Crushed Limestone for Rock ColumnsE13Excavation and GradingE14Supply and Install Geotextile under Rockfill Rip RapE16Supply and Install Rockfill Rip RapE16Supply and Install Catch Basin and CulvertsE18Pork Area BE12Excavation and GradingE14Supply and Install Geotextile under Rockfill Rip RapE16Supply and Install Catch Basin and CulvertsE18Pork Area BE15Excavation and GradingE14Supply and Install Geotextile under Rockfill Rip RapE16Supply and Install Geotextile under Rockfill Rip RapE16Supply and Install Geotextile under Rockfill Rip RapE16Supply and Install Rockfill Rip RapE16Supply Install and Maintain Temporary Erosion ProtectionE17LBID PRICE (GST extra) (in figures) \$	REF.Pork Area ASite Preparation, Development and RestorationE10I.s.2.1m Diameter Rock Columns (No. of Columns = 214)Drill Rock Column ShaftsE13v.m.Deep Sleeving Rock Column ShaftsE13v.m.Supply and Compact Crushed Limestone for Rock ColumnsE13tonneExcavation and GradingE14c.m.Supply and Install Geotextile under Rockfill Rip RapE16tonneSupply and Install Rockfill Rip RapE16tonneSupply and Install Catch Basin and CulvertsE18eachPork Area BE14c.m.Excavation and Grading Supply and Install Geotextile under Rockfill Rip RapE16tonneSupply and Install Catch Basin and CulvertsE18eachPork Area BE15s.m.Excavation and Grading Supply and Install Geotextile under Rockfill Rip RapE16tonneSupply and Install Rockfill Rip RapE16tonneBupply and Install Geotextile under Rockfill Rip RapE16tonneSupply and Install Geotextile under Rockfill Rip RapE16tonneSupply and Install Rockfill Rip RapE16tonneSupply and Install Rockfill Rip RapE16tonneSupply and Install Rockfill Rip RapE16tonneSupply Install and Maintain Temporary Erosion ProtectionE17s.m.Supply Install and Maintain Temporary Erosion ProtectionE16tonneSupply Install and Maintain Temporary Erosion Protection <td< td=""><td>REF.QUANTITYYork Area AE10I.s.1Site Preparation, Development and RestorationE10I.s.12.1m Diameter Rock Columns (No. of Columns = 214)Drill Rock Column ShaftsE13v.m.1300Deep Sleeving Rock Column ShaftsE13v.m.800Supply and Compact Crushed Limestone for Rock ColumnsE13tonne9000Excavation and GradingE14c.m.6500Supply and Install Geotextile under Rockfill Rip RapE16tonne7300Supply and Install Rockfill Rip RapE16tonne7300Supply and Install Catch Basin and CulvertsE17s.m.9800Excavation and GradingE14c.m.22Supply and Install Geotextile under Rockfill Rip RapE16tonne7300Supply and Install Catch Basin and CulvertsE18each2Vork Area BE15s.m.6600Supply and Install Geotextile under Rockfill Rip RapE16tonne9000Supply and Install Rockfill Rip RapE16tonne2500Supply and Install Rockfill Rip RapE16tonne9000Supply and Install Rockfill Rip RapE16tonne9000Supply, Install and Maintain Temporary Erosion ProtectionE17s.m.20</td><td>REF.QUANTITYPRICESite Preparation, Development and RestorationE10I.s.12.1m Diameter Rock Columns (No. of Columns = 214)1300Drill Rock Column ShaftsE13v.m.1300Deep Sleeving Rock Column ShaftsE13v.m.800Supply and Compact Crushed Limestone for Rock ColumnsE13tonne9000Excavation and GradingE14c.m.6500Supply and Install Geotextile under Rockfill Rip RapE16tonne7300Supply and Install Rockfill Rip RapE16tonne7300Supply and Install Rockfill Rip RapE17s.m.9800Supply and Install Catch Basin and CulvertsE18each2E15s.m.6600Supply and Install Geotextile under Rockfill Rip RapE16tonne9000Supply and Install Rockfill Rip RapE16tonne7300Supply and Install Catch Basin and CulvertsE18each2Fork Area BE15s.m.6600Supply and Install Geotextile under Rockfill Rip RapE16tonne9000Supply and Install Rockfill Rip RapE16tonne9000Supply and Install Rockfill Rip RapE16tonne9000Supply and Install Rockfill Rip RapE16tonne9000Supply Install and Maintain Temporary Erosion ProtectionE17s.m.2000Supply Install and Maintain Temporary Erosion Protection</td></td<>	REF.QUANTITYYork Area AE10I.s.1Site Preparation, Development and RestorationE10I.s.12.1m Diameter Rock Columns (No. of Columns = 214)Drill Rock Column ShaftsE13v.m.1300Deep Sleeving Rock Column ShaftsE13v.m.800Supply and Compact Crushed Limestone for Rock ColumnsE13tonne9000Excavation and GradingE14c.m.6500Supply and Install Geotextile under Rockfill Rip RapE16tonne7300Supply and Install Rockfill Rip RapE16tonne7300Supply and Install Catch Basin and CulvertsE17s.m.9800Excavation and GradingE14c.m.22Supply and Install Geotextile under Rockfill Rip RapE16tonne7300Supply and Install Catch Basin and CulvertsE18each2Vork Area BE15s.m.6600Supply and Install Geotextile under Rockfill Rip RapE16tonne9000Supply and Install Rockfill Rip RapE16tonne2500Supply and Install Rockfill Rip RapE16tonne9000Supply and Install Rockfill Rip RapE16tonne9000Supply, Install and Maintain Temporary Erosion ProtectionE17s.m.20	REF.QUANTITYPRICESite Preparation, Development and RestorationE10I.s.12.1m Diameter Rock Columns (No. of Columns = 214)1300Drill Rock Column ShaftsE13v.m.1300Deep Sleeving Rock Column ShaftsE13v.m.800Supply and Compact Crushed Limestone for Rock ColumnsE13tonne9000Excavation and GradingE14c.m.6500Supply and Install Geotextile under Rockfill Rip RapE16tonne7300Supply and Install Rockfill Rip RapE16tonne7300Supply and Install Rockfill Rip RapE17s.m.9800Supply and Install Catch Basin and CulvertsE18each2E15s.m.6600Supply and Install Geotextile under Rockfill Rip RapE16tonne9000Supply and Install Rockfill Rip RapE16tonne7300Supply and Install Catch Basin and CulvertsE18each2Fork Area BE15s.m.6600Supply and Install Geotextile under Rockfill Rip RapE16tonne9000Supply and Install Rockfill Rip RapE16tonne9000Supply and Install Rockfill Rip RapE16tonne9000Supply and Install Rockfill Rip RapE16tonne9000Supply Install and Maintain Temporary Erosion ProtectionE17s.m.2000Supply Install and Maintain Temporary Erosion Protection

Name of Bidder

### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

## **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

\_\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_\_ , 20\_\_\_\_\_ for

BID OPPORTUNITY NO. 779-2006

ST VITAL PARK RIVERBANK STABILIZATION WORKS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ .

L

SIGNED AND SEALED in the presence of:

(Witness)

(Name of Principal)	
Per:	(Sea
Per:	
(Name of Surety)	

\_\_\_\_\_ of

### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

## AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_\_, for

**BID OPPORTUNITY NO. 779-2006** 

ST VITAL PARK RIVERBANK STABILIZATION WORKS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

(Name of Surety)

\_\_\_\_\_ (Seal)

### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

## RE: BID SECURITY - BID OPPORTUNITY NO. 779-2006

ST VITAL PARK RIVERBANK STABILIZATION WORKS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

#### (Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on March 12, 2007.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
Per:	

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)