



NOTES:
 1. ALL GRATING, RAILING AND STAIR TREADS TO BE GALVANIZED
 2. ALL GRATING TO BE 38mm x 4.8mm (SERRATED) WELDED BAR GRATING (GALV.)
 3. PROVIDE LEVEL SURFACE WITH GROUT UNDER ALL BASE PLATES
 4. KWIK BOLT ALL FRAMES TO CONCRETE
 5. ALL RAILINGS TO BE 42.2 O.D GALV. HSS PIPE

| | | | | | | |
|---|---|---|--|--|---|--|
| Certificate of Authorization Earth Tech Canada Inc. No. 730 | B.M. ELEV. | DESIGNED BY LLR/GGP DRAWN BY KK SCALE: AS NOTED | CHECKED BY GGP APPROVED BY TGS RELEASED FOR CONSTRUCTION BY: V. JEANCART | ENGINEER'S SEAL ORIGINAL SIGNED BY M. KLASSEN 2007/07/20 CONSULTANT DRAWING NO. S1.06 | THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT SOLID WASTE SERVICES DIVISION BRADY RD. LANDFILL NEW ENTRANCE AND SCALE FACILITY STRUCTURAL RAMP, RAILING & PLATFORM PLAN AND SECTIONS | CITY FILE NUMBER SHEET OF CITY DRAWING NUMBER SWD-D-384 |
| | 01 357-2007 ADDENDUM 1 07/07/31 CMF 0 ISSUED FOR TENDER 07/07/20 KK NO. REVISIONS DATE BY | DATE 2006/07/24 DATE 2007/07/20 | DATE 2007/07/20 | DATE 2007/07/20 | DATE 2007/07/20 | DATE 2007/07/20 |