#### FORM A: BID (See B8)

1.	Contract Title	2007 WATERMAIN RENEWALS, SEWER RENEWALS AND REPAIRS, CONTRACT NO. 13
2.	Bidder	
		Name of Bidder
		Street
		City Province Postal Code
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Code
		The Bidder is:
	(Choose one)	a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:					
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)					
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)					
		a certified cheque or draft					
		and agrees that it shall be held by the City in accordance with the Contract.					
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.					
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.					
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.					
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:					
		No Dated					
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.					

12.	Signatures	n witness whereof the Bidder or the Bidder's authorized official or officials have signed this						
		, 20						
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials						
	(Witness)	(Print here name and official capacity of individual whose signature appears above)						
	(Witness)	(Print here name and official capacity of individual whose signature appears above)						
		SEAL						

## 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>A</u>	HINDLEY STREET - 1ST MH E. OF ST. MARY'S RD	MARY'S RD	TO MH	@ ST.		
A. 1 a) i)	Wastewater Sewers 300mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	122.0		
A. 2 a) i)	Sewer Services 150mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	78.0		
A. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	7		
A. 4 a) i)	Manhole SD-010 1200mm diameter base	CW 2130	vert. m	2.7		
A. 5 a) i)	New Manhole on Existing Sewer SD-010 1500mm diameter base	CW 2130	vert. m	4.5		
A. 6 a)	Connecting to Existing Manhole 300mm	CW 2130	each	1		
A. 7	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	8.6		
A. 8 a) A. 9 a)	Sewer Inspection 300mm Partial Slab Patches 200mm reinforced concrete pavement	CW 2145 E6	m m²	122 11.0		
A. 10 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	27.0		
A. 11	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0		
<u>A</u>	HINDLEY STREET - 1ST MH E. OF ST. MARY'S RD	MARY'S RD	TO MH	@ ST.	Subtotal:	

#### 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

UNITE		CDEC	1	ADDDOV	LINIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
					FIXIOL	
<u>B</u>	HINDLEY STREET - MH @ FITZPATRIC FITZPATRICK RD	OF				
	FIIZPAIRICK RD					
B. 1	Wastewater Sewers	CW 2130				
a)	250mm	OW 2100				
i)			m	98.0		
.,	bedding, Class 3 backfill			00.0		
B. 2	Sewer Services	CW 2130				
a)	150mm					
i)	•		m	92.0		
	bedding, Class 3 backfill					
B. 3	Connecting New Sewer Service to					
	Existing Sewer Service	CW 2130				
a)	150mm		each	12		
B. 4	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	4.5		
		0144 0400				
B. 5	Connecting to Existing Manhole 250mm	CW 2130	aaab	,		
a)	25011111		each	2		
B. 6	Abandoning Existing Sewers with	CW 2130	$m^3$	4.8		
	Cement-Stabilized Flowable Fill					
B. 7	Sewer Inspection	CW 2145				
a)	250mm		m	98		
B. 8	Partial Slab Patches	E6				
a)	150mm reinforced concrete		m²	9.0		
	pavement					
B. 9	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m <sup>2</sup>		m <sup>2</sup>	27.0		
B. 10	Construction of Asphaltic Concrete	CW 3410	tonne	1.0		
2. 10	Overlays Type 1A		13.1113			
<u> </u>	HINDLEY STREET - MH @ FITZPATRIC	CK RD TO 1S	TMHE	OF	Culatatal	
<u>B</u>	FITZPATRICK RD				Subtotal:	
	l .					

## 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

ONITE		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
<u>C</u>	HUMBOLDT AVENUE - MH @ EGERTO EGERTON RD					
C. 1 a) i)	Wastewater Sewers 300mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	118.0		
C. 2 a) i)	Sewer Services 150mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	67.0		
C. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	9		
C. 4 a) i)	Manhole SD-010 1200mm diameter base	CW 2130	vert. m	7.2		
C. 5 a)	Connecting to Existing Manhole 300mm	CW 2130	each	2		
C. 6	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	8.3		
C. 7	Abandoning Existing Manholes	CW 2130	each	1		
C. 8 a) C. 9	Sewer Inspection 300mm Replacing Standard Frames and Covers	CW 2145	m	118		
a) b)	AP-004 Standard Frame for Manhole and Catch Basin AP-005 Standard Solid Cover		each each	1 1		
C. 10	Replacing Existing Manhole Rungs	CW 2130	each	2.0		
C. 11 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	70.0		

#### 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		IXLI .		QUANTITI	TRIOL	
C. 12	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m <sup>2</sup>		m²	41.0		
C. 13	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	9.0		
<u>c</u>	HUMBOLDT AVENUE - MH @ EGERTO EGERTON RD	Subtotal:				

## 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

UNIT P	KICES	CDEC	Ι	ADDDOV	LINUT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>D</u>	KENWOOD PLACE - 1ST MH W OF KE KENWOOD PL (E LEG)	NWOOD PL	(E LEG)	то мн @		
D. 1 a) i)	Combined Sewers 300mm trenchless installation, Class B sand bedding, Class 5 backfill	CW 2130	m	81.0		
D. 2 a) i)	Sewer Services 150mm trenchless installation, Class B sand bedding, Class 5 backfill	CW 2130	m	80.0		
D. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	9		
D. 4 a) i)	Manhole SD-010 1200mm diameter base	CW 2130	vert. m	11.2		
D. 5	Abandoning Existing Manholes	CW 2130	each	1		
D. 6 a) D. 7	Connecting to Existing Manhole 300mm Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	each m³	1 5.7		
D. 8 a)	Sewer Inspection 300mm	CW 2145	m	81		
D. 9 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	4.5		
D. 10 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m <sup>2</sup>	CW 3235	m²	41.0		
D. 11	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	0.5		
<u>D</u>	KENWOOD PLACE - 1ST MH W OF KE KENWOOD PL (E LEG)	NWOOD PL	(E LEG)	TO MH @	Subtotal:	

#### 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>E</u>	KENWOOD PLACE - MH @ KENWOOD PL (E LEG) TO MH @ ST. VITAL RD					
E. 1 a) i)	Wastewater Sewers 300mm trenchless installation, Class B sand bedding, Class 5 backfill	CW 2130	m	104.0		
E. 2 a) i)	Sewer Services 150mm trenchless installation, Class B sand bedding, Class 5 backfill	CW 2130	m	19.0		
E. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	4		
E. 4 a) i)	New Manhole on Existing Sewer SD-010 1200mm diameter base	CW 2130	vert. m	2.3		
E. 5 a)	Replacing Standard Frames and Covers  AP-010 Barrier Curb Inlet	CW 2130	each	1		
E. 6	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	7.4		
E. 7 a)	Sewer Inspection 300mm	CW 2145	m	104		
E. 8 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	9.0		
E. 9 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m <sup>2</sup>	CW 3235	m²	18.0		
E. 10	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.1		
<u>E</u>	KENWOOD PLACE - MH @ KENWOOD VITAL RD	PL (E LEG)	TO MH	@ ST.	Subtotal:	

#### 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>F</u>	REGAL AVENUE - MH @ ST. THOMAS THOMAS RD	W OF ST.				
F. 1 a) i)	Wastewater Sewers 300mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	70.0		
F. 2 a) i)	Sewer Services 150mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	95.0		
F. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	9		
F. 4 a) i)	Manhole SD-010 1200mm diameter base	CW 2130	vert. m	7.5		
F. 5 a)	Connecting to Existing Manhole 300mm	CW 2130	each	2		
F. 6	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m <sup>3</sup>	4.9		
F. 7 a)	Sewer Inspection 300mm	CW 2145	m	70		
F. 8 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	54.0		
F. 9 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m <sup>2</sup>	CW 3235	m²	41.0		
<u>F</u>	REGAL AVENUE - MH @ ST. THOMAS THOMAS RD	Subtotal:				

#### 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	BELIVEAU ROAD - 1ST MH E OF DAK	KOTA ST				
G. 1 a)	Sewer Repair - Up to 3.0 metres Long (SD-022A) 200mm	CW 2130				
i)	Class 3 backfill		each	1		
G. 2 a)	Sewer Inspection 200mm	CW 2145	m	95		
G. 3 a)	Partial Slab Patches 200mm reinforced concrete pavement	E6	m²	9.0		
G. 4	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.1		
<u>G</u>	BELIVEAU ROAD - 1ST MH E OF DAK	KOTA ST	Subtotal:			

#### 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>H</u>	CLAYTON DRIVE - MH @ WINGHAM A	VE TO MH @	BAYFIE	ELD AVE		
H. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a) i)	250mm Class 3 backfill		each	1		
H. 2 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	1		
H. 3 a)	Sewer Inspection 250mm	CW 2145	m	104		
H. 4 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	4.5		
H. 5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	0.5		
<u>H</u>	CLAYTON DRIVE - MH @ WINGHAM A	ELD AVE	Subtotal:			

#### 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>I</u>	HAVELOCK AVENUE - 1ST MH W OF GEORGE RD	ST. GEORGE	RD TO	MH @ ST.		
I. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a)	250mm					
i)	Class 3 backfill		each	2		
l. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022A)	CW 2130				
a) i)	250mm Class 3 backfill		m	28		
I. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	5		
I. 4 a)	Sewer Inspection 250mm	CW 2145	m	185		
I. 5 a)	New Manhole on Existing Sewer SD-010	CW 2130				
i)			vert. m	3.5		
I. 6 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	22.0		
l. 7	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.6		
<u>l</u>	HAVELOCK AVENUE - 1ST MH W OF GEORGE RD	ST. GEORGE	RD TO	MH @ ST.	Subtotal:	

#### 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>J</u>	VICTORIA AVENUE E - MH @ KANATA ST	A ST TO 1ST	MH E OF	KANATA		
J. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A) 200mm	CW 2130				
a) i)	Class 3 backfill		each	4		
J. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022A)	CW 2130				
a) i)	200mm Class 3 backfill		m	10		
J. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	6		
J. 4 a)	Sewer Inspection 200mm	CW 2145	m	86		
J. 5 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	28.0		
J. 6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.4		
ī	VICTORIA AVENUE E - MH @ KANATA ST	A ST TO 1ST	MH E OF	KANATA	Subtotal:	

## 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

UNIT	RICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>K</u>	VICTORIA AVENUE E - 1ST MH W OF ROANOKE ST		T TO ME			
K. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a) i)	200mm Class 3 backfill		each	2		
K. 2 a)	Sewer Inspection 200mm	CW 2145	m	161		
K. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	3		
K. 4	Removal of Existing Manholes	CW 2130	each	1		
K. 5 a) i)	Manhole SD-010 1200mm diameter base	CW 2130	vert. m	2.6		
K. 6 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	9.0		
K. 7	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.1		
<u>K</u>	VICTORIA AVENUE E - 1ST MH W OF ROANOKE ST	ROANOKE S	T TO MF	I @	Subtotal:	

#### 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
L	VICTORIA AVENUE E KANATA ST TO	WABASHA S	т			
L. 1 a) i)	Watermain Renewal 150mm trenchless installation, Class B sand bedding, Class 5 backfill	CW 2110	m	144.0		
L. 2 a)	Hydrant Assembly SD-007	CW 2110	each	1		
L. 3 a)	Watermain Valve 150mm	CW 2110	each	2		
L. 4 a) i)	Fittings Bends (SD-004) 150mm - 45°	CW 2110	each	2		
L. 5 a)	Corporation Stops 19mm	CW 2110	each	26		
L. 6 a)	Connecting Existing Copper Water Services to New Watermains 19mm	CW 2110	each	22		
L. 7 a) i)	Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existing 150mm	CW 2110	each	2		
L. 8 a) b)	10.9 Kilogram Sacrificial Zinc Anodes On Metallic Watermains On Water Services	CW 2110	each each	1.0 31.0		
L. 9	Continuity Bonding	CW 2110	each	27		
L. 10 a)	Curb Stops 19mm	CW 2110	each	4		
L. 11 a)	Curb Stop Boxes 19mm	CW 2110	each	4		

## 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
L. 12 a) i)	Water Services 19mm trenchless installation, Class B sand bedding, Class 5 backfill	CW 2110	m	24.0		
<u>L</u>	L VICTORIA AVENUE E KANATA ST TO WABASHA ST			Subtotal:		

#### 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>M</u>	PROVISIONAL ITEMS					
M. 1 a)	Concrete Curb Renewal Barrier curb (SD-204)	CW 3240				
i)	Less than 3 m		m	50.0		
b) i)	Lip curb & gutter Less than 3 m		m	50.0		
c)	Ramp curb		m	30.0		
i)	I		m	20.0		
M. 2	Change in Backfill Class III to Class I		m <sup>3</sup>	20.0		
M. 3	Street Light Cable Trenching					
a)	trenching		m	30.0		
b)	coring		m	30.0		
M. 4	Sodding Replacing Standard Frames and	CW 3510	m <sup>2</sup>	100.0		
M. 5 a)	Covers AP-004 Standard Frame for Manhole	CW 2130				
b)	and Catch Basin AP-005 Standard Solid Cover		each each	2 2		
M. 6	Replacing Existing Catch Basin Hoods	CW 2130	each	4.0		
M. 7	Replacing Existing Manhole Rungs	CW 2130	each	15.0		
M. 8	Sewer Service Inspection	CW 2145				
a)	150mm		m	70.0		
M. 9	Manhole Inspection Watermain and Water Service	CW 2145		4.0		
M. 10	Insulation	CW 2110				
a) i)	In a trench (SD - 018) 50mm thick		m	10		
M. 11	Regrading of Existing Sewer Service - Up to 1.5 metres Long	CW 2110				
a)	150mm		each	3		
M. 12	Regrading of Existing Sewer Service - Longer Than 1.5 metres	CW 2110				
a)	150mm		m	10		

#### 2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
M. 13 a)	Curb Stops - Replace Existing 19mm	CW 2110	each	5		
M. 14 a)	Curb Stop Boxes - Replace Existing 19mm	CW 2110	each	5		
<u>M</u>	PROVISIONAL ITEMS				Subtotal:	

TOTAL BID PRICE (GST extra)	(in figures)\$	
(in words)		
		Name of Bidder

(Seal)

Template Version: C120070404

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS T	HAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten perc	and firmly bound unto <b>THE CITY OF WINNIPEG</b> cent (10%) of the Total Bid Price set out in the Bi se Principal and Surety bind themselves, their heir latly and severally, firmly by these presents.	d hereinafter
WHEREAS the Principal has submitted a Bi	d to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 422-2007		
2007 WATERMAIN RENEWALS, SEWER F CONTRACT NO. 13	RENEWALS AND REPAIRS,	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	igation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness)	Per:	(Seal)
	Per:	
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### **AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 422-2007 2007 WATERMAIN RENEWALS, SEWER RENEWALS AND REPAIRS, CONTRACT NO. 13 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_\_\_. (Name of Surety) (Seal)

(Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY - BID OPPORTUNITY NO. 422-2007
2007 WATERMAIN RENEWALS, SEWER RENEWALS AND REPAIRS, CONTRACT NO. 13
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon writter demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand fo payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 27, 2007

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)