MILLWORK NOTES 1. STANDARDS 4. MILLWORK HARDWARE AWMAC PREMIUM GRADE MILL STANDARD LATEST EDITION CONSTRUCTION A) DRAWER SIDES, BACKS, AND BOTTOMS TO BE 1/2" ROTORY CUT BIRCH B) ALL EXTERIOR SURFACES (INCLUDING TOPS, GABLES, BOTH SIDES OF DRAWER AND DOOR FRONTS AND SELF EDGING, ETC.) TO BE FINISHED AS NOTED FOR SPECIFIC MILLWORK. C). ALL SUPPORT BLOCKING WITHIN MILLWORK TO BE CONCEALED FROM VIEW. GROMMET D) ALL UNITS TO BE FIRMLY SCRIBED WITHIN PARTITIONS. E) ALL CONSTRUCTION TO BE 3/4" PLYWOOD OR PARTICAL BOARD AS SPECIFIED.

3. SHOP DRAWINGS SHOP DRAWINGS TO BE DONE AND SENT TO CONTRACT ADMINISTRATOR FOR APPROVAL PRIOR TO CONSTUCTION.

CONTINUES UNDER COUNTER FLUORESCENT LIGHTS

MINI FLUORESCENT UNDER CABINET LIGHTS

CONTRACTOR TO HARDWIRE FOR SWITCH

MIRROR FRAMES FOR ALL WASHROOMS

RICHELIEU: 122.108.140 METAL ROD

ROD FOR FOOT REST IN LIBRARY

RICHELIEU: LENGTH TO MATCH MILLWORK

CURVED DESK AREA TO HAVE CURVED ROD TO

COLOR: CHROME 1" DIA STEEL ROD

PARTICLE BOARD CORE MIN 45 LBS.

A FACE 10M PAPER BACK VENEER APPLIED TO TOP AT MILLWORKSHOP

20 GA T 304 #4 STAINLESS STEEL

XL BUFF - SIMILAR TO A MIRROR FINISH #4 - ST ST WITH A STRAIGHT GRAIN

DENSITY CONFROMING TO ANSI A208.1 - 1999 1-M-3

AND IS TECO TESTED PER ASTM D-1037

VENEER TO BE HAND SELECTED FLAT SLICED

COLOR: CHROME 1 1/6" DIA

DELUXE OUTSIDE BRACKET

MODEL #; 3625-140

MATCH CURVE IN DESK

BOOK MATCHED VENEER TO BE MAPLE

100 MM BASE BOARD

GLUED TO SUPPORT

CHROME, 1" DIA

MOUNTING HARDWARE FOR MIRRORS FRAMES

HAFELE: KEKU AD DOUBLE PARTITION FASTENERS

MFG.: HAFELE

SURFACE MOUNTED

MODEL: 826.11.612

13 WATT, 21"L, 3", 1"

COLOR: SATIN NICKEL

SEE E-DWG FOR DETAILS

HAFELE: 1927 PROFILE

FOR ALL WASHROOMS

MODEL: 262.51.310

MODEL #; 8334-140

CHROME, 1 1/6" DIA

OPEN FLANGE

MODEL#; 000209

STAINLESS STEEL FINISH

DRAWER GLIDES KNAPP & VOGT 1483 (UP TO 150 LB. LOAD RATING. HEAVY DUTY FULL EXTENSION) DRAWERS OVER 6" HIGH & PRINTER SHELF DRAWERS 1248 (UP TO 50 LB. LOAD RATING, DRAWERS UNDER 6" HIGH

HAFELE 429.94.212 (56MM) CHROME POL. ZINC DIE CAST PENCIL TRAY PENCIL TRAY TO BE PROVIDED FOR ONE BOX DRAWER IN EACH PEDESTAL.

SUSPENSION FRAME HARDWARE FOR LETTER SIZE FILES

FOR EACH FILE DRAWER HETTICK CONCEALED HINGES, NO 790 NICKEL FINISH HINGES 170 DEGREES.

TOUCH LATCH IVES STAINLESS STEEL HANDLE HAFELE MODEL: 117.05.630 ALL LOCATIONS EXCEPT AS NOTED METAL SHELF SUPPORT AND STANDARDS K & V ZINC RECESSED INTO GABLES ENDS

GLIDES FOR GABLE ENDS GLIDES FOR GABLE ENDS MFG: HAFELE MODEL: 650.194.324 COLOR: BLACK

CYLINDER MODULE SYSTEM - CENTRAL LOCKING SINGLE PEDESTAL FRONT MOUNT MFG: HAFELE ITEM: CYLINDER ROSETTE, 210.04.070 COLOR: MATT NICKEL ITEM: LOCK BODY WITH LIFTING PIN MODEL: 234.85.001 ITEM: LOCKBAR CLIP MODEL: 234.87.998 ITEM: PROTECTIVE CAP MODEL: 210.02.095 ITEM: LOCKBAR MODEL: 234.87.818 (457MM) ITEM: ARRESTING PINS MODEL: 237.22.723 ITEM: BAR RETAINING BRACKET MODEL: 234.87.989 ITEM: DRAWER LOCKING WEDGE MODEL: 234.91.090

KEYING TO BE REVIEWED WITH CLIENT

CONSTRUCTION AFFECTED BY THE REMOVAL OF ALL ITEMS FORMING THE PART OF THE RENOVATION WORK. WHERE NEW FLOORING AND BASE IS TO BE INSTALLED IN EXISTING AREAS (REFER TO FLOOR PLAN AND ROOM SCHEDULE) THE EXISTING FLOORING SURFACE AND BASE MUST BE REMOVED, UNLESS OTHERWISE NOTED. ALL FLOOR SURFACES SHALL BE PREPARED IN ACCORDANCE TO MANUFACTURER'S RECOMMENDATIONS FOR INSTALLATION OF NEW WHERE PAINTING OF EXISTING WALLS IS INDICATED ON THE ROOM SCHEDULE, THESE WALLS MUST BE CLEANED OF ANY EXISTING WALL COVERING, PATCHED & PREPARED TO ACCEPT NEW MATERIAL, UNLESS OTHERWISE NOTED.

MANUFACTURER'S SPECIFICATIONS & APPLICABLE CODES.

NOTES :

SHOWN ON DRAWINGS.

THESE DRAWINGS SHALL NOT BE SCALED.

AND PROVIDE A SMOKE-TIGHT BARRIER.

AND DETAILED INFORMATION SHOWN ARE CORRECT.

THE CONTRACTOR SHALL VISIT THE SITE AND SATISFY ONESELF ALL DIMENSIONS, DATUM,

THE CONTRACTOR IS TO REVIEW AND COORDINATE ALL ARCHITECTURAL, MECHANICAL. ELECTRICAL AND STRUCTURAL DRAWINGS FOR ADDITIONAL OPENINGS THROUGH FLOORS, WALLS, AND CEILINGS FOR DUCT, PIPE & ELECTRICAL RISERS AND ALL OPENINGS NOT

ALL OPENINGS THROUGH FIRE ASSEMBLIES ARE TO BE FIRE STOPPED AND SEALED WITH ULC APPROVED FIRE STOPPING TO MAINTAIN THE INTEGRITY OF THE FIRE SEPARATION,

ALL PRODUCTS AND MATERIALS TO BE USED AND INSTALLED SHALL CONFORM WITH

THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH AND MAKE GOOD ALL EXISTING

ADDENDUM NO. 3 ISSUED FOR PERMIT ISSUED FOR TENDER BY DATE

REVISION/DESCRIPTION SEALS **NEIL COOPER** 

DRAWN BY CAD CHECKED BY APPROVED 2007 Feb 15 USER APPROVAL

CITY OF WINNIPEG PLANNING, PROPERTY & Winnipeg **DEVELOPMENT DEPARTMENT** CIVIC ACCOMMODATIONS DIVISION 300 - 65 GARRY ST. R3C 4K4

INCE OF MAA

/ NEIL COOPER \

ARCHITECT

**PROJECT** 

CONSTRUCTION OF CINDY KLASSEN RECREATION COMPLEX FACILITY ENHANCEMENT PROJECT

999 Sargent Ave, Winnipeg, MB

SHEET TITLE

MILLWORK NOTES

PROJECT NO. SHEET NO. 2005 - 059 AS SHOWN

MODEL: N10-40-65-444 4' PANEL, ¾" THICK MAGAZINE DISPLAY HOLDERS CLEAR ARCYLIC SIZE: 18"W, 11"H, 3"D MODEL: 90140-11 CABLE MANAGEMENT MFGR: HAFEL MODEL: 6829.15.302 SIZE: 2.5M COLOR: BLACK

SLAT WALL FOR DISPLAY AREA

ALMOND LAMINATED PANELS

MFGR: RICHELIEU

CONCEALED HINGES FOR GLASS DOORS MFGR: HAFEL MODEL: 329.21.532 MOUNTING PLATE MODEL: 329.62.520 COLOR: STEEL NICKEL PLATED 4 PER DOOR

GLASS DOOR LOCKS FOR DOUBLE DOORS MFGR: HAFEL MODEL: 233.33.701 COLOR: STEEL NICKEL PLATED MOUNT AT BOTTOM OF DOOR

MFGR: HAFEL MODEL: 282.13.711 COLOR: STEEL NICKEL PLATED

GLASS SHELF SUPPORT

FILE BARS

PIANO HINGE MFGR: RICHELIEU, MODEL: 281740-180 NICKEL

DOUBLE MAGNETIC CATCH, MFGR: RICHELIEU, MODEL: 5010G WITH PLATE, BLACK

Neil Cooper Architect Inc.

10-395 Berry Street, Winnipeg, Manitoba R3J 1N6