

**FORM A: BID**  
(See B7)

1. Contract Title SUPPLY AND DELIVERY OF LUBRICANTS

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
Facsimile Number

(Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

4. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

5. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a notice of award authorizing the commencement of the Work.

6. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

7. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

|     |       |       |       |
|-----|-------|-------|-------|
| No. | _____ | Dated | _____ |
|     | _____ |       | _____ |
|     | _____ |       | _____ |

8. Time

This offer shall be open for acceptance, binding and irrevocable for a period of seventy-five (75) Calendar Days following the Submission Deadline.

9. Signatures

The Bidder or the Bidder's authorized official or officials have signed this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

SEAL

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**ENGINE OIL – HEAVY DUTY SINGLE GRADE**

**FLEET / TRANSIT**

| Item No.            |                        | 1 to 3                      | 4 to 6                     | 7                          |  |
|---------------------|------------------------|-----------------------------|----------------------------|----------------------------|--|
| Description         |                        | Engine oil - heavy duty 10W | Engine oil - heavy duty 30 | Engine oil - heavy duty 40 |  |
| SAE Viscosity Grade |                        | 10W                         | 30                         | 40                         |  |
| API                 | CF-2                   |                             |                            | ◆                          |  |
|                     | CF                     | ◆                           | ◆                          | ◆                          |  |
| Allison             | C-4                    | ◆                           | ◆                          |                            |  |
| Caterpillar         | TO-4                   | ◆                           | ◆                          |                            |  |
| Detroit Diesel      | 7SE270 2-stroke type 1 |                             |                            | ◆                          |  |

| Item No. | Description                                  | Approx. Annual Qty | Unit | Product Offered (Print) | Unit Price |
|----------|--|--------------------|------|-------------------------|------------|
| 1.       | Engine oil - heavy duty 10W- 1 L container   | 144                | L    |                         | _____ /L   |
| 2.       | Engine oil - heavy duty 10W- 20 L container  | 400                | L    |                         | _____ /L   |
| 3.       | Engine oil - heavy duty 10W- 205 L container | 615                | L    |                         | _____ /L   |
| 4.       | Engine oil - heavy duty 30- 1 L container    | 36                 | L    |                         | _____ /L   |
| 5.       | Engine oil - heavy duty 30- 20 L container   | 660                | L    |                         | _____ /L   |
| 6.       | Engine oil - heavy duty 30- 205 L container  | 1,025              | L    |                         | _____ /L   |
| 7.       | Engine oil - heavy duty 40- bulk             | 38,000             | L    |                         | _____ /L   |

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**ENGINE OIL – HEAVY DUTY MULTI-GRADE**

**FLEET / TRANSIT**

| Item No.            |                        | 8                             | 9 to 10                        | 11 to 15                       |  |
|---------------------|------------------------|-------------------------------|--------------------------------|--------------------------------|--|
| Description         |                        | Engine oil - heavy duty 0W 30 | Engine oil - heavy duty 10W 30 | Engine oil - heavy duty 15W 40 |  |
| SAE Viscosity Grade |                        | 0W 30                         | 10W 30                         | 15W 40                         |  |
|                     | CJ-4                   |                               | ◆                              | ◆                              |  |
|                     | SL                     |                               | ◆                              | ◆                              |  |
| Allison             | C-4                    | ◆                             | ◆                              | ◆                              |  |
| Caterpillar         | TO-2                   | ◆                             | ◆                              | ◆                              |  |
|                     | SEBU 6385              | ◆                             | ◆                              | ◆                              |  |
| Cummins             | CES 20078              |                               | ◆                              | ◆                              |  |
|                     | CES 20081              |                               |                                | ◆                              |  |
| Detroit Diesel      | 7SE270 4-stroke        |                               |                                | ◆                              |  |
|                     | 7SE273 Category I & II |                               |                                | ◆                              |  |
| Mack                | EO-M Plus              | ◆                             | ◆                              | ◆                              |  |

| Item No. | Description   | Approx. Annual Qty. | Unit | Product Offered (Print) | Unit Price |
|----------|---|---------------------|------|-------------------------|------------|
| 8.       | Engine oil - heavy duty 0W 30<br>- 20 L container   | 60                  | L    |                         | _____ /L   |
| 9.       | Engine oil - heavy duty 10W 30<br>- 1 L container   | 320                 | L    |                         | _____ /L   |
| 10.      | Engine oil - heavy duty 10W 30<br>- 20 L container  | 20                  | L    |                         | _____ /L   |
| 11.      | Engine oil - heavy duty 15W 40<br>- 1 L container   | 525                 | L    |                         | _____ /L   |
| 12.      | Engine oil - heavy duty 15W 40<br>- 4 L container   | 70                  | L    |                         | _____ /L   |
| 13.      | Engine oil - heavy duty 15W 40<br>- 20 L container  | 280                 | L    |                         | _____ /L   |
| 14.      | Engine oil - heavy duty 15W 40<br>- 205 L container | 410                 | L    |                         | _____ /L   |
| 15.      | Engine oil - heavy duty 15W 40<br>- bulk            | 71,500              | L    |                         | _____ /L   |

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**ENGINE OIL – GASOLINE ENGINES**

**FLEET / TRANSIT**

|                     |                                    |                                    |                                    |                                     |
|---------------------|------------------------------------|------------------------------------|------------------------------------|-------------------------------------|
| Item No.            | 16                                 | 17 to 19                           | 20 to 22                           | 23 to 25                            |
| Description         | Engine oil - gasoline engine 0W 30 | Engine oil - gasoline engine 5W 20 | Engine oil - gasoline engine 5W 30 | Engine oil - gasoline engine 10W 30 |
| SAE Viscosity Grade | 0W 30                              | 5W 20                              | 5W 30                              | 10W 30                              |
| API                 | SL                                 | ◆                                  | ◆                                  | ◆                                   |
| ILSAC               | GF-4                               | ◆                                  | ◆                                  | ◆                                   |

| Item No. | Description  | Approx. Annual Qty. | Unit | Product Offered (Print) | Unit Price |
|----------|--|---------------------|------|-------------------------|------------|
| 16.      | Engine oil - gasoline engine 0W 30 - 1 L container         | 140                 | L    |                         | _____ /L   |
| 17.      | Engine oil - gasoline engine 5W 20 - 1 L container         | 480                 | L    |                         | _____ /L   |
| 18.      | Engine oil - gasoline engine 5W 20 - 205 L container       | 410                 | L    |                         | _____ /L   |
| 19.      | Engine oil – gasoline engine 5W 20 - bulk                  | 7,625               | L    |                         | _____ /L   |
| 20.      | Engine oil - gasoline engine 5W 30 - 1 L container         | 225                 | L    |                         | _____ /L   |
| 21.      | Engine oil - gasoline engine 5W 30 - 205 L container       | 205                 | L    |                         | _____ /L   |
| 22.      | Engine oil - gasoline engine 5W 30 - bulk                  | 3,500               | L    |                         | _____ /L   |
| 23.      | Engine oil - gasoline engine 10W 30 - 1 L container        | 210                 | L    |                         | _____ /L   |
| 24.      | Engine oil - gasoline engine 10W 30 - (4 x 4 L containers) | 60                  | L    |                         | _____ /L   |
| 25.      | Engine oil - gasoline engine 10W 30 - 205 L container      | 1,640               | L    |                         | _____ /L   |

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**ENGINE OIL – NATURAL GAS ENGINES (NON-AUTOMOTIVE)**

**FLEET / TRANSIT / VARIOUS DEPT'S.**

|                          |                                    |  |  |  |
|--------------------------|------------------------------------|--|--|--|
| Item No.                 | 26                                 | 27                                     |  |  |
| Description              | Engine oil - natural gas engine 40 | Engine oil - natural gas engine 15W 40 |  |  |
| SAE Viscosity Grade      | 40                                 | 15W 40                                 |  |  |
| Sulphated Ash (% weight) | 0.4 to 0.5                         | 0.4 to 0.5                             |  |  |
| Total Base No.           | 5.0                                | 5.0                                    |  |  |

| Item No. | Description  | Approx. Annual Qty. | Unit | Product Offered (Print) | Unit Price |
|----------|--|---------------------|------|-------------------------|------------|
| 26.      | Engine oil - natural gas engine 40 - 205 L container     | 410                 | L    |                         | _____ /L   |
| 27.      | Engine oil - natural gas engine 15W 40 - 205 L container | 410                 | L    |                         | _____ /L   |

**ENGINE OIL – LOCOMOTIVE DIESEL**

|                     |                                   |  |  |  |
|---------------------|-----------------------------------|--|--|--|
| Item No.            | 28                                |  |  |  |
| Description         | Engine oil - locomotive diesel 40 |  |  |  |
| SAE Viscosity Grade | 40                                |  |  |  |

| Item No. | Description   | Approx. Annual Qty. | Unit | Product Offered (Print) | Unit Price |
|----------|---|---------------------|------|-------------------------|------------|
| 28.      | Engine oil - natural gas engine 40- 205 L container | 410                 | L    |                         | _____ /L   |

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**GEAR OIL – AUTOMOTIVE**

**FLEET / TRANSIT**

|                     |        |                 |                 |                     |  |
|---------------------|--------|-----------------|-----------------|---------------------|--|
| Item No.            |        | 29 to 30.       | 31 to 33        | 34                  |  |
| Description         |        | Gear oil 75W 90 | Gear oil 80W 90 | Gear oil 80W 140 EP |  |
| SAE Viscosity Grade |        | 75W 90          | 80W 90          | 80W 140             |  |
| API                 | GL-5   | ◆               | ◆               | ◆                   |  |
|                     | MT-1   | ◆               | ◆               | ◆                   |  |
| Mack                | GO-J   | ◆               | ◆               | ◆                   |  |
| Eaton               | PS 163 |                 |                 | ◆                   |  |

| Item No. | Description                             | Approx. Annual Qty. | Unit | Product Offered (Print) | Unit Price |
|----------|---|---------------------|------|-------------------------|------------|
| 29.      | Gear oil 75W 90<br>- 60 L container     | 180                 | L    |                         | _____ /L   |
| 30.      | Gear oil 75W 90<br>- 205 L container    | 2,050               | L    |                         | _____ /L   |
| 31.      | Gear oil 80W 90<br>- 20 L container     | 180                 | L    |                         | _____ /L   |
| 32.      | Gear oil 80W 90<br>- 60 L container     | 360                 | L    |                         | _____ /L   |
| 33.      | Gear oil 80W 90<br>- 205 L container    | 7,380               | L    |                         | _____ /L   |
| 34.      | Gear oil 80W 140 EP<br>- 60 L container | 540                 | L    |                         | _____ /L   |

**FORM B(R5): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**AUTOMATIC TRANSMISSION FLUID**

**FLEET / TRANSIT**

| Item No.    |              | 35 to 38            | 39       | 40 to 43       | 44  |
|-------------|--------------|---------------------|----------|----------------|---|
| Description |              | Dexron III / Mercon | Mercon V | Dexron VI Spec | Approved severe duty / extended drain ATF |
| Ford        | WSP M2C185-A | ◆                   | ◆        |                |   |
|             | WSE M2C202-B |                     | ◆        |                |   |
| GM          | GMN 10060    |                     |          | ◆              |   |
| Allison     | C-4          | ◆                   |          |                |   |
|             | TES 295      |                     |          |                | ◆   |
|             | TES 389      | ◆                   | ◆        |                | ◆   |
|             | V730D        | ◆                   |          |                |   |

| Item No. | Description   | Approx. Annual Qty. | Unit | Product Offered ( <b>Print</b> ) | Unit Price |
|----------|---|---------------------|------|----------------------------------|------------|
| 35.      | Dexron III / Mercon<br>- 1 L container                            | 250                 | L    |                                  | _____ /L   |
| 36.      | Dexron III / Mercon<br>- 20 L container                           | 320                 | L    |                                  | _____ /L   |
| 37.      | Dexron III / Mercon<br>- 205 L container                          | 1,025               | L    |                                  | _____ /L   |
| 38.      | Dexron III / Mercon<br>- bulk                                     | 35,000              | L    |                                  | _____ /L   |
| 39       | Mercon V<br>- 205 L container                                     | 1,230               | L    |                                  | _____ /L   |
| 40.      | Dexron VI<br>- 1 L container                                      | 320                 | L    |                                  | _____ /L   |
| 41.      | Dexron VI - (4 x 4L<br>containers)                                | 160                 | L    |                                  | _____ /L   |
| 42.      | Dexron VI<br>- 205 L container                                    | 615                 | L    |                                  | _____ /L   |
| 43.      | Dexron VI<br>- bulk   | 25,000              | L    |                                  | _____ /L   |
| 44.      | Approved severe duty<br>/ extended drain ATF<br>- 205 L container | 820                 | L    |                                  | _____ /L   |



**FORM B(R2): PRICES**  
**See B8)**

**SUPPLY AND DELIVERY OF LUBRICANTS**

**UNIT PRICES**

**TRACTOR TRANSMISSION / HYDRAULIC FLUID**

**FLEET / TRANSIT**

|                        |  |  |  |  |
|------------------------|--|--|--|--|
| Item No.               | 45 to 46                                       | 47 to 48   |  |  |
| Description            | Tractor transmission / hydraulic fluid, summer | Tractor transmission / hydraulic fluid, all season |  |  |
| Viscosity (cSt @ 40°C) | 55 to 65                                       | 35 to 45   |  |  |
| Viscosity Index        | 140  | 192  |  |  |
| Pour Point             | -42°C  | -45°C  |  |  |
| API GL-4               | ◆  | ◆  |  |  |
| Allison C-4            | ◆  | ◆  |  |  |
| Caterpillar TDTO       | ◆  | ◆  |  |  |
| John Deere J20C        | ◆  |  |  |  |
| J20D                   |  | ◆  |  |  |

| Item No. | Description   | Approx. Annual Qty. | Unit | Product Offered (Print) | Unit Price |
|----------|---|---------------------|------|-------------------------|------------|
| 45.      | Tractor transmission / hydraulic fluid – summer - 20 L container      | 440                 | L    |                         | _____ /L   |
| 46.      | Tractor transmission / hydraulic fluid – summer - 205 L container     | 1,640               | L    |                         | _____ /L   |
| 47.      | Tractor transmission / hydraulic fluid - all season - 20 L container  | 160                 | L    |                         | _____ /L   |
| 48.      | Tractor transmission / hydraulic fluid - all season - 205 L container | 410                 | L    |                         | _____ /L   |

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**HYDRAULIC FLUID**

**FLEET / TRANSIT**

|                             |                    |                    |  |  |
|-----------------------------|--------------------|--------------------|--|--|
| Item No.                    | 49                 | 50                 |  |  |
| Description                 | Hydraulic fluid 32 | Hydraulic fluid 46 |  |  |
| ISO Viscosity Grade         | 32                 | 46                 |  |  |
| Viscosity Index             | 95                 | 100                |  |  |
| Operating temperature range | -18 to +57°C       | -25 to +57°C       |  |  |
| Pour Point                  | -39°C              | -36°C              |  |  |
| Oxidation Stability         | 6500 h             | 6500 h             |  |  |
| Dennison HF-O               | ◆                  | ◆                  |  |  |
| Vickers 35VQ 25             | ◆                  | ◆                  |  |  |

| Item No. | Description                             | Approx. Annual Qty. | Unit | Product Offered (Print) | Unit Price |
|----------|---|---------------------|------|-------------------------|------------|
| 49.      | Hydraulic fluid 32<br>- 205 L container | 3,895               | L    |                         | _____ /L   |
| 50.      | Hydraulic fluid 46<br>- 205 L container | 410                 | L    |                         | _____ /L   |

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**HYDRAULIC FLUID – WIDE TEMPERATURE RANGE / ALL SEASON**

**FLEET / TRANSIT / VARIOUS DEPT'S.**

|                             |   |   |   |                             |
|-----------------------------|---|---|---|-----------------------------|
| Item No.                    | 51  | 52 to 54                                  | 55                                      | 56                          |
| Description                 | Hydraulic fluid 15 wide temperature range | Hydraulic fluid 22 wide temperature range | Hydraulic oil 32 wide temperature range | Hydraulic oil 46 all season |
| ISO Viscosity Grade         | 15  | 22  | 32                                      | 46                          |
| Viscosity Index             | 380                                       | 160                                       | 140                                     | 240                         |
| Operating temperature range | -45 to +23°C                              | -25 to +57°C                              | -18 to +66°C                            | -18 to +75°C                |
| Pour Point                  | -57°C                                     | -51°C                                     | -48°C                                   | -48°C                       |
| Oxidation Stability         | 3000 h                                    | 6500 h                                    | 6500 h                                  | 6500 h                      |
| Dennison HF-O               | ◆   | ◆   | ◆                                       | ◆                           |
| Vickers 35VQ 25             | ◆   | ◆   | ◆                                       | ◆                           |

| Item No. | Description   | Approx. Annual Qty. | Unit | Product Offered (Print) | Unit Price |
|----------|---|---------------------|------|-------------------------|------------|
| 51.      | Hydraulic fluid 15 wide temperature range - 205 L container | 1,435               | L    |                         | _____ /L   |
| 52.      | Hydraulic fluid 22 wide temperature range - 20 L container  | 420                 | L    |                         | _____ /L   |
| 53.      | Hydraulic fluid 22 wide temperature range - 205 L container | 840                 | L    |                         | _____ /L   |
| 54.      | Hydraulic oil 22 wide temperature range - bulk              | 2,800               | L    |                         | _____ /L   |
| 55.      | Hydraulic oil 32 wide temperature range - 20 L container    | 200                 | L    |                         | _____ /L   |
| 56.      | Hydraulic oil 46 all season - 20 L container                | 960                 | L    |                         | _____ /L   |

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**GREASE – MULTIPURPOSE EP LITHIUM**

**FLEET / TRANSIT / VARIOUS DEPT'S.**

|                         |                    |   |  |  |
|-------------------------|--------------------|---|--|--|
| Item No.                | 57                 |   |  |  |
| Description             | Grease EP1 lithium |   |  |  |
| NLGI                    | Grade              | 1 |  |  |
|                         | GC-LB              | ◆ |  |  |
| Timken OK Load (D-2509) | 27 kg              |   |  |  |
| Dropping Point          | 190°C              |   |  |  |

| Item No. | Description                           | Approx. Annual Qty | Unit | Product Offered (Print) | Unit Price |
|----------|---------------------------------------|--------------------|------|-------------------------|------------|
| 57.      | Grease EP1 lithium - 180 KG container | 1745               | KG   |                         | _____ /KG  |

**GREASE – MULTIPURPOSE EP LITHIUM COMPLEX**

|                                  |                             |                            |                            |  |
|----------------------------------|-----------------------------|----------------------------|----------------------------|--|
| Item No.                         | 58                          | 59                         | 60 to 61                   | 62   |
| Description                      | Grease EP00 lithium complex | Grease EP1 lithium complex | Grease EP2 lithium complex | Grease EP2 lithium complex No solid lubricants (MOS2 and graphite) |
| NLGI                             | Grade                       | 00                         | 1                          | 2  |
|                                  | GC-LB                       |                            | ◆                          | ◆  |
| Timken OK Load (D-2509)          | 18 kg                       | 27 kg                      | 27 kg                      | 27 kg  |
| Dropping Point                   | 135°C                       | 149°C                      | 149°C                      | 230°C  |
| Molybdenum disulphide (% weight) |                             |                            | 3 to 5%                    |  |

| Item No. | Description   | Approx Annual Qty | Unit | Product Offered (Print) | Unit Price |
|----------|---|-------------------|------|-------------------------|------------|
| 58.      | Grease EP00 lithium complex- 17 KG container  | 51                | KG   |                         | _____ /KG  |
| 59.      | Grease EP1 lithium complex- 400 G container   | 50                | KG   |                         | _____ /KG  |
| 60.      | Grease EP2 lithium complex- 400 G container   | 525               | KG   |                         | _____ /KG  |
| 61.      | Grease EP2 lithium complex- 54 KG container   | 108               | KG   |                         | _____ /KG  |
| 62.      | Grease EP2 lithium complex No solid lubricant (MOS2 and graphite free) - 180 KG container | 1,593             | KG   |                         | _____ /KG  |

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**ENGINE OIL – TWO-CYCLE GASOLINE ENGINES**

**FLEET / VARIOUS DEPT'S.**

|                            |                                 |                                   |  |  |
|----------------------------|---------------------------------|-----------------------------------|--|--|
| Item No.                   | 63                              | 64                                |  |  |
| Description                | 2-cycle engine oil - air-cooled | 2-cycle engine oil - water-cooled |  |  |
| API TC                     | ◆                               |                                   |  |  |
| NMMA TC-W 3                |                                 | ◆                                 |  |  |
| SAE Fluidity / Miscibility | F/M 4 @ -40°C                   | F/M 3 @ -25°C                     |  |  |
| Fuel/oil ratio             | to 50:1                         | to 100:1                          |  |  |

| Item No. | Description                                       | Approx. Annual Qty | Unit | Product Offered (Print) | Unit Price |
|----------|---|--------------------|------|-------------------------|------------|
| 63.      | 2-cycle engine oil - air-cooled - 1 L container   | 55                 | L    |                         | _____ /L   |
| 64.      | 2-cycle engine oil - water-cooled - 1 L container | 30                 | L    |                         | _____ /L   |

**CHAIN SAW BAR OIL**

|                        |                            |                            |  |  |
|------------------------|----------------------------|----------------------------|--|--|
| Item No.               | 65                         | 66                         |  |  |
| Description            | Chain saw bar oil - winter | Chain saw bar oil - summer |  |  |
| Viscosity (cSt @ 40°C) | 30 to 60                   | 100 to 200                 |  |  |
| Pour Point             | -30°C                      | -9°C                       |  |  |
| Flash Point            | 140°C                      | 200°C                      |  |  |

| Item No. | Description                                | Approx. Annual Qty. | Unit | Product Offered (Print) | Unit Price |
|----------|--|---------------------|------|-------------------------|------------|
| 65.      | Chain saw bar oil - winter - 4 L container | 20                  | L    |                         | _____ /L   |
| 66.      | Chain saw bar oil - summer- 4 L container  | 20                  | L    |                         | _____ /L   |

**FORM B(R): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**CONCRETE FORM RELEASE OIL**

**FLEET / VARIOUS DEPT'S.**

|  |                           |  |  |  |
|--|---------------------------|--|--|--|
| Item No.   | 67                        |  |  |  |
| Description  | Concrete form release oil |  |  |  |
| Viscosity (cSt @ 40 °C) (approx.)                          | 4                         |  |  |  |
| Flash Point  | 40°C                      |  |  |  |
| Suitable for wood and steel forms.                         | ◆                         |  |  |  |
| Suitable as supplied for both brush and spray application. | ◆                         |  |  |  |

| Item No. | Description                                 | Approx. Annual Qty. | Unit | Product Offered (Print) | Unit Price |
|----------|---|---------------------|------|-------------------------|------------|
| 67.      | Concrete form release oil - 205 L container | 205                 | L    |                         | _____ /L   |

**SOLUBLE CUTTING OIL**

|                                   |                     |  |  |  |
|-----------------------------------|---------------------|--|--|--|
| Item No.                          | 68                  |  |  |  |
| Description                       | Soluble cutting oil |  |  |  |
| Viscosity (cSt @ 40 °C) (approx.) | 36                  |  |  |  |
| Water/oil mix ratio               | 10:1 to 30:1        |  |  |  |
|                                   |                     |  |  |  |

| Item No. | Description                          | Approx. Annual Qty. | Unit | Product Offered (Print) | Unit Price |
|----------|--------------------------------------|---------------------|------|-------------------------|------------|
| 68.      | Soluble cutting oil - 20 L container | 60                  | L    |                         | _____ /L   |

**FORM B(R2): PRICES**  
 (See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

UNIT PRICES

**STODDART SOLVENT**

**FLEET / TRANSIT / VARIOUS DEPT'S.**

|   |                                 |  |  |  |
|---|---------------------------------|--|--|--|
| Item No.  | 69                              |  |  |  |
| Description   | Stoddart solvent <sup>(1)</sup> |  |  |  |
| Flash Point   | 40°C                            |  |  |  |
| Aniline Point   | 54°C                            |  |  |  |
| Kauri Butanol Value   | 39                              |  |  |  |
| General purpose, aliphatic.   | ◆                               |  |  |  |
| (1) ESSO Varsol 3139, PETRO-CANADA PetroSol 3139, or equal see clause B5. |                                 |  |  |  |

| Item No. | Description                        | Approx. Annual Qty | Unit | Product Offered (Print) | Unit Price |
|----------|------------------------------------|--------------------|------|-------------------------|------------|
| 69.      | Stoddart solvent - 205 L container | 2,255              | L    |                         | _____ /L   |

**REFUNDABLE CONTAINER DEPOSIT**

| Item No. | Description     | Approx. Annual Qty. | Unit. | Unit Price |
|----------|-----------------|---------------------|-------|------------|
| 70.      | 205 L container | 145                 | each  | _____ /ea  |

**FORM B(R2): PRICES**  
(See B8)

**SUPPLY AND DELIVERY OF LUBRICANTS**

**MINIMUM / DELIVERY CHARGE**

**FLEET / TRANSIT / VARIOUS DEPT'S.**

| Item No. | Description     | Spec. Reference | Approx. Annual Qty. | Unit. | Unit Price |
|----------|-----------------|-----------------|---------------------|-------|------------|
|          | Delivery charge | E5.3            | 12                  | each  | _____ /ea  |

\_\_\_\_\_  
Name of Bidder