


NOTES:

- 6. PROVIDE TWO(2) SAFETY CHAINS, ONE(1) PER EACH END, FOR TYPE 'F06' AND 'F07' LUMINAIRES.
- 7. TYPE 'F08' AND 'F09' LUMINAIRES SHALL BE INSTALLED C/W MINIMUM #10 WIREGUARD.
- 8. PROVIDE SEPARATE PRICE FOR ALTERNATE LIGHTING LAYOUT. THIS ITEM SHALL BE INCLUDED IN SEPARATE PRICE #3.

PLOTTED ON 2010-03-31 BY RUFINO SANTOS
DOCUMENT SAVED IN H:\5800\5878\ELEC\5878-EL2.1.1_JM.DWG

<p>5878</p>  <p>MCW / AGE Consulting Professional Engineers 210-1821 Wellington Avenue Winnipeg, Manitoba, R3H 0G4 Phone - (204) 779-7900 Fax - (204) 779-1119 E-Mail: mcw_wpg@mcw.com</p>	<p>PROJECT:</p> <p style="text-align: center;">SINCLAIR COMMUNITY CENTRE ADDITION & RENOVATIONS</p>		<p>REF. DWG. NO.</p> <p style="text-align: center;">EL2.1</p>
	<p>DESCRIPTION:</p> <p style="text-align: center;">LIGHTING LAYOUT</p>		<p>DWG. NO.</p> <p style="text-align: center;">RE-4</p>
<p>DATE:</p> <p style="text-align: center;">2010-03-31</p>	<p>DRAWN BY:</p> <p style="text-align: center;">PCS</p>	<p>SCALE:</p> <p style="text-align: center;">1:100</p>	<p>ISSUED WITH:</p> <p style="text-align: center;">ADD#01E</p>