



ADDENDUM #1 BID OPPORTUNITY NO. 267-2010

PLAYGROUND EQUIPMENT FOR VARIOUS PARKS

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: April 14, 2010
BY: Christina Harris
TELEPHONE NO. (204) 986-7436

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART D – SUPPLEMENTAL CONDITIONS

Revise: D2.1 to read: The Work to be done under the Contract shall consist of the supply and installation of new play areas of up to eleven (11) park sites in Winnipeg.

PART E – SPECIFICATIONS

Revise: E6.1.1 to read: All playground equipment posts, bases and anchors are to be set in concrete footings or piles to ensure stability and prevent frost heaving, or welded to a Level C-Channel or Rail, spiked through with ½" rebar, 36" deep. The current Standard Construction Specifications of the City of Winnipeg, CW 2160-R7. Concrete to be used in Underground Works, is to be utilized in the installation of the concrete works for all below ground components.