

FORM A: BID
(See B9)

1. Contract Title ST. BONIFACE INDUSTRIAL PARK PHASE 2 – STAGE 1

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

GST Registration Number (if applicable)

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B13.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of ninety (90) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B(R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	WASTEWATER SEWERS AND FORCE MAIN					
A.1	Wastewater Sewers	CW 2130-R12				
a)	250 mm DR 35 PVC					
i)	In A Trench, Class B sand bedding, Class 2 backfill, 6-7 m Deep		l.m.	4		
ii)	In A Trench, Class B sand bedding, Class 4 backfill, 6-7 m Deep		l.m.	2		
iii)	trenchless installation, Class B sand bedding, Class 2 backfill		l.m.	34		
b)	375 mm DR 35 PVC Sewer					
i)	In A Trench, Class B sand bedding, Class 2 backfill, 6-7 m Deep		l.m.	8		
ii)	trenchless installation, Class B sand bedding, Class 2 backfill		l.m.	204		
c)	450 mm DR 35 PVC Sewer					
i)	In A Trench, Class B sand bedding, Class 2 backfill, 6-7 m Deep		l.m.	4		
ii)	trenchless installation, Class B sand bedding, Class 2 backfill		l.m.	34		
A.2	Manholes	CW 2130-R12				
a)	SD-010					
i)	1200mm diameter base		vert. m	20.0		
A.3	Wastewater Sewer Fittings	CW 2130-R12				
a)	Plugs					
i)	250 mm		each	2		
ii)	450 mm		each	1		
A.4	Sewer Inspection	CW 2145-R3				
a)	Wastewater Sewers					
i)	250 mm		l.m.	40		
ii)	375 mm		l.m.	212		
iii)	450 mm		l.m.	38		
A.5	Wastewater Force Main	E9				
a)	300 mm DR-17 HDPE Force Main (incl. sod restoration on existing section of Mazenod)					
i)	In A Trench, Class B sand bedding, Class 2 backfill		l.m.	4		
ii)	In A Trench, Class B sand bedding, Class 4 backfill		l.m.	8		
iii)	trenchless installation, Class B sand bedding		l.m.	285		
iv)	trenchless installation, Class B sand bedding, including 407 mm Steel Casing Pipe (cored), Spacers, and Anodes		l.m.	36		
A.6	Force Main Testing	E9	L.S.	1		
A.7	Force Main Fittings	E9				
a)	Plugs					

FORM B(R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	200 mm		each	1		
b)	Bends					
i)	300 mm		each	1		
c)	Reducers					
i)	300mm x 200mm		each	1		
A.8	Force Main By-Pass Assembly (as per detail on C-203)	E9	each	1		
A.9	Connect 300 mm Force Main to Existing WWS Manhole on Mazenod (incl. concrete and sod restoration)	E9	each	1		
A	WASTEWATER SEWERS AND FORCEMAIN				Subtotal:	
B	LAND DRAINAGE SEWERS					
B.1	Land Drainage Sewers	CW 2130-R12				
a)	450 mm DR 35 PVC Sewer					
i)	In A Trench, Class B sand bedding, Class 4 backfill, 5-6 m Deep		l.m.	220		
ii)	In A Trench, Class B sand bedding, Class 2 backfill, 6-7 m Deep		l.m.	6		
iii)	In A Trench, Class B sand bedding, Class 2 backfill, 5-6 m Deep		l.m.	20		
iv)	trenchless installation, Class B sand bedding, Class 2 backfill, incl. sod restoration North of rail tracks		l.m.	315		
b)	1050 mm Reinforced Concrete CL III					
i)	In A Trench, Class B sand bedding, Class 2 backfill, 5-6 m Deep		l.m.	9		
ii)	In A Trench, Class B sand bedding, Class 4 backfill, 5-6 m Deep		l.m.	70		
c)	1200 mm Reinforced Concrete CL IV					
i)	In A Trench, Class B sand bedding, Class 2 backfill, 5-6 m Deep		l.m.	24		
ii)	In A Trench, Class B sand bedding, Class 4 backfill, 5-6 m Deep		l.m.	70		
B.2	Manhole	CW 2130-R12				
a)	SD-010					
i)	1200mm diameter base		vert. m	24.6		
b)	SD-011					
i)	2100mm diameter base		vert. m	5.8		
B.3	Fittings	CW 2130-R12				
a)	1050 mm Reinforced Concrete CI III - 22.5 Degree Radius Pipe		each	1		
b)	1050 mm Plug		each	1		
c)	450mm x 450mm x 250mm Tee		each	4		
B.4	Connecting to Existing Manhole	CW 2130-R12				

FORM B(R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.5	a) 450mm to Ex. LDS MH on Mazenod (incl. restoration) NOTE: This is a wet connection (Ex. NWL = 227.400). Connect after completion of new retention pond construction and approval of LDS Sewer Inspection	CW 2145-R3	each	1		
B.6	a) Land Drainage Sewers					
	i) 450 mm		l.m.	561		
	ii) 1050 mm		l.m.	79		
	iii) 1200 mm		l.m.	94		
B.6	LDS Outfall	E7				
a)	14.05 m of 1400 mm Aluminized Type II CSP (2.8mm Thick) - Including Concrete Collar and Riprap (as per details on Sheet C-501)		L.S.	1		
B	LAND DRAINAGE SEWERS				Subtotal:	
C	WATERMAINS					
C.1	Watermains	CW 2110-R11				
a)	300 mm					
	i) In a Trench With Class B Sand Bedding, Class 2 Backfill		l.m.	40		
	ii) In a Trench With Class B Sand Bedding, Class 4 Backfill		l.m.	1315		
	iii) Trenchless Installation With Class B Sand Bedding, Class 2 Backfill		l.m.	74		
	iv) Trenchless Installation With Class B Sand Bedding, Class 2 Backfill c/w 508 mm Steel Casing Pipe, Spacers, and Anodes		l.m.	70		
C.2	Hydrant Assembly	CW 2110-R11				
a)	SD-006					
	i) 2.90 m Bury		each	6		
	ii) 3.05 m Bury		each	1		
	iii) 3.35 m Bury		each	1		
C.3	Watermain Valve	CW 2110-R11				
a)	300mm		each	13		
C.4	Fittings	CW 2110-R11				
a)	Tees					
	i) 300mm x 300mm x 150 mm (hydrant tees for future hydrant installation)		each	7		
	ii) 300mm x 300mm x 300 mm		each	3		
b)	Horizontal Bends (SD-004)					
	i) 300mm - 22 1/2o		each	1		
c)	Vertical Bends (SD-005)					
	i) 300mm - 45o		each	8		
d)	Plugs					

FORM B(R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.5	i) 150mm (at hydrant tees for future hydrant installation)	CW 2110-R11	each	7		
	ii) 300mm		each	3		
C.6	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110-R11				
	a) Inline connection - plug existing					
	i) 300mm		each	2		
	Bacteriological Testing	CW 2125-R4	each	1		
C	WATERMAINS				Subtotal:	
D	RETENTION POND, DITCHES AND RELATED WORKS					
D.1	Excavation to Lake Bottom (incl. fine grading of slopes) with Disposal and Levelling to Stantec set Grades (use Cut/Fill Plan)	E7	c.m	86000		
D.2	Topsoil and Sodding Side Slopes (NWL to Existing Ground)	CW 3510-R9, E7	s.m.	16900		
D.3	Rip Rap Channel (As per detail on Sheet C-501)	E10	s.m.	340		
D.4	Ditches					
a)	Ditch Excavation (incl. tree removal and fine grading of slopes and flat bottom)	CW 3110-R19, E11				
	i) 2 m Wide Bottom		l.m.	230		
	ii) 3 m Wide Bottom		l.m.	155		
	iii) 4 m Wide Bottom		l.m.	195		
b)	Topsoil and Seed Ditch (side slopes and bottom)	CW 3520-R7, E11	s.m.	9700		
D.5	300mm Thick Rip Rap Pad	E10	s.m.	115		
D.6	High Performance CSP Culverts (2.8 mm thick)	E12				
a)	1100 mm (incl. bevelled ends, soft digging, hydro watch and Class 3 backfill through roads, cored under gas line) (2 - 47m culverts)		l.m.	94		
	b) 1200 mm (incl. bevelled ends and Class 2 backfill to elevation 231.500) (2 - 55m culverts)		l.m.	110		
D.7	0.3m Erosion Control Berm (around top of pond)	E7	l.m.	650		
D	RETENTION POND, DITCHES AND RELATED WORKS				Subtotal:	
E	CONCRETE PAVEMENT, ASPHALT PAVEMENT AND RELATED WORKS					
	EARTH AND BASE WORKS - Concrete Pavement					
E.1	Excavation (to 1.0m past back of curb, incl. disposal as per cut/fill plan)	CW 3110-R19	c.m	95		
E.2	Sub-Grade Compaction (to 1.0m past back of curb, compaction with non-vibrating compaction equipment)	CW 3110-R19	s.m.	155		
E.3	Crushed Sub-base Material	CW 3110-R19				
a)	50 mm - Limestone (450mm depth, to 1.0m past back of curb, compaction with non-vibrating compaction equipment)		tonne	160		

FORM B(R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.4	Supplying and Placing Base Course Material (75 mm depth, to 1.0m past back of curb, compaction with non-vibrating compaction equipment)	CW 3110-R19	c.m	15		
E.5	Allowance for Unsuitable Subgrade Material					
a)	Excavation (to 1.0m past back of curb, incl. hauling, disposing, and levelling of material)	CW 3110-R19	c.m	75		
b)	Crushed Sub-base Material	CW 3110-R19				
i)	150 mm - Limestone		tonne	168		
c)	Placing Suitable Site Sub-base Material	CW 3110-R19	c.m.	75		
E.6	Separation Geotextile Fabric (to 1.0m past back of curb)	CW 3130-R4	s.m.	155		
E.7	Supply and Install Geogrid (to 1.0m past back of curb)	CW 3135-R1	s.m.	155		
ROADWORK - NEW CONSTRUCTION - Concrete Pavement						
E.8	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16, E19				
a)	Construction of 200 mm Concrete Pavement (Reinforced)		s.m.	120		
E.9	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R16, E19				
a)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B, E19	l.m.	25		
ROADWORK - REMOVALS/RENEWALS						
E.10	Concrete Curb Removal	CW 3240-R10				
a)	Modified Barrier (Integral)		l.m.	10		
E.11	Concrete Curb Installation	CW 3240-R10				
a)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	l.m.	10		
EARTH AND BASE WORKS - Asphalt Pavement						
E.12	Excavation to 0.45m past back of curb, incl. disposal as per Cut/Fill plan)	CW 3110-R19	c.m	3000		
E.13	Sub-Grade Compaction (to 0.45m past back of curb, compaction with non-vibrating compaction equipment)	CW 3110-R19	s.m.	2400		
E.14	Crushed Sub-base Material	CW 3110-R19				
a)	50 mm - Limestone (150mm depth, to 0.45m past back of curb, compaction with non-vibrating compaction equipment)		tonne	810		
b)	100 mm - Limestone (450mm depth, to 0.45m past back of curb, compaction with non-vibrating compaction equipment)		tonne	2465		
E.15	Supplying and Placing Base Course Material (75 mm depth, to 0.45m past back of curb, compaction with non-vibrating compaction equipment)	CW 3110-R19	c.m	180		
E.16	Allowance for Unsuitable Subgrade Material					
a)	Excavation (to 0.45m past back of curb, incl. hauling, disposing, and levelling of material)	CW 3110-R19	c.m	1200		
b)	Crushed Sub-base Material	CW 3110-R19				

FORM B(R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i) 150 mm - Limestone		tonne	2690		
c)	Placing Suitable Site Sub-base Material	CW 3110-R19	c.m.	1200		
E.17	Separation Geotextile Fabric (to 0.45m past back of curb)	CW 3130-R4	s.m.	2400		
E.18	Supply and Install Geogrid (to 0.45m past back of curb)	CW 3135-R1	s.m.	2400		
ROADWORK - NEW CONSTRUCTION - Asphalt Pavement						
E.19	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R16				
a)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement, Slip Form Paving)	SD-200, SD-203B	l.m.	305		
b)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200, SD-202B	l.m.	75		
E.20	Main Line Paving	CW 3410-R10				
a)	Type IA (55 mm thick, to be completed by October 1, 2016)		tonne	250		
E.21	Construction of Asphaltic Concrete Base Course (Type III) (75 mm thick, to be completed by July 31, 2016)	CW 3410-R10	tonne	350		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
E.22	Catch Basin with Curb and Gutter Inlet	CW 2130-R12				
a)	SD-024, 1800 mm deep		each	4		
E.23	Catch Basin Frame and Covers	CW 2130-R12, SD-203B				
a)	Modified Barrier Curb (New TF-122)		each	4		
E.24	Installation of Subdrains	CW 3120-R4	l.m.	144		
E.25	Catch Basin Lead Pipe	CW 2130-R12				
a)	250mm		l.m.	40		
TEMPORARY ACCESS FOR LIFT STATION						
E.26	Supplying and Placing Base Course Material (100 mm depth)	CW 3110-R19	c.m	25		
E.27	Crushed Sub-base Material	CW 3110-R19				
a)	50 mm - Limestone (350 mm depth)		tonne	200		
E.28	Separation Geotextile Fabric	CW 3130-R4	s.m.	250		
E.29	Sub-Grade Compaction	CW 3110-R19	s.m.	250		
MISCELLANEOUS ITEMS						
E.30	Erosion Control for Catch Basins at STA 10+66.31	E13	L.S.	1		
E.31	Grading of Boulevards	CW 3110-R19	s.m.	6700		
E.32	Topsoil and Sod for Boulevards (incl. fine grading) (to be completed in 2017)	CW 3510-R9	s.m.	6700		

FORM B(R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.33	Temporary Swale (as shown on Sheet C-201 and C-204)	E14	l.m.	60		
E.34	Re-Direct Existing Drainage to New Ditch (as shown on Sheet C-202)	E15	l.m.	30		
E.35	Detectable Warning Surface Tiles	CW 3326-R2	each	4		
E.36	3.0m Multi-Use Asphalt Right-of-Way Path (to be constructed in 2017) (incl. 75mm asphalt, 50mm base, 150mm subbase, geotextile, excavation, and subgrade compaction) (incl. sod restoration on existing section of Mazenod)	E16	l.m.	490		
E.37	Gas Line Trench Re-Compaction for Multi-Use Path (to be conducted in 2017)	CW 2030-R7, E16	l.m.	250		
E.38	Temporary Asphalt Turnaround (incl. excavation, compaction, geotextile, 450mm - 50mm subbase, 150mm base and 75mm asphalt)	E17	s.m.	790		
E.39	Utility Conduit Installation	E18	l.m.	60		
E.40	Maintaining Access For Parmalat	E20	L.S.	1		
E.41	Remove Existing Parmalat Gravel Road and Dispose Off-Site (once All Roadworks are completed)	E20	L.S.	1		
E.42	Excavation for Future Road (as shown on Sheet C-205)	CW 3110-R19	m³	610		
E.43	Re-Grading around Existing Ditch Inlet Catch Basin on Mazenod Road (as shown on Sheet C-203)	CW 3110-R19	s.m.	100		
E.44	Street Cleaning	E21				
a)	Mud Removal with Loader (bi-weekly from May to November)		each	14		
b)	Street Sweeping (bi-weekly from May to November)		each	14		
E.45	Snow Fence to Prevent Construction Equipment from entering GWWD Property (for the duration of the project)	E22	l.m.	700		
E	CONCRETE PAVEMENT, ASPHALT PAVEMENT AND RELATED WORKS				Subtotal:	
F	PARMALAT LOT LINE CONNECTIONS					
	Wastewater Sewers					
F.1	Wastewater Sewer Services	CW 2130-R12				
a)	300mm					
i)	In A Trench, Class B sand bedding, Class 4 backfill, to property line including required radius pipe		l.m.	15		
F.2	Sewer Service Risers	CW 2130-R12				
a)	SD-014					
i)	300mm		vert. m	2		
F.3	Fittings	CW 2130-R12				
a)	Tees					
i)	450mm x 450mm x 300mm		each	1		
b)	Plugs					
i)	300mm		each	1		
	Land Drainage Sewers					

FORM B(R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.4	Land Drainage Sewer Services	CW 2130-R12				
a)	525mm					
i)	In A Trench, Class B sand bedding, Class 4 backfill		l.m.	9		
F.5	Fittings	CW 2130-R12				
a)	Tees					
i)	1050mm x 1050mm x 525mm		each	1		
b)	Plugs					
i)	525mm		each	1		
	Watermain					
F.6	Watermain Service	CW 2110-R11				
a)	250mm					
i)	In a Trench With Class B Sand Bedding, Class 2 Backfill		l.m.	2		
ii)	In a Trench With Class B Sand Bedding, Class 4 Backfill		l.m.	10		
iii)	Trenchless Installation With Class B Sand Bedding, Class 2 Backfill		l.m.	13		
F.7	Watermain Valve	CW 2110-R11				
a)	250mm		each	1		
F.8	Fittings	CW 2110-R11				
a)	Tees					
i)	300mm x 300mm x 250 mm		each	1		
b)	Plugs					
i)	250mm		each	1		
F	PARMALAT LOT LINE CONNECTIONS				Subtotal:	
SUMMARY						
A	WASTEWATER SEWERS AND FORCE MAIN				Subtotal:	
B	LAND DRAINAGE SEWERS				Subtotal:	
C	WATERMAINS				Subtotal:	
D	RETENTION POND, DITCHES AND RELATED WORKS				Subtotal:	
E	CONCRETE PAVEMENT, ASPHALT PAVEMENT AND RELATED WORKS				Subtotal:	
F	PARMALAT LOT LINE CONNECTIONS				Subtotal:	
TOTAL BID PRICE (GST extra)						
				(in figures)	_____	
(in words)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 1134-2015

ST. BONIFACE INDUSTRIAL PARK PHASE 2 – STAGE 1

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 1134-2015

ST. BONIFACE INDUSTRIAL PARK PHASE 2 – STAGE 1

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within ninety (90) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B13)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 1134-2015
ST. BONIFACE INDUSTRIAL PARK PHASE 2 – STAGE 1

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B13)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 5, 2016.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)