### FORM A: BID (See B9)

1.	Contract Title	2015 LOCAL STREET RENEWAL PROGRAM: REENDERS DRIVE, STAPON ROAD AND OTHER VARIOUS LOCATIONS
<ol> <li>Bio</li> <li>(Ma</li> <li>4. De</li> </ol>	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
	(Mailing address if different)	Email Address of Bidder
		Facsimile Number
		Street or P.O. Box
2. Bidding (Mai	(Choose one)	City Province Postal Code
		The Bidder is:  a sole proprietor  a partnership  a corporation  carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B Prices, appended hereto.

6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
		<del></del>
	<del>_</del> .	
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

	FORM B (R1): PRICES (SEE B10)							
UNIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
Α	REHABILITATION: REENDERS DRIVE - LAGIMODIERE BO	ULEVARD TO ST	TAPON F	ROAD				
	ROADWORK - REMOVALS/RENEWALS							
A.1	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8						
i)	200 mm Concrete Pavement (Type A)		m²	75				
ii)	200 mm Concrete Pavement (Type B)		m²	825				
iii)	200 mm Concrete Pavement (Type C)		m²	275				
iv)	200 mm Concrete Pavement (Type D)		m²	300				
A.2	Partial Depth Planing of Existing Joints	E16	m²	500				
A.3	Asphalt Patching of Partial Depth Joints	E16	m²	500				
A.4	Drilled Dowels	CW 3230-R8						
i)	19.1 mm Diameter		each	1250				
<b>A</b> .5	Drilled Tie Bars	CW 3230-R8						
i)	20 M Deformed Tie Bar		each	1575				
A.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9						
i)	Median Slab	SD-227A	m²	18				
ii)	100 mm Sidewalk	SD-228A						
a)	Less than 5 sq.m.		m²	15				
b)	5 sq.m. to 20 sq.m.		m²	125				
iii)	Bullnose	SD-227C	m²	10				
iv)	Monolithic Curb and Sidewalk	SD-228B	m²	50				
٨.7	Concrete Curb Renewal	CW 3240-R10						
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,						
a)	Less than 3 m	SD-206A	m	50				
b)	3 m to 30 m		m	150				
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	25				
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	65				
A.8	Construction of Asphaltic Concrete Overlay	CW 3410-R10						
i)	Main Line Paving							
a)	Type IA		tonne	1850				
ii)	Tie-ins and Approaches							
a)	Type IA		tonne	40				
A.9	Planing of Pavement	CW 3450-R5						
i)	0 - 50 mm Depth (Asphalt)		m²	150				
A.10	Detectable Warning Surface Tiles	CW 3326-R2	each	8				

FORM B (R1): PRICES (SEE B10)								
UNIT PRIC			1					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
	JOINT AND CRACK SEALING							
A.11	Reflective Crack Maintenance	CW 3250-R7	m	2200				
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS							
A.12	Catch Basin	CW 2130-R12						
i)	SD-024, 1800 mm deep		each	1				
A.13	Drainage Connection Pipe	CW 2130-R12	m	3				
A.14	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12						
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2				
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1				
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1				
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1				
A.15	Catch Basin Cleaning	CW 2140-R3	each	2				
	ADJUSTMENTS							
A.16	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5				
A.17	Replacing Existing Risers	CW 2130-R12						
i)	Pre-cast Concrete Risers		vert. m	1				
A.18	Lifter Rings	CW 3210-R7						
i)	38 mm		each	4				
ii)	51 mm		each	1				
A.19	Adjustment of Valve Boxes	CW 3210-R7	each	1				
A.20	Valve Box Extensions	CW 3210-R7	each	1				
	LANDSCAPING							
A.21	Sodding	CW 3510-R9						
i)	width < 600 mm		m²	350				
Α	REHABILITATION: REENDERS DRIVE - LAGIMODIERE BO	JLEVARD TO ST	TAPON F	ROAD	Subtotal:			

	FORM B (R1 (SEE B	): PRICES				
JNIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	REHABILITATION: STAPON ROAD - REGENT AVENUE WE	ST TO REENDER	RS DRIV	<u>E</u>		
	ROADWORK - REMOVALS/RENEWALS					
B.1 i)	Partial Slab Patches - Early Opening (72 hour) 200 mm Concrete Pavement (Type A)	CW 3230-R8	m²	75		
ii)	200 mm Concrete Pavement (Type B)		m²	975		
iii)	200 mm Concrete Pavement (Type C)		m²	375		
iv)	200 mm Concrete Pavement (Type D)		m²	300		
3.2	Partial Depth Planing of Existing Joints	E16	m²	600		
3.3	Asphalt Patching of Partial Depth Joints	E16	m²	600		
3.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	1800		
3.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	2200		
3.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Median Slab	SD-227A	m²	10		
ii)	Safety Median	SD-226B	m²	10		
iii)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	15		
b)	5 sq.m. to 20 sq.m.		m²	250		
iv)	Bullnose	SD-227C	m²	5		
v)	Monolithic Curb and Sidewalk	SD-228B	m²	42		
3.7	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
a)	Less than 3 m	SD-206A	m	100		
b)	3 m to 30 m		m	375		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	25		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	40		
3.8	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	2450		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	75		
3.9	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	125		
3.10	Detectable Warning Surface Tiles	CW 3326-R2	each	4		

	FORM B (R1): PRICES (SEE B10)								
UNIT PRIC			1	1					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
	JOINT AND CRACK SEALING								
B.11	Reflective Crack Maintenance	CW 3250-R7	m	2352					
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS								
B.12	Catch Basin	CW 2130-R12							
i)	SD-024, 1800 mm deep		each	1					
B.13	Drainage Connection Pipe	CW 2130-R12	m	3					
B.14	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12							
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	7					
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	5					
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2					
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2					
B.15	Catch Basin Cleaning	CW 2140-R3	each	3					
	ADJUSTMENTS								
B.16	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5					
B.17	Replacing Existing Risers	CW 2130-R12							
i)	Pre-cast Concrete Risers		vert. m	1					
B.18	Lifter Rings	CW 3210-R7							
i)	38 mm		each	6					
ii)	51 mm		each	5					
B.19	Adjustment of Valve Boxes	CW 3210-R7	each	3					
B.20	Valve Box Extensions	CW 3210-R7	each	3					
	LANDSCAPING								
B.21	Sodding	CW 3510-R9							
i)	width < 600 mm		m²	900					
В	REHABILITATION: STAPON ROAD - REGENT AVENUE WE	ST TO REENDE	RS DRIV	<u>E</u>	Subtotal:				

	FORM B (R1 (SEE B	: PRICES				
UNIT PRI						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	REHABILITATION: ELIZABETH ROAD - SPEERS ROAD TO	BLEAU AVENUE	Ī.			
	ROADWORK - REMOVALS/RENEWALS					
C.1	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	50		
ii)	200 mm Concrete Pavement (Type B)		m²	350		
iii)	200 mm Concrete Pavement (Type C)		m²	75		
iv)	200 mm Concrete Pavement (Type D)		m²	75		
C.2	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	340		
C.3	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	480		
C.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	125		
b)	5 sq.m. to 20 sq.m.		m²	225		
C.5	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
a)	Less than 3 m	SD-206A	m	75		
b)	3 m to 30 m		m	350		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	20		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	15		
C.6	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	575		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	20		
C.7	Detectable Warning Surface Tiles	CW 3326-R2	each	3		

	FORM B (R1): PRICES (SEE B10)							
UNIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
	JOINT AND CRACK SEALING							
C.8	Reflective Crack Maintenance	CW 3250-R7	m	750				
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS							
C.9	Catch Pit	CW 2130-R12						
i)	SD-023		each	4				
C.10	Drainage Connection Pipe	CW 2130-R12	m	8				
C.11	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12						
i)	600 mm							
a)	Class 1 Backfill		each	1				
C.12	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12						
i)	600 mm							
a)	Class 1 Backfill		m	10				
C.13	Replacing Existing Manhole and Catch Basin Frames &	CW 2130-R12						
i)	Covers AP-004 - Standard Frame for Manhole and Catch Basin		each	1				
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1				
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	4				
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	4				
C.14	Catch Basin Cleaning	CW 2140-R3	each	3				
	ADJUSTMENTS							
C.15	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1				
C.16	Replacing Existing Risers	CW 2130-R12						
i)	Pre-cast Concrete Risers		vert. m	1				
C.17	Lifter Rings	CW 3210-R7						
i)	38 mm		each	1				
ii)	51 mm		each	3				
C.18	Adjustment of Valve Boxes	CW 3210-R7	each	1				
C.19	Valve Box Extensions	CW 3210-R7	each	1				
	LANDSCAPING							
C.20	Salt Tolerant Grass Seeding	E17	m²	400				
С	REHABILITATION: ELIZABETH ROAD - SPEERS ROAD TO	BLEAU AVENUE			Subtotal:			

FORM B (R1): PRICES (SEE B10)								
JNIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
D	REHABILITATION: AUTUMNWOOD DRIVE - FERMOR AVEN							
	ROADWORK - REMOVALS/RENEWALS							
D.1	Partial Slab Patches	CW 3230-R8						
i)	- Early Opening (72 hour) 200 mm Concrete Pavement (Type A)		m²	50				
ii)	200 mm Concrete Pavement (Type B)		m²	300				
iii)	200 mm Concrete Pavement (Type C)		m²	75				
iv)	200 mm Concrete Pavement (Type D)		m²	150				
0.2	Partial Depth Planing of Existing Joints	E16	m²	200				
D.3	Asphalt Patching of Partial Depth Joints	E16	m²	200				
D.4	Drilled Dowels	CW 3230-R8						
i)	19.1 mm Diameter		each	450				
D.5	Drilled Tie Bars	CW 3230-R8						
i)	20 M Deformed Tie Bar		each	500				
D.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9						
i)	100 mm Sidewalk	SD-228A						
a)	Less than 5 sq.m.		m²	100				
b)	5 sq.m. to 20 sq.m.		m²	300				
0.7	Concrete Curb Renewal	CW 3240-R10						
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A						
a)	Less than 3 m	SD-200A	m	125				
b)	3 m to 30 m		m	350				
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	150				
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	140				
D.8	Construction of Asphaltic Concrete Overlay	CW 3410-R10						
i)	Main Line Paving							
a)	Type IA		tonne	1700				
ii)	Tie-ins and Approaches							
a)	Туре ІА		tonne	50				
0.9	Planing of Pavement	CW 3450-R5						
i)	0 - 50 mm Depth (Asphalt)		m²	5450				
D.10	Detectable Warning Surface Tiles	CW 3326-R2	each	10				

	FORM B (R1' (SEE B					
JNIT PRIC	CES T	SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	JOINT AND CRACK SEALING					
D.11	Reflective Crack Maintenance	CW 3250-R7	m	1500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
0.12	Catch Pit	CW 2130-R12				
i)	SD-023		each	15		
0.13	Drainage Connection Pipe	CW 2130-R12	m	15		
D.14	Replacing Existing Manhole and Catch Basin Frames &	CW 2130-R12				
i)	Covers AP-004 - Standard Frame for Manhole and Catch Basin		each	8		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	8		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	15		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	15		
D.15	Catch Basin Cleaning	CW 2140-R3	each	12		
	ADJUSTMENTS					
D.16	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	11		
D.17	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
D.18	Lifter Rings	CW 3210-R7				
i)	38 mm		each	3		
ii)	51 mm		each	5		
D.19	Adjustment of Valve Boxes	CW 3210-R7	each	2		
D.20	Valve Box Extensions	CW 3210-R7	each	2		
	LANDSCAPING					
0.21	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	500		
D	REHABILITATION: AUTUMNWOOD DRIVE - FERMOR AVEN	IUE TO COTTON	IWOOD	ROAD	Subtotal:	

	FORM B (R (SEE	1): PRICES B10)				
UNIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Е	REHABILITATION: RUE DES MEURONS - CARRIERE AVE					
	ROADWORK - REMOVALS/RENEWALS					
E.1	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	50		
ii)	200 mm Concrete Pavement (Type B)		m²	325		
iii)	200 mm Concrete Pavement (Type C)		m²	150		
iv)	200 mm Concrete Pavement (Type D)		m²	150		
E.2	Partial Depth Planing of Existing Joints	E16	m²	300		
E.3	Asphalt Patching of Partial Depth Joints	E16	m²	300		
E.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	900		
E.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	1050		
E.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	365		
b)	5 sq.m. to 20 sq.m.		m²	310		
E.7	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	25		
E.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
a)	Less than 3 m	SD-206A	m	100		
b)	3 m to 30 m		m	1600		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	75		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	50		
E.9	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Туре ІА		tonne	2300		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	100		
E.10	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	9000		
E.11	Detectable Warning Surface Tiles	CW 3326-R2	each	2		
	1	1		1		

	FORM B (R1 (SEE B	): PRICES				
UNIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING	1 1 1	0	Q0/11/11/1	77402	741100111
E.12	Reflective Crack Maintenance	CW 3250-R7	m	2500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.13	Catch Pit	CW 2130-R12				
i)	SD-023		each	14		
E.14	Drainage Connection Pipe	CW 2130-R12	m	29		
E.15	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	375 mm					
a)	Class 1 Backfill		each	5		
E.16	Replacing Existing Manhole and Catch Basin Frames &	CW 2130-R12				
i)	Covers AP-004 - Standard Frame for Manhole and Catch Basin		each	15		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	15		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	12		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	12		
v)	Modified Barrier Curb and Gutter Inlet Frame	E15	each	4		
vi)	Modified Barrier Curb and Gutter Inlet Cover	E15	each	4		
E.17	Catch Basin Cleaning	CW 2140-R3	each	23		
	ADJUSTMENTS					
E.18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
E.19	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
E.20	Lifter Rings	CW 3210-R7				
i)	38 mm		each	10		
ii)	51 mm		each	12		
E.21	Adjustment of Valve Boxes	CW 3210-R7	each	1		
E.22	Valve Box Extensions	CW 3210-R7	each	1		
E.23	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
E.24	Curb Stop Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
E.25	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	1200		
Е	REHABILITATION: RUE DES MEURONS - CARRIERE AVENUE TO HORACE STREET			Subtotal:		

TEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	REHABILITATION: BREBEUF ROAD - COTTONWOOD ROA	D TO DUSSAUL	T AVEN	<u>UE</u>		
	ROADWORK - REMOVALS/RENEWALS					
1	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m²	25		
ii)	150 mm Concrete Pavement (Type B)		m²	75		
iii)	150 mm Concrete Pavement (Type C)		m²	25		
iv)	150 mm Concrete Pavement (Type D)		m²	25		
2	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	250		
3	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	80		
1	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	90		
5	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Lip Curb (75mm reveal ht, Dowelled)	SD-202C	m	285		
6	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	350		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
	JOINT AND CRACK SEALING					
7	Longitudinal Joint & Crack Filling ( > 25 mm in width )	CW 3250-R7	m	175		
3	Reflective Crack Maintenance	CW 3250-R7	m	500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
9	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-011 - Mountable Curb and Gutter Inlet		each	2		
	LANDSCAPING					
10	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	500		
F	REHABILITATION: BREBEUF ROAD - COTTONWOOD ROA	D TO DUSSAUL	T AVEN	<u>UE</u>	Subtotal:	
Α	REHABILITATION: REENDERS DRIVE - LAGIMODIERE BOL	JLEVARD TO ST	APON F	ROAD	Subtotal:	
В	REHABILITATION: STAPON ROAD - REGENT AVENUE WEST TO REENDERS DRIVE			Subtotal:		
С		REHABILITATION: ELIZABETH ROAD - SPEERS ROAD TO BLEAU AVENUE			Subtotal:	
D	REHABILITATION: AUTUMNWOOD DRIVE - FERMOR AVENUE TO COTTONWOOD ROAD				Subtotal:	
E	REHABILITATION: RUE DES MEURONS - CARRIERE AVENUE TO HORACE STREET			Subtotal:		
F	REHABILITATION: BREBEUF ROAD - COTTONWOOD ROAD TO DUSSAULT AVENUE					

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

#### **BID BOND**

(hereinafter called the "Principal") and

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 24-2015

2015 LOCAL STREET RENEWAL PROGRAM: REENDERS DRIVE, STAPON ROAD AND OTHER VARIOUS LOCATIONS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
(Wildeso do lo i illiopal il no seal)	Per:	
	(Name of Surety)	
	By: (Attorney-in-Fact)	(Seal)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 24-2015 2015 LOCAL STREET RENEWAL PROGRAM: REENDERS DRIVE, STAPON ROAD AND OTHER VARIOUS LOCATIONS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) (Seal) (Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Data)	
(Date)	
The City of Winnipeg	
Corporate Finance Department	
Materials Management Division	
185 King Street, Main Floor	
Winnipeg MB R3B 1J1	
RE: BID SECURITY – BID OPPORTUNITY NO. 24-2015	
2045 LOCAL CERET RENEWAL RECORANG REFURERO RRIVE CEARON ROAD AND	
2015 LOCAL STREET RENEWAL PROGRAM: REENDERS DRIVE, STAPON ROAD AND	
OTHER VARIOUS LOCATIONS	
Pursuant to the request of and for the account of our customer,	
(Name of Bidder)	— '
(Address of Bidder)	
WE LEDERY ESTABLISH in your favour our irreveable Standby Letter of Stadit for a give not exceed	1:
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceed in the aggregate	ing
in the aggregate	
Canadian dolla	re
Gariadian dolla	٥.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon writ	
demand for payment made upon us by you. It is understood that we are obligated under this Stand	
Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand	
payment without inquiring whether you have a right as between yourself and our customer to make si	
demand and without recognizing any claim of our customer or objection by the customer to payment by	JS.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn up	on
it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it	be
made.	
Partial drawings are permitted.	
We engage with you that all demands for payment made within the terms and currency of this Stand	vdb
Letter of Credit will be duly honoured if presented to us at:	-~ y
(Address)	

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 30, 2015

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)		
Per:		
	(Authorized Signing Officer)	
Per:		
	(Authorized Signing Officer)	