


CHANNEL LEVEL PLAN
1:100

NOTES:

1. DESIGN LIVE LOAD FOR STAIRS IS 5 kPa.
2. COORDINATE PIPE SLEEVES WITH PROCESS MECHANICAL DWGS.
3. FIELD VERIFY ELEVATIONS, LOCATION AND CONDITION OF EXISTING PILES. NOTIFY CONTRACT ADMINISTRATOR OF DISCREPANCIES.
4. "C#" DENOTES COLUMN NUMBER. REFER TO DWG SSCH-K001 FOR COLUMN SCHEDULE.
5. SEE ELEVATIONS FOR VARYING CORBEL ELEVATIONS ON NORTH AND WEST FACES OF BUILDING.



NO.	REVISIONS	DATE	DESIGN	CHECK
01	ISSUED FOR ADDENDUM NO. 3	09/2015	C.R.	J.C.
00	ISSUED FOR TENDER	08/2015	G.O.	J.C.

CH2MHILL
SNC-LAVALIN

DESIGNED BY: E. LUI
DRAWN BY: G. OMORI
SCALE: 1:100
DATE: 2015/08/13
CONSULTANT NO.: 474248

CHECKED BY: R. PARIKH
APPROVED BY: E. LUI
ISSUED FOR CONSTRUCTION BY: T. TURZAK
DATE: 2015/08/13



THE CITY OF WINNIPEG
Winnipeg WATER AND WASTE DEPARTMENT

SOUTH END WATER POLLUTION CONTROL CENTRE
SEWPC UPGRADING/EXPANSION PROJECT
STRUCTURAL
HIGH RATE CLARIFICATION BUILDING
CHANNEL LEVEL PLAN

CITY DRAWING NUMBER: 1-0102-SGAD-K002
SHEET: 01
REV: 01
SIZE: A1