



## 928-2015 ADDENDUM 1

### REQUEST FOR PROPOSAL FOR PROFESSIONAL CONSULTING SERVICES FOR THE FERMOR AVENUE BRIDGE OVER THE SEINE RIVER REHABILITATION AND ROADWORKS FROM ST. ANNE'S ROAD TO ARCHIBALD STREET

ISSUED: February 8, 2016  
BY: D. Burmey, P. Eng.  
TELEPHONE NO. 204 - 986-5409

### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE REQUEST FOR PROPOSAL**

**THIS ADDENDUM SHALL BE INCORPORATED INTO THE REQUEST FOR PROPOSAL AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS**

Template Version: Ar20150806

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Request for Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 9 of Form A: Proposal may render your Proposal non-responsive.**

---

### **PART D – SUPPLEMENTAL CONDITIONS**

Revise: D10.1 to read: The Consultant shall achieve critical stages of the Services for this Contract in accordance with the following requirements:

- (a) Submission of draft preliminary design report for City review by September 30, 2016.
- (b) Incorporating comments from the independent road safety audit by October 31, 2016.
- (c) Holding of a public information session by November 30, 2016.
- (d) Submission of final preliminary design report by January 31, 2017.

Revise: E1 to read: **SEWER TELEVISION GUIDELINES FOR PUBLIC WORKS PROJECTS (2015)**

- E1.1 Closed Circuit Television (CCTV) inspection and assessment is required of all combined, wastewater, land drainage, storm relief sewers and manholes to confirm any sewer repairs required in the right-of-way within the limits of the street renewal.
- E1.2 The criteria provided are general guidelines and are not intended to replace sound municipal engineering judgement specific to the individual Project scope and/or location.
- E1.3 The available sewer televising information is contained within the City of Winnipeg's Sewer Management System (SMS) application.
- E1.4 Confirm televising requirements with City Project Manager.
- E1.5 CCTV inspection general guidelines:
  - (a) CW 2140 Sewer and Manhole Cleaning and CW 2145 Sewer and Manhole Inspection shall apply;
  - (b) Confirm CCTV requirements with Water & Waste Department for sewers 1050 mm and larger in diameter;
  - (c) Televiser sewers and manholes if no previous CCTV inspections have been completed;
  - (d) Re-televiser sewers in Categories A/B/C/X with a Structural Performance Grade (SPG) of 3 or higher that have not been televised in the previous 5 years;

- (e) Sewers located more than two metres from the curb line (i.e. not located under pavement) do not need to be re-televised if previous CCTV inspection data exist. If a sewer repair or renewal requiring excavation is noted, contact the WWD;
  - (f) Televiser sewers on all street reconstructions, regardless of location of the sewer (within the right-of-way) with a Structural Performance Grade (SPG) of 3 or higher that have not been televised in the previous 5 years;
  - (g) Televiser sewers if the street exhibits obvious distress at/along the underground plant;
  - (h) Televiser all CB leads to be reused, as part of a street reconstruction, pavement rehabilitation and mill and fill rehabilitation;
  - (i) CCTV inspection not required on Mill and Fill Pavement Rehabilitation Method and Thin Bituminous Overlay(TBO) projects unless the street exhibits obvious distress at/along the underground plant
- E1.6 For any uncertain situations and/or locations, contact the Project Manager.
- E1.7 The Consultant is required to coordinate the sewer-televising contract and communicate the results to the Water & Waste Department. Provide Water and Waste Department with the sewer inspections and corresponding defects data. Any repairs or other activities deemed necessary from these inspections must be coordinated with the Water & Waste Department.
- E1.8 Provide post repair manhole to manhole inspection (CW 2145) to the Water and Waste Department.