FORM A: BID (See B8)

1.	Contract Title	2017 LOCAL SIDEWA	LK RENEWALS AND ASSOCIA	TED WORKS
2.	Bidder	Name of Bidder		
(M		Usual Business Name of Bid	der as it appears on Invoice (if different	from above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation	a landa a da a a a a a a	
		carrying on business u	nder the above name.	
3.	Contact Person	The Bidder hereby aut the Bidder for purposes	horizes the following contact pe s of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		used in the Contract shall ha General Conditions and D2.	ve the meanings
5.	Offer		ers to perform the Work in acc Bid Price, in Canadian funds, so to.	

6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	SIDEWALK RENEWAL - LINWOOD ST FRO	OM BRUCE AVE	TO POF			
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m³	7		
A.2	Sub-Grade Compaction	CW 3110-R19	m²	35		
A.3	Supplying and Placing Base Course Material	CW 3110-R19	m³	16		
٨.4	Grading of Boulevards	CW 3110-R19	m²	600		
	ROADWORK - REMOVALS/RENEWALS					
\.5	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	42		
٨.6	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	157		
٨.7	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m²	171		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	8		
A.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	Less than 5 sq.m.		m²	5		
b	5 sq.m. to 20 sq.m.		m²	10		
c	Greater than 20 sq.m.		m²	299		
ii)	150 mm Reinforced Sidewalk					
a	5 sq.m. to 20 sq.m.		m²	6		
iii)	Monolithic Curb and Sidewalk	SD-228B	m²	96		
٨.9	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	30		
A.10	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
A.11	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
A.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	2		

The City of Winnipeg Bid Opportunity No. 277-2017 Addendum #1 Template Version: C42017.....RW

FORM B (R1): PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Curb Ramp	IXLI .	m	3		
A.13	Concrete Curb Installation	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	10		
A.14	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	2		
b)	3 m to 30 m		m	5		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	5		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	15		
iv)	Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	4		
A.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	14		
A.16	Construction of Asphalt Patches	CW 3410-R11	m²	20		
A.17	Detectable Warning Surface Tiles	CW 3326-R3	each	6		
	ADJUSTMENTS					
A.18	Adjustment of Valve Boxes	CW 3210-R8	each	2		
A.19	Valve Box Extensions	CW 3210-R8	each	1		
A.20	Adjustment of Curb Stop Boxes	CW 3210-R8	each	7		
A.21	Curb Stop Extensions	CW 3210-R8	each	4		
	LANDSCAPING					
A.22	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	200		
ii)	width > or = 600 mm		m²	400		
Α	SIDEWALK RENEWAL - LINWOOD ST FRO	OM BRUCE AVE	TO POP	RTAGE AVE		
	(E. SIDE)				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	SIDEWALK RENEWAL - BRUCE AVE FROM (S. SIDE)		TO WIN			
	EARTH AND BASE WORKS					
B.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	5		
B.2	Grading of Boulevards	CW 3110-R19	m²	234		
	ROADWORK - REMOVALS/RENEWALS					
B.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type B)		m²	2		
B.4	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	43		
B.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	5		
b)	5 sq.m. to 20 sq.m.		m²	5		
c)	Greater than 20 sq.m.		m²	106		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	45		
B.6	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	5		
B.7	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m	3D-200A	m	6		
b)	3 m to 30 m		m	5		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	26		
B.8	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
B.9	Construction of Asphalt Patches	CW 3410-R11	m²	4		
B.10	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Frames & Covers	CW3210-R8				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
	ADJUSTMENTS					
B.11	Curb Inlet Frames	CW 3210-R8	each	1		
B.12	Adjustment of Curb and Gutter Frames	CW 3210-R8	each	1		
	LANDSCAPING					
B.13	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	78		
ii)	width > or = 600 mm		m²	156		
В	SIDEWALK RENEWAL - BRUCE AVE FROM	I LINWOOD ST	TO WIN	CHESTER ST		
	(S. SIDE)				Subtotal:	

UNIT PRI		_		T	, ,	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	SIDEWALK RENEWAL - EUGENIE ST FROM ST (BOTH SIDES)	M DES MEURON	VS ST TO	O YOUVILLE		
	EARTH AND BASE WORKS					
C.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	17		
C.2	Grading of Boulevards	CW 3110-R19	m²	760		
	ROADWORK - REMOVALS/RENEWALS					
C.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	38		
C.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	5		
b)	5 sq.m. to 20 sq.m.		m²	5		
c)	Greater than 20 sq.m.		m²	550		
C.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
C.6	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
C.7	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
C.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
ii)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	7		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	23		
C.9	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
C.10	Construction of Asphalt Patches	CW 3410-R11	m²	1		
	ADJUSTMENTS					
C.11	Adjustment of Valve Boxes	CW 3210-R8	each	2		
C.12	Valve Box Extensions	CW 3210-R8	each	1		
C.13	Adjustment of Curb Stop Boxes	CW 3210-R8	each	10		

OINII PKI	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
C.14	Curb Stop Extensions	CW 3210-R8	each	5		
	LANDOGADING					
	LANDSCAPING					
C.15	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	255		
,						
ii)	width $>$ or = 600 mm		m²	505		
С	SIDEWALK RENEWAL - EUGENIE ST FROM	<u>M DES MEURON</u>	<u>VS ST TO</u>	O YOUVILLE		
	ST (BOTH SIDES)				Subtotal:	

UNIT PRI	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	SIDEWALK RENEWAL - OAKENWALD AVE SIDE)	- POINT RD TO	NORTH			
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19	m³	92		
D.2	Sub-Grade Compaction	CW 3110-R19	m²	525		
D.3	Supplying and Placing Base Course Material	CW 3110-R19	m³	34		
D.4	Grading of Boulevards	CW 3110-R19	m²	1,605		
	ROADWORK - REMOVALS/RENEWALS					
D.5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type B)		m²	20		
D.6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	10		
D.7	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	24		
D.8	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	910		
ii)	150 mm Reinforced Sidewalk		m²	15		
D.9	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m²	1,108		
ii)	150 mm Reinforced Sidewalk		m²	15		
iii)	Monolithic Curb and Sidewalk	SD-228B	m²	28		
D.10	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	20		
D.11	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
D.12	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
D.13	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	7		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	10		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.14	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
b)	3 m to 30 m		m	10		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	15		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	30		
D.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
D.16	Construction of Asphalt Patches	CW 3410-R11	m²	46		
	ADJUSTMENTS					
D.17	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
D.18	Adjustment of Valve Boxes	CW 3210-R8	each	7		
D.19	Valve Box Extensions	CW 3210-R8	each	3		
D.20	Adjustment of Curb Stop Boxes	CW 3210-R8	each	10		
D.21	Curb Stop Extensions	CW 3210-R8	each	5		
	LANDSCAPING					
D.22	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	535		
ii)	width > or = 600 mm		m²	1,070		
D	SIDEWALK RENEWAL - OAKENWALD AVE SIDE)	- POINT RD TO	NORTH	IDR (S.	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	SIDEWALK RENEWAL - KYLEMORE AVE F (BOTH SIDES)	ROM DALY ST	s. TO 0			
	EARTH AND BASE WORKS					
≣.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	37		
≣.2	Grading of Boulevards	CW 3110-R19	m²	1,774		
	ROADWORK - REMOVALS/RENEWALS					
E.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	155		
≣.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10		
b)	5 sq.m. to 20 sq.m.		m²	20		
c)	Greater than 20 sq.m.		m²	1,458		
≣.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	30		
≣.6	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
≣.7	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
≣.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	20		
b)	3 m to 30 m		m	10		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	93		
≣.9	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	10		
≣.10	Construction of Asphalt Patches	CW 3410-R11	m²	14		
≣.11	Detectable Warning Surface Tiles	CW 3326-R3	each	2		
	ADJUSTMENTS					
E.12	Adjustment of Valve Boxes	CW 3210-R8	each	5		
E.13	Valve Box Extensions	CW 3210-R8	each	2		

OINIT FIXIO	JLO					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
E.14	Adjustment of Curb Stop Boxes	CW 3210-R8	each	38		
E.15	Curb Stop Extensions	CW 3210-R8	each	19		
	LANDSCAPING					
	LANDSCAFING					
E.16	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	591		
ii)	width > or = 600 mm		m²	1,182		
_	SIDEWALK RENEWAL - KYLEMORE AVE FROM DALY ST S. TO OSBORNE ST					
E	(BOTH SIDES)					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	SIDEWALK RENEWAL - AUTUMNWOOD DI BAY (N. LEG) (N. & E. SIDES)		BLVD			
	EARTH AND BASE WORKS					
F.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	27		
F.2	Grading of Boulevards	CW 3110-R19	m²	1,233		
	ROADWORK - REMOVALS/RENEWALS					
F.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	50		
F.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10		
b)	5 sq.m. to 20 sq.m.		m²	18		
c)	Greater than 20 sq.m.		m²	1,000		
ii)	150 mm Reinforced Sidewalk					
a)	5 sq.m. to 20 sq.m.		m²	47		
iii)	Monolithic Curb and Sidewalk	SD-228B	m²	13		
F.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
F.6	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
F.7	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
F.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m	02 2007	m	10		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	30		
F.9	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	2		
F.10	Construction of Asphalt Patches	CW 3410-R11	m²	5		
	ADJUSTMENTS					
F.11	Adjustment of Valve Boxes	CW 3210-R8	each	4		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
F.12	Valve Box Extensions	CW 3210-R8	each	2		
F.13	Adjustment of Curb Stop Boxes	CW 3210-R8	each	10		
F.14	Curb Stop Extensions	CW 3210-R8	each	5		
	LANDSCAPING					
F.15	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	411		
ii)	width > or = 600 mm		m²	822		
F	SIDEWALK RENEWAL - AUTUMNWOOD DR FROM DRAKE BLVD TO ECHO					
'	BAY (N. LEG) (N. & E. SIDES)				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	DETECTABLE WARNING SURFACE TILE INSTALLATION					
	EARTH AND BASE WORKS					
G.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	2		
G.2	Grading of Boulevards	CW 3110-R19	m²	6		
	ROADWORK - REMOVALS/RENEWALS					
G.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	23		
G.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	Less than 5 sq.m.		m²	10		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	48		
G.5	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	14		
ii)	Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	7		
G.6	Construction of Asphalt Patches	CW 3410-R11	m²	4		
G.7	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
	LANDSCAPING					
G.8	Salt Tolerant Grass Seeding	E17	m²	6		
G	DETECTABLE WARNING SURFACE TILE II	NSTALLATION			Subtotal:	

OINITIA	1					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Olima DV					
	SUMMARY					
Α	SIDEWALK RENEWAL - LINWOOD ST FRO	M BRUCE AVE	TO POF	RTAGE AVE		
	(E. SIDE)				Subtotal:	
_	SIDEWALK RENEWAL - BRUCE AVE FROM	LINWOOD ST	TO WIN	CHESTER ST		
В	(S. SIDE)				Subtotal:	
	SIDEWALK RENEWAL - EUGENIE ST FROM	I DES MEURON	IS ST TO	YOUVILLE		
С	ST (BOTH SIDES)				Subtotal:	
D	SIDEWALK RENEWAL - OAKENWALD AVE	- POINT RD TO	NORTH	I DR (S. SIDE)	Subtotal:	
	SIDEWALK RENEWAL - KYLEMORE AVE F	ROM DALY ST	S. TO O	SBORNE ST		
E	(BOTH SIDES)				Subtotal:	
	SIDEWALK RENEWAL - AUTUMNWOOD DE	EDOM DDAKE	BI VD	TO ECHO BAY		
F	(N. LEG) (N. & E. SIDES)	CT NOW DIVANL	DLVD	IO ECITO BAT		
	(N. LEG) (N. & L. SIDES)				Subtotal:	
G	DETECTABLE WARNING SURFACE TILE IN	ISTALLATION				
					Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						

(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT (hereinafter called the "Principal") and (hereinafter called the "Surety"), are held and firmly bound unto THE CITY OF WINNIPEG (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents. WHEREAS the Principal has submitted a Bid to the Obligee for BID OPPORTUNITY NO. 277-2017 2017 LOCAL SIDEWALK RENEWALS AND ASSOCIATED WORKS as more fully set out in the Bid Opportunity. NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect. IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the _____ day of _____ , 20_____ . SIGNED AND SEALED in the presence of: (Name of Principal) (Seal) (Witness as to Principal if no seal) Per:

(Name of Surety)

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby under become bound as Surety for the Principal,	ertakes and agrees with THE CITY OI	WINNIPEG to
		of
(Name of Bidder)		
(Place)		
the Bidder to you on	, 20 for	
BID OPPORTUNITY NO. 277-2017		
2017 LOCAL SIDEWALK RENEWALS AND ASSOC	HATED WORKS	
in an amount equal to fifty percent (50%) of the Cor Work shown and described in the Bid Opportun Performance Bond to be maintained and continue in period. The Performance Bond shall be in the form s	ity, if our Principal's Bid is accepted full force and effect until the expiration	d by you, such
It is a condition that this Agreement to Bond sh mentioned above is not required from our Princ Submission Deadline.		
AND IT IS HEREBY DECLARED AND AGREED nothing of any kind or matter whatsoever that will not release of liability of the Surety, any law or use notwithstanding.	ot discharge the Principal shall operate	as a discharge
SIGNED AND SEALED this day of	, 20_	
Nor	ne of Surety)	
·	•	
Ву:	(Attorney-in-Fact)	(Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)	
Corpora Materials 185 King	r of Winnipeg te Finance Department s Management Division g Street, Main Floor g MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 277-2017
:	2017 LOCAL SIDEWALK RENEWALS AND ASSOCIATED WORKS
Pursuan	t to the request of and for the account of our customer,
(Name of I	Bidder)
(Address o	of Bidder)
WE HEF	REBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding agregate
	Canadian dollars.
demand Letter of payment	andby Letter of Credit may be drawn on by you at any time and from time to time upon written for payment made upon us by you. It is understood that we are obligated under this Standby Credit for the payment of monies only and we hereby agree that we shall honour your demand for t without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	ount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial d	rawings are permitted.
	age with you that all demands for payment made within the terms and currency of this Standby Credit will be duly honoured if presented to us at:
(Address)	
and we	confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 24, 2017

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	(Name of bank or financial institution)			
Per:				
	(Authorized Signing Officer)			
Per:				
	(Authorized Signing Officer)			