FORM A: BID (See B9)

1.	Contract Title	2017 WATER MAIN RENEWALS CONTRACT NO.	7
2.	Bidder		
		Name of Bidder	
		Usual Business Name of Bidder as it appears on Invoice (if different	ent from above)
		Street	
		City Province	Postal Code
		Email Address of Bidder	
		Facsimile Number	
	(Mailing address if different)	Street or P.O. Box	
		City Province	Postal Code
		GST Registration Number (if applicable)	
	(Choose one)	The Bidder is:	
		a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above name.	
3.	Contact Person	The Bidder hereby authorizes the following contact the Bidder for purposes of the Bid.	person to represent
		Contact Person Title	
		Telephone Number Facsimile Number	
4.	Offer	The Bidder hereby offers to perform the Work in Contract for the Total Bid Price, in Canadian funds Prices, appended hereto.	

5.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
6.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
7.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
8.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
9.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
10.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

11.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

(SEE B10)

2017 WATER MAIN RENEWALS - CONTRACT NO. 7

LINIT PRICES

IT	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α		Princess Street - James Avenue to Higgin	ns Avenue				
A.	1	Water Main Renewal	CW 2110				
		350 mm trenchless installation, class B sand bedding, Class 3 backfill		m	4.0		
		300 mm trenchless installation, class B sand bedding, Class 3 backfill		m	550.0		
		250 mm trenchless installation, class B sand bedding, Class 3 backfill		m	15.0		
	,	200 mm trenchless installation, class B sand bedding, Class 3 backfill		m	5.0		
		150 mm trenchless installation, class B sand bedding, Class 3 backfill		m	15.0		
A.	2	Hydrant Assembly	CW 2110				
	a)	SD-006		each	1		
	b)	SD-007		each	6		
Α.	3	Water Main Valve	CW 2110				
	a)	150mm	011 2110	each	4		
	,	250mm		each	1 1		
		300mm		each	11		
Α.	4	Fittings	CW 2110				
		Tees					
		300mm X 300mm X 150mm		each	7		
	ii)	300mm X 300mm X 200mm		each	2		
	iii)	300mm X 300mm X 250mm		each	1		
	iv)	300mm X 300mm X 300mm		each	5		
		Bends (SD-004)					
	i)	150mm - 45°		each	2		

(SEE B10)

2017 WATER MAIN RENEWALS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.		QUANTITY	PRICE	
	300mm - 22 1/2°		each	5		
	300mm - 90°		each	3		
	Bends (SD-005)					
	150mm - 45°		each	6		
	200mm - 45°		each	2		
	250mm - 45°		each	2		
	300mm - 45°		each	6		
d)	Crosses					
i)	300mm X 300mm X 200mm X 200mm		each	1		
ii)	300mm X 300mm X 300mm X 300mm		each	1		
iii)	350mm X 350mm X 300mm X 300mm		each	1		
e)	Reducers					
i)	300mm - 150mm		each	1		
ii)	300mm - 250mm		each	1		
A. 5	Water Service	CW 2110				
	19mm					
i)			m	30.0		
b)	38mm					
i)			m	25.0		
c)	50mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	4.0		
A. 6	Corporation Stops	CW 2110				
	19mm		each	7		
	38mm		each	3		
c)	50mm		each	1		
A. 7	Curb Stops	CW 2110				
	19mm		each	2		
A. 8	Curb Stop Boxes	CW 2110				
a)	19mm	0112110	each	2		
A. 9	Connecting to Existing Water Mains and					
	Large Diameter Water Services Inline Connection - no plug existing	CW 2110				
	150mm		each	7		
	200mm		each			
			each	3		
111)	250mm	1 I	each	2		

(SEE B10)

2017 WATER MAIN RENEWALS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iv) 300mm		each	7		
٧) 350mm		each	2		
	Connecting Existing Copper Water Services to New Water Mains	CW 2110		_		
	19mm		each	7		
b)	38mm 50mm		each	3 1		
c)	5011111		each	'		
A. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Water Mains		each	5		
b)	On Water Services		each	20		
A. 12	Continuity Bonding	CW 2110	each	20		
A. 13	Maintaining Curb Stop Excavations	CW 2110	each / day	5		
A. 14	Partial Slab Patches	E5				
a)	150mm reinforced concrete pavement		m²	50.0		
b)	200mm reinforced concrete pavement		m²	610.0		
c)	200mm reinforced concrete pavement for early opening (24 hours)		m²	50.0		
A. 15	Miscellaneous Concrete Slab Renewal	E6				
a)	Sidewalk (SD-228A)		m²	265.0		
A. 16	Concrete Curb Renewal	E7				
a)	Barrier curb (SD-204)		m	105.0		
b)	Ramp curb		m	35.0		
A. 17	Planning	CW 3450				
a)	Planning 0-50mm depth	30100				
) Asphaltic Concrete		m²	450.0		
A. 18	Construction of Asphalt Patches	E11	m²	675.0		
A. 19	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	55.0		
A. 20	Detectable Warning Surface Tiles	CW 3326	each	14		
	<u>I</u>	l		Princess St	treet Subtotal	<u>l</u>

(SEE B10)

2017 WATER MAIN RENEWALS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
I I EIVI	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AWOUNT

В		King Street - William Avenue to James A	Avenue			
B.		Water Main Renewal 250 mm	CW 2110			
		trenchless installation, class B sand bedding, Class 3 backfill		m	145.0	
		200 mm trenchless installation, class B sand bedding, Class 3 backfill		m	10.0	
B.		Hydrant Assembly SD-006	CW 2110	each	1	
В.	3	Water Main Valve	CW 2110			
		150mm		each	1	
	b)	200mm		each	3	
		250mm		each	2	
B.	4	Fittings	CW 2110			
		Tees				
	i)	200mm X 200mm X 200mm		each	2	
	ii)	250mm X 250mm X 150mm		each	2	
	iii)	300mm X 300mm X 250mm		each	1	
		Bends (SD-005)				
		200mm - 45°		each	4	
		250mm - 45°		each	6	
		Reducers				
	i)	250mm - 200mm		each	2	
B.	5	Encasement Pipe	E14			
	a)	400 Diameter PVC		m	9.4	
B.	6	Water Service	CW 2110			
	a)	150mm				
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0	

(SEE B10)

2017 WATER MAIN RENEWALS - CONTRACT NO. 7

ITE	ΕM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.	7	Connecting to Existing Water Mains and Large Diameter Water Services	CW 2110				
		Inline Connection - no plug existing 150mm		each	2.0		
	•	200mm		each	4.0		
					1.0		
	III <i>)</i>	250mm		each	1.0		
B.	8	Abandoning Large Diameter Water Services	CW 2110				
	a)	150mm	000 2110	each	1		
B.	9	Partial Slab Patches	E5				
	a)	200mm reinforced concrete pavement		m²	130.0		
	b)	200mm reinforced concrete pavement for early opening (24 hours)		m²	55.0		
B.	10	Miscellaneous Concrete Slab Renewal	E6				
	a)	Sidewalk (SD-228A)		m²	50.0		
B.	11	Concrete Curb Renewal	E7				
	a)	Barrier curb (SD-204)		m	30.0		
B.	18	Construction of Asphalt Patches	E11	m²	135.0		
					King S	treet Subtotal	-

С		James Avenue - Princess Street to Main	Street			
C.		Water Main Renewal 300 mm	CW 2110			
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	160.0	
	i)	200 mm trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0	
C.		Hydrant Assembly SD-007	CW 2110	each	1	

(SEE B10)

2017 WATER MAIN RENEWALS - CONTRACT NO. 7

ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.	3	Water Main Valve	CW 2110				
	a)	150mm		each	2		
	•	300mm		each	4		
	,						
C.	4	Fittings	CW 2110				
		Tees					
	i)	300mm X 300mm X 150mm		each	3		
	ii)	300mm X 300mm X 250mm		each	1		
	b)	Bends (SD-004)					
		150mm - 45°		each	2		
	ii)	200mm - 45°		each	2		
	c)	Bends (SD-005)					
		150mm - 45°		each	2		
		200mm - 45°		each	2		
		Reducers					
	•	150mm - 100mm		each	1		
		300mm - 200mm		each	1		
	,						
C.	5	Water Service	CW 2110				
	a)	50mm					
	i)	trenchless installation, Class B sand			20.0		
	ŕ	bedding, Class 3 backfill		m	20.0		
C.	6	Corporation Stops	CW 2110				
		50mm		each	1		
C.	7	Curb Stops	CW 2110				
	a)	50mm		each	1		
C.	8	Curb Stop Boxes	CW 2110				
	a)	50mm		each	1		
C.		Connecting to Existing Water Mains and	014.54.65				
		Large Diameter Water Services	CW 2110				
		Inline Connection - no plug existing					
		100mm		each	1		
		150mm		each	2		
	III)	200mm		each	3		
C.	10	Abandoning Large Diameter Water					
C.	10	Abandoning Large Diameter Water Services	CW 2110				
	a)	150mm	011 2110	each	1		
	۵,	10011111		Cacii	'		

(SEE B10)

2017 WATER MAIN RENEWALS - CONTRACT NO. 7

ITE	ΞM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.		Abandoning Small Diameter Water Services 50mm	CW 2110	each	1		
C.	12 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	1		
C.	13	Continuity Bonding	CW 2110	each	1		
C.	a)	Partial Slab Patches 200mm reinforced concrete pavement 200mm reinforced concrete pavement for early opening (24 hours)	E5	m² m²	100.0 20.0		
C.	15 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E6	m²	90.0		
C.	16 a) b)	Concrete Curb Renewal Barrier curb (SD-204) Ramp curb	E7	m m	35.0 5.0		
C.	17	Construction of Asphalt Patches	E11	m²	100.0		
C.	18	Detectable Warning Surface Tiles	CW 3326	each	2		
					James Ave	enue Subtotal	

D		Alexander Avenue - Princess Street to King Street					
D.	a)	Water Main Renewal 300 mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2110	m	105.0		
D.		Water Main Valve 300mm	CW 2110	each	2		
D.	3 a)	Hydrant Assembly SD-006	CW 2110	each	1		
D.	4	Corporation Stops	CW 2110				

(SEE B10)

2017 WATER MAIN RENEWALS - CONTRACT NO. 7

ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	a)	25mm		each	1		
D.	a)	Connecting to Existing Water Mains and Large Diameter Water Services Inline Connection - no plug existing 300mm	CW 2110	each	1		
D.	6 a)	Connecting Existing Copper Water Services to New Water Mains 25mm	CW 2110	each	1		
D.	7 a)	10.9 Kilogram Sacrificial Zinc Anodes On 38 Copper Water Mains	CW 2110	each	1		
D.	8	Continuity Bonding	CW 2110	each	1		
D.		Partial Slab Patches 200mm reinforced concrete pavement	E5	m²	50.0		
D.	10 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E6	m²	25.0		
D.	11 a)	Concrete Curb Renewal Barrier curb (SD-204)	E7	m	20.0		
D.	12	Construction of Asphalt Patches	E11	m²	15.0		
D.	13 a) i)	Planing Planing 0-50mm depth Asphaltic Concrete	CW 3450	m²	170.0		
D.	14	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	25.0		
					lexander Ave	enue Subtotal	

E	Henry Avenue - Princess Street to King Street					
E.	Water Main Renewal 200 mm	CW 2110				

(SEE B10)

2017 WATER MAIN RENEWALS - CONTRACT NO. 7

ITE	ΞM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	80.0		
	-	150 mm trenchless installation, Class B sand bedding, Class 3 backfill		m	25.0		
E.	2	Water Main Valve	CW 2110				
	a)	150mm		each	1		
	b)	200mm		each	1		
E.	3	Fittings	CW 2110				
		Bends (SD-004)		_			
	•	150mm - 22.5°		each	1		
		200mm - 22 1/2° Bends (SD-005)		each	3		
		150mm - 45°		each	2		
E.	4	Corporation Stops	CW 2110				
	a)	19mm		each	1		
E.	5	Curb Stops	CW 2110				
	a)	19mm		each	1		
E.	6	Curb Stop Boxes	CW 2110				
	a)	19mm		each	1		
E.		Connecting to Existing Water Mains and					
		Large Diameter Water Services Inline Connection - no plug existing	CW 2110				
		150mm		each	1		
		200mm		each	1		
E.	8	Connecting Existing Copper Water					
	a)	Services to New Water Mains 19mm	CW 2110	each	1		
	u)	130000		Cacii	'		
E.	9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	a)	On Metallic Water Mains		each	1		
	b)	On Water Services		each	1		
E.	10	Continuity Bonding	CW 2110	each	1		

(SEE B10)

2017 WATER MAIN RENEWALS - CONTRACT NO. 7

ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.	11	Partial Slab Patches	E5				
	a)	150mm reinforced concrete pavement		m²	80.0		
E.	12	Miscellaneous Concrete Slab Renewal	E6				
	a)	Sidewalk (SD-228A)		m²	20.0		
E.	13	Concrete Curb Renewal	E7				
	a)	Barrier curb (SD-204)		m	20.0		
	b)	Ramp curb		m	5.0		
E.	14	Construction of Asphalt Patches	E11	m²	15.0		
E.	15	Detectable Warning Surface Tiles	CW 3326	each	2		
					Henry Ave	enue Subtotal	

F		New Hydrants on Existing Water Mains	_		_		_	
F.		New Hydrant Assembly on Existing Water Main SD-006 (Stanley St.)	CW 2110	each	2			
F.		Partial Slab Patches 200mm reinforced concrete pavement	E5	m²	7.0			
F.	3 a)	Concrete Curb Renewal Barrier curb (SD-204)	E7	m	6.0			
F.	4 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E6	m²	10.0			
		I.			New Hydr	rants Subtotal		

G		Provisional Items				
G.	1	Cement Stabilized Fill	EX	m³	10.0	
G.		Street Light Cable trench installation	EX	m	20.0	

(SEE B10)

2017 WATER MAIN RENEWALS - CONTRACT NO. 7

ITE	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	b)	trenchless installation	EX	m	20.0		
G.	3	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m²	20.0		
G.	4	Water Services	CW 2110				
	a)	100mm					
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
G.		Water Main Repair - Up To 3.0 metres Long	CW 2110				
	a)	100mm					
	i)	Class 3 backfill		each	1		
	b)	150mm					
	i)	Class 3 backfill		each	1		
	c)	200mm					
	i)	Class 3 backfill		each	1		
	d)	250mm Class 3 backfill		aaab	4		
	i)	300mm		each	1		
	e) i)	Class 3 backfill		each	1		
G.		Water Main Repair - In Addition to First 3.0	0,11,0,1,10				
		metres	CW 2110				
	a) :\	100mm Class 3 backfill		m	2.0		
	i) b)	150mm		m	2.0		
	i)	Class 3 backfill		m	2.0		
	c)	200mm		""	2.0		
	i)	Class 3 backfill		m	2.0		
	d)	250mm					
	i)	Class 3 backfill		m	2.0		
	e)	300mm					
	i)	Class 3 backfill		m	2.0		
G.		Regrading of Existing Sewer Service - Up to 1.5 metres long	CW 2110				
	a)	150mm		each	5		
	b)	200mm		each	5		
	c)	250mm		each	5		
G.	9	Remove and Replace Existing Catch Basin	CW 2130				

(SEE B10)

2017 WATER MAIN RENEWALS - CONTRACT NO. 7

ITE	ΕM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	a)	SD-024		each	3.0		
G.	a)	Temporary Surface Restorations Street Pavement Sidewalk	E10	m² m²	50.0 25.0		
	D)	Sidewalk				ems Subtotal	

	Grand Total:	
TOTAL BID PRICE (GST extra)	(in figures)\$	
(in words)		
	Name of Bidder	

(Seal)

Template Version: C120150806- C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND

KNOW ALL MEN BY	THESE PRESENTS THAT	

THOW ALL MEN BY THESE TRESERVES	1100	
(hereinafter called the "Principal") and		
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten pe described, for the payment of which sum to administrators, successors and assigns, jo	rcent (10%) of the Total Bid Price set out the Principal and Surety bind themselves,	t in the Bid hereinafte their heirs, executors
WHEREAS the Principal has submitted a E	Bid to the Obligee for	
BID OPPORTUNITY NO. 334-2017		
2017 WATER MAIN RENEWALS CONTRA	ACT NO. 7	
as more fully set out in the Bid Opportunity		
NOW THEREFORE the condition of this ol if said Bid is accepted and the Principal, in the said Obligee and furnishes the require of the Contract, this obligation shall be voice	accordance with the terms of the Bid, ented performance security for guaranteeing the	ers into a Contract with ne faithful performance
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond	the
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	
	(Name of Surety)	

(Attorney-in-Fact)

(Seal)

Template Version: C120150806- C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 334-2017 2017 WATER MAIN RENEWALS CONTRACT NO. 7 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20______, (Name of Surety) By: (Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY - BID OPPORTUNITY NO. 334-2017
2017 WATER MAIN RENEWALS CONTRACT NO. 7
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding the aggregate
Canadian dollars
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon writted demand for payment made upon us by you. It is understood that we are obligated under this Stand Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand to payment without inquiring whether you have a right as between yourself and our customer to make sudemand and without recognizing any claim of our customer or objection by the customer to payment by understand the customer to payment the customer to payment by understand the customer to payment the customer to payment the customer the customer the customer to payment the customer to payment the customer to payment the customer to payment the customer
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Stand Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 9, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)