#### FORM A: BID (See B9)

1.	Contract Title	WATERMAIN RENEWAL C	CONTRACT 3	
2.	Bidder			
		Name of Bidder		_
		Usual Business Name of Bidder as	s it appears on Invoice (if different from above)	_
		Street		_
		City	Province Postal Cod	le
		Email Address of Bidder		_
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		—
		City	Province Postal Cod	le
		GST Registration Number (if appli	cable)	_
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under	the above name.	
3.	Contact Person	The Bidder hereby authoriz the Bidder for purposes of t	zes the following contact person to represer he Bid.	nt
		Contact Person	Title	_
		Telephone Number	Facsimile Number	_
4.	Definitions	All capitalized terms used ascribed to them in the Ger	I in the Contract shall have the meaning eral Conditions.	S

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a

This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

#### 12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

\_ day of \_\_\_\_\_ , 20\_\_ \_\_\_\_ ·

Signature of Bidder or Bidder's Authorized Official or Officials (Print here name and official capacity of individual whose signature appears above) \_\_\_\_\_ (Print here name and official capacity of individual whose signature appears above)

#### 2017 WATERMAIN RENEWALS - CONTRACT NO. 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>A.</u>	CARPATHIA AVENUE - CAR	PATHIA ROA	D (S. LE	G) TO COR	YDON AVE	NUE
A. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	345.0		
A. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	4		
A. 3	Watermain Valve	CW 2110				
a)	150mm		each	3		
A. 4	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	50.0		
b)	38mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	25.0		
A. 5	Corporation Stops	CW 2110				
a)	19mm		each	23		
b)	38mm		each	8		
A. 6	Curb Stops	CW 2110				
a)	19mm		each	6		
b)	38mm		each	2		
A. 7	Curb Stop Boxes	CW 2110				
a)	19mm		each	6		
b)	38mm		each	2		
A. 8	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					

## 2017 WATERMAIN RENEWALS - CONTRACT NO. 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	150mm		each	2		
A. 9	Connecting Existing Copper Water	CW 2110				
a)	19mm		each	23		
b)	38mm		each	8		
A. 10	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	31.0		
A. 11 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	10.0		
A. 12 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	10.0		
A. 13 a)	Concrete Curb Renewal Barrier curb (SD-204)	CW 3240 E4	m	50.0		
A. 14	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
		RPATHIA SU	BTOTAL	A:		
<u>B</u>	ST. MATTHEWS AVE	NUE - FERR	' ROAD	TO BERRY	STREET	
B. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	20.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
c)	250mm					
			m	530.0		
i)	trenchless installation, Class B sand bedding, Class 3 backfill					
i) B. 2		CW 2110				
	bedding, Class 3 backfill		each	7		

# 2017 WATERMAIN RENEWALS - CONTRACT NO. 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	150mm		each	2		
b)	250mm		each	8		
B. 4	Fittings	CW 2110				
a)	Tees					
i)	250mm x 250mm x150 mm		each	4		
b)	Bends (SD-004)					
i)	250mm - 45°		each	4		
ii)	200mm - 45°		each	2		
c)	Bends (SD-005)					
i)	250mm - 45°		each	2		
d)	Crosses					
i)	250mm X250mm X 200mm X 200mm		each	2		
e)	Reducers					
i)	250mm - 200mm		each	2		
B. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	20.0		
b)	38mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	60.0		
B. 6	Corporation Stops	CW 2110				
a)	19mm		each	1		
b)	38mm		each	7		
B. 7	Curb Stops	CW 2110				
a)	19mm		each	1		
b)	38mm		each	3		
B. 8	Curb Stop Boxes	CW 2110				

# 2017 WATERMAIN RENEWALS - CONTRACT NO. 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	19mm		each	1		
b)	38mm		each	3		
B. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	5		
ii)	200mm		each	2		
iii)	250mm		each	2		
B. 10	Connecting Existing Copper Water	CW 2110				
a)	19mm		each	1		
b)	38mm		each	7		
B. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	8.0		
B. 12	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	50.0		
	ST. N	IATTHEWS S	UBTOT	AL B:		
<u>C.</u>		ARD BATCHE	LOR AV	E JAYMO	RR DR	
C. 1 a)	Watermain Renewal 200mm	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	30.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	150.0		
b) i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
C. 2 a)	Hydrant Assembly SD-006	CW 2110	each	1		
C. 3	Watermain Valve	CW 2110				

## 2017 WATERMAIN RENEWALS - CONTRACT NO. 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	200mm		each	2		
C. 4	Fittings	CW 2110				
a)	Reducers					
i)	200mm - 150mm		each	1		
C. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	30.0		
C. 6	Corporation Stops	CW 2110				
a)	19mm		each	12		
C. 7	Curb Stops	CW 2110				
a)	19mm		each	3		
C. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	3		
C. 9	Connecting Existing Copper Water	CW 2110				
	Services to New Watermains					
a)	19mm		each	12		
b) C. 10	25mm Watermain and Water Service		each	1		
	Insulation	CW 2110				
a)	In a trench (SD - 018)					
i)	75mm thick		m	30		
C. 11	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline connection - plug existing					
i)	200mm		each	2		
b)	In-line connection - no plug existing					
i)	150mm		each	3		
ii)	200mm		each	1		
C. 12 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110				
<i>a)</i>	On Waler Services		each	13.0		
	Partial Slab Patches 200mm reinforced concrete					
a)	pavement for early opening (24 hours)	E6	m²	20.0		

#### 2017 WATERMAIN RENEWALS - CONTRACT NO. 3

	RICES	0050				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 14 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	20.0		
C. 15 a)	Concrete Curb Renewal Barrier curb (SD-204)	CW 3240 E4	m	10.0		
C. 16	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
			OTAL C	:		
<u>D.</u>	COVENTRY ROAD - RIDGEW	OOD AVE - 4	36 METF	RES NORTH	OF RIDGEV	VOOD
D. 1	Watermain Renewal	CW 2110				
a) i)	200mm trenchless installation, Class B sand bedding, Class 5 backfill		m	425.0		
D. 2 a)	Hydrant Assembly SD-007	CW 2110	each	3		
D. 3 a)	Watermain Valve 200mm	CW 2110	each	4		
D. 4	Fittings	CW 2110				
a) i) b)	Tees 300mm x 300mm x 200 mm Bends (SD-004)		each	1		
i)	200mm - 45°		each	2		
c) i)	Reducers 200mm - 150mm		each	1		
D. 5 a)	Water Services 19mm	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	50.0		
D. 6 a)	Corporation Stops 19mm	CW 2110	each	36		
D. 7 a)	Curb Stops 19mm	CW 2110	each	5		
D. 8	Curb Stop Boxes	CW 2110				

### 2017 WATERMAIN RENEWALS - CONTRACT NO. 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	19mm	NEF.	each	QUANTITY 5	PRICE	
D. 9 a) i)	Watermain and Water Service Insulation In a trench (SD - 018)	CW 2110	m	5		
D. 10 a)	Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existing	CW 2110				
i)	150mm		each	1		
ii)	300mm		each	2		
D. 11 a)	Connecting Existing Copper Water Services to New Watermains 19mm	CW 2110	each	36		
			ouon			
D. 12 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	36.0		
D. 13	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	10.0		
D. 14	Construction of Hydrant Approach c/w 450 CMP	E_8	each	3		
	CO	VENTRY SU	BTOTAL	D:		
<u>E.</u>	WAVERLEY STREET - 133m S	SOUTH OF B	UFFALC	PLACE TO	GAMBLE P	LACE
E. 1	Watermain Renewal	CW 2110				
a) i)	250mm trenchless installation, Class B sand bedding, Class 3 backfill		m	120.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	60.0		
E. 2	Watermain Valve	CW 2110	eeeb	2		
a)	250mm		each	2		
E. 3	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	250mm - 45°		each	4		
b)	Reducers					
i)	250mm - 200mm		each	2		

### 2017 WATERMAIN RENEWALS - CONTRACT NO. 3

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
E. 4 a) i)	Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existing 200mm	CW 2110	each	2		
E. 5	Continuity Bonding	CW 2110	each	2		
E. 6 i)	Partial Slab Patches 200mm reinforced concrete pavement for early opening (24 hours)	E6	m²	40.0		
E. 7 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	20.0		
E. 8 a)	Concrete Curb Renewal Barrier curb (SD-204)	CW 3240 E4	m	10.0		
E. 9	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	10.0		
	14/	AVERLEY SUE	DTOTAL	E.		
	VV/	AVERLET SUD	SIUTAL			
		AVERLET SUE	STUTAL			
		PROVISONAL				
F. 1		PROVISONAL CW 2030				
F. 1 F. 2		PROVISONAL	. ITEMS			
	Granular Backfill Material	PROVISONAL CW 2030 CW 2030	_ <b>ITEMS</b>	25.0		
F. 2	Granular Backfill Material Cement Stabilized Fill	PROVISONAL CW 2030 CW 2030 CW 2030 CW 2160	m <sup>3</sup> m <sup>3</sup>	25.0 20.0		
F. 2 F. 3	Granular Backfill Material Cement Stabilized Fill Sodding	PROVISONAL CW 2030 CW 2030 CW 2160 CW 3510	m <sup>3</sup> m <sup>3</sup> m <sup>2</sup> day	25.0 20.0 100.0		
F. 2 F. 3 F. 4 F. 5 a) F. 6	Granular Backfill Material Cement Stabilized Fill Sodding Maintaining Curb Stop Excavations Surfacing Material	PROVISONAL CW 2030 CW 2030 CW 2160 CW 3510 CW 2110 CW 3150-R4 CW 2110	m <sup>3</sup> m <sup>3</sup> m <sup>2</sup> day	25.0 20.0 100.0 10.0		
F. 2 F. 3 F. 4 F. 5 a)	Granular Backfill Material Cement Stabilized Fill Sodding Maintaining Curb Stop Excavations Surfacing Material Limestone New Hydrant Assembly on Existing Watermain	PROVISONAL CW 2030 CW 2030 CW 2160 CW 3510 CW 2110 CW 3150-R4	m <sup>3</sup> m <sup>3</sup> m <sup>2</sup> day tonne	25.0 20.0 100.0 10.0 10.0		

# 2017 WATERMAIN RENEWALS - CONTRACT NO. 3

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. 8 a)	Regrading of Existing Sewer Service - Longer Than 1.5 metres 150mm	CW 2110	m	10		
F. 9	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-024		each	4		
	PRC	<b>DVISONAL SU</b>	ІВТОТА	LF:		
TOTAL	BID PRICE (GST extra) (in figures)\$					
				Name of Bio	dder	

\_\_\_\_\_ of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_\_ , 20\_\_\_\_\_ for

BID OPPORTUNITY NO. 407 - 2017

WATERMAIN RENEWAL CONTRACT 3

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

(Name of Surety)

By: (Attorney-in-Fact) \_\_\_\_\_ (Seal)

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

#### RE: BID SECURITY - BID OPPORTUNITY NO. 407 - 2017

WATERMAIN RENEWAL CONTRACT 3

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 9th, 2017

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	(Name of bank or financial institution)			
Per:				
	(Authorized Signing Officer)			
Per:				

(Authorized Signing Officer)