## FORM A: BID (See B9)

1.	Contract Title	2017 WATER MAIN RENE	WALS CONTRACT NO. 9	
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidder as	s it appears on Invoice (if different from	n above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if applied	cable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under	the above name.	
3.	Contact Person	The Bidder hereby authoriz the Bidder for purposes of t	zes the following contact personal he Bid.	on to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Offer		to perform the Work in accor Price, in Canadian funds, set	

5.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:					
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)					
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)					
		a certified cheque or draft					
		and agrees that it shall be held by the City in accordance with the Contract.					
6.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.					
7.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.					
8.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.					
9.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:					
		No Dated					
10.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.					

11. Signatures The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_\_ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

## (SEE B10)

#### **2017 WATER MAIN RENEWALS - CONTRACT NO. 9**

IT	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α		Hunterspoint Road - The Bridle Path to I	Horseshoe I	Зау			
A.	1	Water Main Renewal	CW 2110				
		150 mm trenchless installation, class B sand bedding, Class 3 backfill		m	65.0		
	ii)	trenchless installation, class B sand bedding, Class 5 backfill		m	75.0		
A.		Hydrant Assembly	CW 2110				
	a)	SD-006		each	1		
A.	3 a)	Water Main Valve 150mm	CW 2110	each	3		
A.		Fittings	CW 2110				
	i)	Tees 150mm X 150mm X 150mm		each	2		
		Bends (SD-004) 150mm - 22 1/2°		each	4		
		Bends (SD-005) 150mm - 45°		each	2		
A.	5	Water Service	CW 2110				
	a) i)	19mm trenchless installation, Class B sand bedding, Class 3 backfill		m	25.0		
A.	6 a)	Corporation Stops 19mm	CW 2110	each	6		
A.	7 a)	Curb Stops 19mm	CW 2110	each	6		
A.	8 a)	Curb Stop Boxes 19mm	CW 2110	each	6		
A.	9	Connecting to Existing Water Mains and Large Diameter Water Services	CW 2110				

## (SEE B10)

## **2017 WATER MAIN RENEWALS - CONTRACT NO. 9**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
а	) Inline Connection - no plug existing i) 150mm		each	3		
A 1 a b	,	CW 2110	each each	1 6		
A 1 a		E5	m²	25.0		
A 1 a		E6	m²	5.0		
A 1 a		E7		5.0		
b	) Lip curb & gutter i) Less than 3 m		m m	5.0 10.0		
С	) Ramp curb i) Less than 3 m		m	3.0		
A 1	4 Construction of Asphaltic Concrete Patches Type 1A	E9	M²	10.0		
			Hunt	erspoint Ro	ad Subtotal	

В		Horseshoe Bay - West Limit of Horsesh	oe Bay to Hi	unterspoin	t Road	
В.	a)	Water Main Renewal 150mm trenchless installation, class B sand bedding, Class 3 backfill	CW 2110	m	40.0	
В.	2 a)	Hydrant Assembly SD-006	CW 2110	each	1	
В.	3 a)	Water Main Valve 150mm	CW 2110	each	1	

## (SEE B10)

## **2017 WATER MAIN RENEWALS - CONTRACT NO. 9**

ITE	M	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
В.	4	Fittings	CW 2110							
		Bends (SD-004)								
	i)	150mm - 22 1/2°		each	1					
В.	5	Water Service	CW 2110							
		19mm								
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	20.0					
В.	6	Corporation Stops	CW 2110							
		19mm		each	7					
В.		Curb Stops	CW 2110							
	a)	19mm		each	1					
В.	8	Curb Stop Boxes	CW 2110							
	a)	19mm		each	1					
_	•									
В.	9	Connecting Existing Copper Water Services to New Watermains	CW 2110							
	a)	19mm		each	6					
-	10		0.000							
В.	10 c)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	7					
	0)	On water services		each	1					
В.	11	Partial Slab Patches	E5							
	a)	150mm reinforced concrete pavement		m²	20.0					
В.	12	Miscellaneous Concrete Slab Renewal	E6							
υ.	a)	Sidewalk (SD-228A)	LU							
	í)	Less than 5 m <sup>2</sup>		m²	10.0					
_										
В.	13 a)	Concrete Curb Renewal	E7							
	a) i)	Barrier curb (SD-204) Less than 3 m		m	10.0					
	b)	Ramp curb								
	i)	Less than 3 m		m	3.0					
						0				
	Horseshoe Bay Subtotal									

## (SEE B10)

## **2017 WATER MAIN RENEWALS - CONTRACT NO. 9**

ITE	ЕМ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С		Quailridge Road - 133 m N of Quailridge F	Road (S Le	g) to Apple	e Lane		
C.	1	Water Main Renewal	CW 2110				
		300 mm					
	i)	trenchless installation, class B sand		m	15.0		
	::\	bedding, Class 3 backfill			10.0		
	11)	trenchless installation, class B sand bedding, Class 5 backfill		m	5.0		
	b)	250 mm					
	i)	trenchless installation, class B sand		m	20.0		
	ii)	bedding, Class 3 backfill trenchless installation, class B sand			100.0		
	,	bedding, Class 5 backfill		m	160.0		
		200 mm					
	i)	trenchless installation, class B sand		m	5.0		
	ii)	bedding, Class 3 backfill trenchless installation, class B sand					
	.,	bedding, Class 5 backfill		m	5.0		
	d)	150 mm					
	i)	trenchless installation, class B sand		m	10.0		
	ii)	bedding, Class 3 backfill trenchless installation, class B sand					
	"'	bedding, Class 5 backfill		m	15.0		
C.	2	Hydrant Assembly	CW 2110				
	a)	SD-007		each	2.0		
C.	3	Water Main Valve	CW 2110				
	a)	150mm		each	3		
	b)	200mm		each	1		
	d)	300mm		each	1		
C.	4	Fittings	CW 2110				
		Tees					
		250mm X 250mm X 150mm		each	3		
		300mm X 300mm X 300mm		each	1		
		Bends (SD-004)		aash			
		200mm - 45° 250mm - 11 1/4°		each	2 3		
	II)	23011111 - 11 1/4		each	3		l

## (SEE B10)

#### **2017 WATER MAIN RENEWALS - CONTRACT NO. 9**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	300mm - 22 1/2°		each	1		
iv)	300mm - 45°		each	2		
	Bends (SD-005)					
	150mm - 45°		each	6		
d)	Reducers					
	250mm - 200mm		each	1		
ii)	300mm - 250mm		each	1		
	Connecting to Existing Water Mains and Large Diameter Water Services Inline Connection - no plug existing	CW 2110				
i)	150mm		each	3		
ii)	200mm		each	1		
iv)	300mm		each	2		
	Partial Slab Patches 200mm reinforced concrete pavement	E5	m²	30.0		
C. 7 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m²	E6	m²	5.0		
a)	Concrete Curb Renewal Barrier curb (SD-204)	E7				
i)	Less than 3 m		m	10.0		
b) i)	Ramp curb Less than 3 m		m	5.0		
C. 9	Construction of Asphaltic Concrete Patches Type 1A	E9	m²	10.0		
			Qu	ail Ridge Ro	ad Subtotal	

## (SEE B10)

#### **2017 WATER MAIN RENEWALS - CONTRACT NO. 9**

ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D		Meadowlark Place - Booth Drive to Flam	ingo Avenu	9			
D.	a)	Water Main Renewal 300mm trenchless installation, class B sand bedding, Class 3 backfill	CW 2110	m	2.0		
		200 mm trenchless installation, class B sand bedding, Class 3 backfill		m	2.0		
		150 mm trenchless installation, class B sand bedding, Class 3 backfill		m	185.0		
D.	2 a)	Hydrant Assembly SD-007	CW 2110	each	3		
D.	3 a) b)	Water Main Valve 150mm 300mm	CW 2110	each each	3 1		
D.	a) i) ii)	Fittings Tees 150mm X 150mm X 150mm 200mm X 200mm X 150mm 300mm X 300mm X 150mm	CW 2110	each each each	1 1 1		
D.	5 a) i)	Water Service 19mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2110	m	20.0		
D.		Corporation Stops 19mm	CW 2110	each	21		
D.		Curb Stops 19mm	CW 2110	each	1		
D.		Curb Stop Boxes 19mm	CW 2110	each	1		

## (SEE B10)

#### **2017 WATER MAIN RENEWALS - CONTRACT NO. 9**

ITE	M	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.	a)	Connecting to Existing Water Mains and Large Diameter Water Services Inline Connection - no plug existing	CW 2110				
	-	200mm 300mm		each each	2 2		
D.		Connecting Existing Copper Water Services to New Watermains 19mm	CW 2110	each	20		
D.	11 a) b)	10.9 Kilogram Sacrificial Zinc Anodes On Metallic Watermains On Water Services	CW 2110	each each	1 21		
D.	12	Continuity Bonding	CW 2110	each	21		
D.	a)	Partial Slab Patches 150mm reinforced concrete pavement 200mm reinforced concrete pavement	E5	m² m²	40.0 10.0		
D.	14 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m²	E6	m²	40.0		
D.	a)	Concrete Curb Renewal Barrier curb (SD-204)	E7				
	i) b) i)	Less than 3 m Lip curb & gutter Less than 3 m		m m	15.0 25.0		
	c) i)	Ramp curb		m	10.0		
D.		Construction of Asphaltic Concrete Patches Type 1A	E9	M²	15.0		
D.	17	Regrading Existing Interlocking Paving Stone Installations	CW 3330	M²	10.0		
			•	Mea	dowlark Pla	ce Subtotal	

## (SEE B10)

## **2017 WATER MAIN RENEWALS - CONTRACT NO. 9**

ІТІ	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E		Athlone Drive - Meadowlark Place to 45 r	n S of Flam	ingo Aveu	ine		
E.	a) i)	Water Main Renewal 150 mm trenchless installation, class B sand bedding, Class 3 backfill trenchless installation, class B sand bedding, Class 5 backfill	CW 2110	m m	75.0 135.0		
E.		Hydrant Assembly SD-007	CW 2110	each	3		
E.		Water Main Valve 150mm	CW 2110	each	2		
E.	a)	Fittings Bends (SD-004) 150mm - 22 1/2º	CW 2110	each	6		
E.		Corporation Stops 19mm	CW 2110	each	20		
E.	a)	Connecting to Existing Water Mains and Large Diameter Water Services Inline Connection - no plug existing 150mm	CW 2110	each	1		
E.	7 a)	Connecting Existing Copper Water Services to New Watermains 19mm	CW 2110	each	20		
E.	8 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	20		
E.	9	Continuity Bonding	CW 2110	each	20		
E.		Partial Slab Patches 150mm reinforced concrete pavement	E5	m²	30.0		
E.	11 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E6				

## (SEE B10)

## **2017 WATER MAIN RENEWALS - CONTRACT NO. 9**

ITE	M	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i)			M²	40.0		
E.	12 a) i)	Concrete Curb Renewal Lip curb & gutter Less than 3 m	E7	m	15.0		
E.	,	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m²	10.0		
					Athlone Dr	ive Subtotal	
F		Listowel Bay - Braintree Crescent (W Leg	g) to Braintr	ee Cresce	nt (N Leg)		
F.		Water Main Renewal 150 mm	CW 2110				
	,	trenchless installation, class B sand bedding, Class 3 backfill		m	280.0		
	ii)	trenchless installation, class B sand bedding, Class 5 backfill		m	15.0		
F.		Hydrant Assembly SD-006	CW 2110	each	3		
F.		Water Main Valve	CW 2110				
	a)	150mm		each	3		
F.	a)	Fittings Tees	CW 2110				
		150mm X 150mm X 150mm Bends (SD-004)		each	1		
	c)	150mm - 45º Bends (SD-005)		each	2		
_		150mm - 45°		each	2		
F.	5 a)	Corporation Stops 19mm	CW 2110	each	18		
F.		Connecting to Existing Water Mains and Large Diameter Water Services Inline Connection - no plug existing	CW 2110				
		150mm		each	2		

## (SEE B10)

#### **2017 WATER MAIN RENEWALS - CONTRACT NO. 9**

ITE	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.	7 a)	Connecting Existing Copper Water Services to New Watermains 19mm	CW 2110	each	18		
F.	8 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	18		
F.	9	Continuity Bonding	CW 2110	each	18		
F.	10 a)	Partial Slab Patches 150mm reinforced concrete pavement	E5	m²	60.0		
F.	11 a) i)	Concrete Curb Renewal Barrier curb (SD-204) Less than 3 m	E7	m	30.0		
F.	12	Construction of Asphaltic Concrete Patches Type 1A	E9	m²	50.0		
					Listowel E	Bay Subtotal	
						Bay Subtotal	
G		Braintree Crescent (N Leg) - Listowel Ba	y (E Leg) to	Ladywoo		3ay Subtotal	
<b>G</b> .		Braintree Crescent (N Leg) - Listowel Ba Water Main Renewal 200 mm trenchless installation, class B sand bedding, Class 5 backfill	<b>y (E Leg) to</b> CW 2110	<b>Ladywoo</b>		3ay Subtotal	
	a) i) b) i)	Water Main Renewal 200 mm trenchless installation, class B sand			d Drive	3ay Subtotal	
	a) i) b) i) ii)	Water Main Renewal 200 mm trenchless installation, class B sand bedding, Class 5 backfill 150 mm trenchless installation, class B sand bedding, Class 3 backfill trenchless installation, class B sand bedding, Class 5 backfill Hydrant Assembly		m	2.0 160.0	3ay Subtotal	

## (SEE B10)

## **2017 WATER MAIN RENEWALS - CONTRACT NO. 9**

ITE	M	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.	4	Fittings	CW 2110				
		Tees					
	i)	150mm X 150mm X 150mm		each	1		
	b)	Bends (SD-004)					
	i)	150mm - 22 1/2º		each	4		
	C)	Reducers					
	i)	200mm - 150mm		each	1		
G.	5	Water Service	CW 2110				
	a)	19mm					
	i)	trenchless installation, Class B sand		m	15.0		
		bedding, Class 3 backfill					
G.	6	Corporation Stops	CW 2110				
	a)	19mm		each	17		
G.	7	Curb Stops	CW 2110				
	a)	19mm		each	1		
G.	0	Outh Oton Davias	CW 2110				
G.	8 a)	Curb Stop Boxes 19mm	CVV 2110	aaab	1		
	a)			each	1		
G.	9	Connecting to Existing Water Mains and					
		Large Diameter Water Services	CW 2110				
		Inline Connection - no plug existing					
		150mm		each	1		
	ii)	200mm		each	1		
G.	10	Connecting Existing Copper Water					
		Services to New Watermains	CW 2110				
	a)	19mm		each	16		
G.	11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	a)	On Water Services		each	17		
G.	12	Continuity Bonding	CW 2110	oach	17		
0.	12	Continuity Bonding	GVV 2110	each	17		
G.		Partial Slab Patches	E5				
	a)	150mm reinforced concrete pavement		m²	40.0		
I							

## (SEE B10)

## **2017 WATER MAIN RENEWALS - CONTRACT NO. 9**

ITE	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.	14 a) i)	Concrete Curb Renewal Barrier curb (SD-204) Less than 3 m	E7	m	25.0		
G.	15	Construction of Asphaltic Concrete Patches Type 1A	E9	m²	40.0		
				Brai	ntree Cresc	ent Subtotal	
Н		Kensington Street - Ness Avenue to Silve	er Street				
Н.	a)	Water Main Renewal 200mm trenchless installation, class B sand bedding, Class 3 backfill	CW 2110	m	2.0		
		150 mm trenchless installation, class B sand bedding, Class 3 backfill		m	435.0		
Н.		Hydrant Assembly SD-007	CW 2110	each	5		
Н.	3 a)	Water Main Valve 150mm	CW 2110	each	5		
Н.		Fittings Bends (SD-004)	CW 2110				
		150mm - 45º Bends (SD-005)		each	2		
	i)	150mm - 22 1/2° Reducers		each	2		
		200mm - 150mm		each	1		
H.	5 a) i)	Water Service 19mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2110	m	65.0		
Н.		Corporation Stops 19mm	CW 2110	each	70		

## (SEE B10)

## **2017 WATER MAIN RENEWALS - CONTRACT NO. 9**

ITE	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H.	7 a)	Curb Stops 19mm	CW 2110	each	6		
Н.	8 a)	Curb Stop Boxes 19mm	CW 2110	each	6		
Н.	a) i)	Connecting to Existing Water Mains and Large Diameter Water Services Inline Connection - no plug existing 150mm 200mm	CW 2110	each each	1 1		
H.		Connecting Existing Copper Water Services to New Watermains 19mm	CW 2110	each	70		
H.	11 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	6		
Н.	12	Continuity Bonding	CW 2110	each	70		
Н.	a)	Partial Slab Patches 150mm reinforced concrete pavement 200mm reinforced concrete pavement	E5	m² m²	165.0 10.0		
H.	14 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m²	E6	m²	205.0		
H.	15 a) i)	Concrete Curb Renewal Barrier curb (SD-204) Less than 3 m	E7	m	125.0		
	b) i)	Ramp curb Less than 3 m		m	10.0		
Н.	16	Construction of Asphaltic Concrete Patches Type 1A	E9	m²	165.0		
				Ken	sington Str	eet Subtotal	

## (SEE B10)

#### **2017 WATER MAIN RENEWALS - CONTRACT NO. 9**

ITE	ЕМ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
I		Rue des Trappistes - Rue du Monastere to 450 m W of Villeneuve Boulevard						
١.		Water Main Renewal 200 mm	CW 2110					
		trenchless installation, class B sand bedding, Class 3 backfill trenchless installation, class B sand		m	20.0			
	"	bedding, Class 5 backfill		m	85.0			
I.		Fittings -	CW 2110					
	i)	Tees 200mm X 200mm X 200mm Bends (SD-004)		each	1			
		200mm - 22 1/2°		each	4			
	ii)	200mm - 45°		each	2			
	c)	Bends (SD-005)						
		200mm - 45°		each	4			
I.		Connecting to Existing Water Mains and Large Diameter Water Services Inline Connection - no plug existing	CW 2110					
		200mm		each	3			
I.		Silt Fence	E12					
		Supply and Install		m	90.0			
	b)	Maintain until Nov. 1, 2017		l.s.	1			
				Rue	des Trappist	tes Subtotal		
J		Provisional Items						
J.	1	Street Light Cable	E13					
υ.		trench installation	EIS	m	50.0			
	,	trenchless installation		m	50.0 50.0			

## (SEE B10)

## **2017 WATER MAIN RENEWALS - CONTRACT NO. 9**

ITE	м	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
	0		REF.		QUANTITY	PRICE	
J.		Water Services 25mm	CW 2110				
	a) i)	trenchless installation, Class B sand					
	''	bedding, Class 3 backfill		m	10.0		
J.	3	Corporation Stops	CW 2110				
	a)	25mm		each	6		
J.		Curb Stops	CW 2110		0		
	a)	25mm		each	6		
J.	5	Curb Stop Boxes	CW 2110				
•		25mm	0112110	each	6		
	,				_		
J.	6	Water Main Repair - Up To 3.0 metres					
		Long	CW 2110				
	a)	100mm Class 3 backfill			4		
	i) b)	150mm		each	1		
	i)	Class 3 backfill		each	1		
	c)	200mm					
	i)	Class 3 backfill		each	1		
	d)	250mm					
	i)	Class 3 backfill		each	1		
	e)	300mm					
	i)	Class 3 backfill		each	1		
J.	7	Water Main Repair - In Addition to First 3.0					
J.		metres	CW 2110				
	a)	100mm					
	i)	Class 3 backfill		m	2.0		
	b)	150mm					
	i)	Class 3 backfill		m	2.0		
	c)	200mm		<i>w</i> -			
	i) d)	Class 3 backfill 250mm		m	2.0		
	u) i)	Class 3 backfill		m	2.0		
	e)	300mm			2.0		
	i)	Class 3 backfill		m	2.0		
	,						

## (SEE B10)

#### 2017 WATER MAIN RENEWALS - CONTRACT NO. 9

#### **UNIT PRICES**

ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
J.	8	Regrading of Existing Sewer Service - Up to 1.5 metres long	CW 2110				
	a)	150mm		each	5		
	b)	200mm		each	5		
	c)	250mm		each	5		
J.	9	Remove and Replace Existing Catch Basin	CW 2130				
	a)	SD-024		each	4.0		
J.	10	Temporary Surface Restorations	E9				
	a)	Street Pavement		m²	50.0		
	b)	Sidewalk		m²	25.0		
J.	11	Maintaining Curb Stop Excavations	CW 2110	each/day	5.0		
				Pro	visional Ite	ms Subtotal	
	Grand Total:						

TOTAL BID PRICE (GST extra)

(in figures)\$\_\_\_\_\_

(in words)

Name of Bidder

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 415-2017

2017 WATER MAIN RENEWALS CONTRACT NO. 9

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_ .

SIGNED AND SEALED in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)	
Per:	(Seal)
Per:	
(Name of Surety)	
By:	(Seal)

\_\_\_\_\_ of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_\_ , or \_\_\_\_\_, 20\_\_\_\_\_

BID OPPORTUNITY NO. 415-2017

2017 WATER MAIN RENEWALS CONTRACT NO. 9

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_,

(Name of Surety)

By: (Seal) (Seal)

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

#### RE: BID SECURITY - BID OPPORTUNITY NO. 415-2017

2017 WATER MAIN RENEWALS CONTRACT NO. 9

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

#### (Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 8, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)