## FORM A: BID (See B9)

1.	Contract Title	BRADY ROAD RESOURCE MANAGEMENT FACILITY (BRRMF) DISPOSAL CELL CONSTRUCTION AND LEACHATE COLLECTION AND STORAGE TANKS				
2.	Bidder	AND STORAGE TAIN	3			
		Name of Bidder				
		Usual Business Name of Bide	der as it appears on Invoice (if different fr	rom above)		
		Street				
		City	Province	Postal Code		
		Email Address of Bidder				
		Facsimile Number				
	(Mailing address if different)	Street or P.O. Box	reet or P.O. Box			
		City	Province	Postal Code		
		GST Registration Number (if	applicable)			
	(Choose one)	The Bidder is:				
		a sole proprietor				
		a partnership				
		a corporation				
		carrying on business ur	der the above name.			
3.	Contact Person	The Bidder hereby aut	norizes the following contact per of the Bid.	rson to represen		
		Contact Person	Title			
		Telephone Number	Facsimile Number			
4.	Definitions	All capitalized terms ascribed to them in the	used in the Contract shall hav General Conditions.	ve the meanings		

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.		
6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:		
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)		
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)		
		a certified cheque or draft		
		and agrees that it shall be held by the City in accordance with the Contract.		
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.		
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.		
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.		
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:		
		No Dated		
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of ninety (90) Calendar Days following the Submission Deadline.		

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

# FORM B (R2): PRICES (See B10)

# BRADY ROAD RESOURCE MANAGEMENT FACILITY (BRRMF) DISPOSAL CELL CONSTRUCTION AND LEACHATE COLLECTION AND STORAGE TANKS

ITEM NO.	PRICES DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
1	GENERAL REQUIREMENTS	IXLI.		QUANTIT	TRICE	
1.1	Site Development and Restoration	E4	L.S.	1		
1.2	Construction Survey	017300	L.S.	1		
2	CELL 31 CONSTRUCTION			ľ		
2.1	Cell Excavation					
i)	Excavation and Stockpiling	312333.01	m <sup>3</sup>	9,000		
2.2	Geotextiles			3,000		
i)	Non-woven Geotextile - Cushion	313219.01	m <sup>2</sup>	17,500		
ii)	Non-woven Geotextile - Filter	313219.01	m <sup>2</sup>	17,500		
2.3	Geomembrane			,		
i)	HDPE Liner, 60 MIL (Smooth)	313219.02	m <sup>2</sup>	12,000		
ii)	HDPE Liner, 60 MIL (Textured)	313219.02	m <sup>2</sup>	5,500		
iii)	GCL to bridge Cell 30 and Cell 31 liner	313219.02	m <sup>2</sup>	750		
2.4	Engineered Clay Liner					
i)	Recompacted Clay (150 mm)	313219.03	m <sup>2</sup>	17,500		
2.5	Cell Leachate Collection System			,		
i)	Granular Drainage Blanket	312333.02	m <sup>2</sup>	16,700		
ii)	Perforated Pipe	402700	m	120		
iii)	Cleanout Riser Pipe	402700	ea	1		
iv)	Corrugated HDPE Vertical Manhole	402700	ea	1		
3	LEACHATE COLLECTION SYSTEM			·		
3.A	Area A - Manhole #1 to Manhole #2					
3.A.1	Gravity Leachate Pipe					
i)	200 mm DR11 HDPE with trenchless Installation (min 2.5 m depth of cover, supply and install)	E6	m	420		
ii)	Supply and Installation of 1200mm HDPE manhole c/w Frame and Cover	E6	each	1		

# FORM B (R2): PRICES

(See B10)

# BRADY ROAD RESOURCE MANAGEMENT FACILITY (BRRMF) DISPOSAL CELL CONSTRUCTION AND LEACHATE COLLECTION AND STORAGE TANKS

	PRICES	0050		400000		440/::=
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	Supply and Installation of HDPE Leachate Transit Gravity Pipe Cleanout Area B - Manhole #2 to Manhole	E6	each	1		
3.B	#3					
3.B.1	Gravity Leachate Pipe					
i)	200 mm DR11 HDPE with trenchless Installation (min 2.5 m depth of cover)	E6	m	575		
ii)	300 mm DR11 HDPE Encasement Pipe	E6	m	22		
iii)	Supply and Installation of 1200mm HDPE manhole c/w Frame and Cover	E6	each	2		
iv)	Supply and Installation of HDPE Leachate Transit Gravity Pipe Cleanout	E6	each	3		
3.B.2	Compressed Air System					
i)	Trench Installation of 75 mm HDPE, DR11 for compressed air. Trenchless Installation of 200 mm	221117	m	560		
ii)	DR11 HDPE Encasement Pipe	221117	m	20		
iii)	Marker Post for Manhole	E 6	each	8		
3.B.3	Mechanical Components					
i)	Manhole MH02 Pneumatic Leachate Pump (P-3)	322100.01	ea	1		
ii)	Cell 31 Sump Pneumatic Leachate Pump (P-4)	322100.01	ea	1		
3.C	Area C – Leachate Storage Tank					
3.C.1	Road Works					
i)	Excavation	CW 3110	m <sup>3</sup>	1,200		
ii)	Subgrade Compaction	CW 3110	m <sup>2</sup>	2,340		
iii)	Separation Geotextile Fabric (For Civil Works)	E8	m <sup>2</sup>	2,340		
iv)	Supply and Installation of Geogrid	CW 3135	m <sup>2</sup>	1,170		
v)	150mm of 19 mm Crushed Base Material	CW 3110	m <sup>3</sup>	180		
vi)	450mm of 50 mm Sub-Base Course Material	CW 3110	tonne	1,680		
vii)	850mm of 100 mm Sub-Base Course Material	CW 3110	tonne	4,752		
3.C.2	Drainage Works					

# FORM B (R2): PRICES

(See B10)

# BRADY ROAD RESOURCE MANAGEMENT FACILITY (BRRMF) DISPOSAL CELL CONSTRUCTION AND LEACHATE COLLECTION AND STORAGE TANKS

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
NO.	DEGOME HON	REF.	CIVIT	QUANTITY	PRICE	AIVIOUNT
INO.	250 mm SS Schedule 40S	INLI".		QUANTITI	FINICE	
i)	(Installation of drainage pipe in a trench)	E7	m	10		
	250 mm SS Schedule 40S					
ii)	(Installation of drainage pipe in a	E7	m	20		
	trench with insulation)					
iii)	Supply and Installation of 250 mm diameter Flexible Expansion Joint	E7	each	2		
iv)	Supply and Installation of 900mm Concrete Catch Basin at Truck	CW 2130	each	1		
	Loading Pad, c/w Frame and Cover					
,	Supply and Installation of Flexible					
v)	Expansion Joints, 250 mm diameter EBBA Iron Flex Tend 410F20	E7	each	2		
vi)	Supply and Installation of 250 mm diameter SS Gate Valve Supply and Installation of 1200mm	E7	each	1		
vii)	CSP culvert (2.8mm) c/w Polymer Coating	CW 3610	m	30		
viii)	Supply and Installation of 600mm CSP culvert (2.8mm) c/w Polymer	CW 3610	m	26		
3.C.3	Coating Reinforced Concrete Pad for Leachate Truck					
i)	30.0m x 8.0m Concrete Pad c/w Concrete Curb	CW 3310	m <sup>2</sup>	300		
3.C.4	Base Preparation for Leachate Tanks and Secondary Containment					
i)	Excavation	E10	m <sup>3</sup>	1,500		
ii)	Supply and Installation of 1 m of 50 mm Compacted Base Course Material	E10	Tonne	1,400		
iii)	Supply and Installation of 2 m of 150 mm Compacted Sub-Base Course Material	E10	tonne	3,000		
iv)	Subgrade Preparation	E10	m <sup>2</sup>	1,000		
v)	Supply and Installation of Geotextile (For Civil Works)	E8	m <sup>2</sup>	1,000		
3.C.5	Compressed Air System					
i)	Trench Installation of 75 mm HDPE, DR11 for compressed air.	221117	m	70		
ii)	Trenchless Installation of 200 mm DR11 HDPE Encasement Pipe	221117	m	62		
3.C.6	Mechanical Components					
i)	Leachate Tank, Secondary Containment, Foundations (TK-1, TK-2)	335613	ls	1		

# FORM B (R2): PRICES

(See B10)

# BRADY ROAD RESOURCE MANAGEMENT FACILITY (BRRMF) DISPOSAL CELL CONSTRUCTION AND LEACHATE COLLECTION AND STORAGE TANKS

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
NO.		REF.		QUANTITY	PRICE	
ii)	Process Piping and Valves	221117, 230715	m	30		
iii)	Leachate Loadout Pump (P-1)	32 21 00.02	ea	1		
iv)	Tank Mixer (M-1)	335613.01	ea	1		
v)	Packaged Air Compressor and Receiver (C-1, AR-1)	221500	ea	1		
vi)	Air Dryer (AD-1)	221500	ea	1		
vii)	Dry Air Receiver (AR-2)	221500	ea	1		
viii)	Air Flow Controller (FC-1)	221500	ea	1		
ix)	Manhole MH03 Pneumatic Leachate Pump (P-2)	322100.01	ea	1		
x)	Pump Lifting Davit (H-1)	140001	ea	1		
3.C.7	Electrical/Automation – Leachate Tank	DIV 26, DIV 40	L.S.	1		
3.C.8	Electrical/Automation – Maintenance Building	DIV 26, DIV 40	L.S.	1		
3.C.9	Cash Allowance: MB Hydro contribution costs to bring the service to the Leachate tank	DIV 26				10,000.00
TOTAL	. BID PRICE (GST extra) (in figures) \$					

Name of Bidder		

(Seal)

Template Version: C120170317 - C BCivil

## FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

## **BID BOND**

BID BOND					
KNOW ALL MEN BY THESE PRESENTS THAT					
(hereinafter called the "Principal") and					
called the "Obligee") in the sum of ten pe described, for the payment of which sum	and firmly bound unto <b>THE CITY OF WINNIPEG</b> (hereing recent (10%) of the Total Bid Price set out in the Bid hereing the Principal and Surety bind themselves, their heirs, executintly and severally, firmly by these presents.	aftei			
WHEREAS the Principal has submitted a B	3id to the Obligee for				
BID OPPORTUNITY NO. 448-2017 Adder	ndum 3				
BRADY ROAD RESOURCE MANAGEME AND LEACHATE COLLECTION AND STO	NT FACILITY (BRRMF) DISPOSAL CELL CONSTRUCTION DRAGE TANKS				
as more fully set out in the Bid Opportunity	'.				
if said Bid is accepted and the Principal, in the said Obligee and furnishes the require	bligation is such that if the Bid of the Principal is not accepted accordance with the terms of the Bid, enters into a Contract d performance security for guaranteeing the faithful performad, but otherwise shall remain in full force and effect.	with			
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the				
day of	, 20				
SIGNED AND SEALED in the presence of:	(Name of Principal)  Per: (Sea				
(Witness as to Principal if no seal)	Per:	11 <i>)</i>			
	(Name of Surety)				

Ву:

(Attorney-in-Fact)

### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_ , 20\_\_\_\_ for BID OPPORTUNITY NO. 448-2017 Addendum 3 BRADY ROAD RESOURCE MANAGEMENT FACILITY (BRRMF) DISPOSAL CELL CONSTRUCTION AND LEACHATE COLLECTION AND STORAGE TANKS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within ninety (90) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) (Seal)

(Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY - BID OPPORTUNITY NO. 448-2017 Addendum 3
BRADY ROAD RESOURCE MANAGEMENT FACILITY (BRRMF) DISPOSAL CELL CONSTRUCTION AND LEACHATE COLLECTION AND STORAGE TANKS
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 15, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)