

FORM A: BID
(See B9)

1. Contract Title SASKATCHEWAN AVENUE AT STURGEON CREEK BRIDGE
CONSTRUCTION

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security
- (Choose one)
- In accordance with B13.1, the Bidder encloses bid security in the form of:
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract
- The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work
- The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract
- The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda
- The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | No. | Dated |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
11. Time
- This offer shall be open for acceptance, binding and irrevocable for a period of ninety (90) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>SASKATCHEWAN AVENUE AT STURGEON CREEK- BRIDGE WORKS</u>					
A.1	Mobilization and Demobilization	E5/E6	LS	1	\$	-
A.2	Traffic Control	E7	LS	1	\$	-
A.3	Creek Flow Maintenance	E8	LS	1	\$	-
A.4	Creek Bank Excavation	E9	LS	1	\$	-
A.5	Slope Stabilization - Riprap	E10	m ³	1450	\$	-
A.6	Slope Stabilization - Grouted Riprap	E10	m ³	120	\$	-
A.7	Slope Stabilization - Hand Placed Riprap	E10	m ³	5	\$	-
A.8	Supply and Install Silt Fence Barrier	E11	m	100	\$	-
A.9	Supply and Install Erosion Control Blanket	E12	m ²	1000	\$	-
A.10	Structural Removals	E13				
	i) Sheet Piles and Fencing		LS	1	\$	-
	ii) Culvert and Headwall		LS	1	\$	-
	iii) Salvage Items		LS	1	\$	-
A.11	Supply and Place Structural Backfill	E14				
	i) Granular Backfill		LS	1	\$	-
	ii) Suitable Site Fill		LS	1	\$	-
A.12	Supply and Place Black Reinforcing Steel	E15	kg	44,000	\$	-
A.13	Supply and Place Stainless Steel Reinforcing	E15	kg	35,000	\$	-
A.14	Supply and Place Structural Concrete	E16				
	i) Steel Pipe Piles		LS	1	\$	-
	ii) Abutments		LS	1	\$	-
	iii) Piers		LS	1	\$	-
	iv) Bridge Deck		LS	1	\$	-
	v) Bridge Traffic Barriers		LS	1	\$	-
	vi) Bridge Sidewalk		LS	1	\$	-
	vii) Approach Slabs		LS	1	\$	-
A.15	Supply and Install Anchor Units for Aluminum Pedestrian Handrail	E16	LS	1	\$	-
A.16	Supply and Install Galvanized Steel Bridge Traffic Barrier Expansion Joint Assembly	E16	each	44	\$	-

 Name of Bidder

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.17	Abutment Steel H Piles	E17	m	200		\$ -
A.18	Steel Pipe Piles	E17	m	200		\$ -
A.19	PDA Testing	E18	each	4		\$ -
A.20	Supply Precast Prestressed Concrete Girders	E19	each	33		\$ -
A.21	Erect Precast Prestressed Concrete Girders	E20	each	33		\$ -
A.22	Posttensioning Girders	E21	LS	1		\$ -
A.23	Supply and Install Steel Reinforced Elastomeric Bearings	E22	each	44		\$ -
A.24	Supply and Install Elastomeric Bearing Pad	E22	m ²	22		\$ -
A.25	Supply and Install Aluminum Pedestrian Handrail/Bicycle Rail	E23	m	57		\$ -
A.26	Hot-Poured Rubberized Asphalt Waterproofing	E24	m ²	524		\$ -
A.27	Asphalt Overlay on Bridge	E25	tonne	123		\$ -
A.28	Tree Removal	E27	each	16		\$ -
A.29	Embankment Steel H Piles	E17	m	155		\$ -
A	<i>SASKATCHEWAN AVENUE AT STURGEON CREEK- BRIDGE WORKS</i>				Subtotal:	\$ -

 Name of Bidder

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<i>SASK AVENUE RECONSTRUCTION (Cavalier Drive to Acheson Drive Lane)</i>					
	EARTH AND BASE WORKS					
B.1	Stripping and Stockpiling Topsoil	CW 3110-R19	m ³	860	\$	-
B.2	Excavation	CW 3110-R19	m ³	2500	\$	-
B.3	Sub-Grade Compaction	CW 3110-R19	m ²	7230	\$	-
B.4	Placing Suitable Site Sub-base Material	CW 3110-R19	m ³	120	\$	-
B.5	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	2160	\$	-
ii)	100 mm		tonne	7830	\$	-
B.6	Supplying and Placing Base Course Material	CW 3110-R19	m ³	490	\$	-
B.7	Grading of Boulevards	CW 3110-R19	m ²	6270	\$	-
B.8	Ditch Grading	CW 3110-R19	m ²	2620	\$	-
B.9	Boulevard Excavation	CW 3110-R19	m ³	60	\$	-
B.10	Imported Fill Material	CW 3110-R19	m ³	940	\$	-
B.11	Separation Geotextile Fabric	CW 3130-R4	m ²	7230	\$	-
B.12	Supply and Install Geogrid	CW 3135-R1	m ²	720	\$	-
	ROADWORKS - RENEWALS					
B.13	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	3010	\$	-
ii)	Asphalt Pavement	E30	m ²	3730	\$	-
B.14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Median Slab		m ²	85	\$	-
ii)	100 mm Sidewalk		m ²	30	\$	-

 Name of Bidder

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
B.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R16				
i)	Construction of Monolithic Concrete Bullnoses	SD-227C	m ²	69	\$	-
B.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Curb and Gutter (180mm ht, Barrier)	SD-200	m	1000	\$	-
ii)	Construction of Curb and Gutter (180mm ht, Modified Barrier)	SD-203B	m	140	\$	-
iii)	Construction of Curb and Gutter (10mm ht, Curb Ramp)	SD-229E	m	20	\$	-
iv)	Construction of Curb and Gutter (Safety Curb)	SD-206B	m	160	\$	-
v)	Construction of Safety Curb to Bridge Barrier Transition	E31	m	36	\$	-
B.17	100 mm Concrete Sidewalk	CW 3325-R5	m ²	65	\$	-
B.18	Interlocking Paving Stone	CW 3335-R1	m ²	30	\$	-
B.19	Lean Concrete Base	CW 3335-R1	m ²	30	\$	-
B.20	Detectable Warning Surfaces (610mm X 1220mm)	CW 3326-R3	each	6	\$	-
B.21	Construction of Concrete Pavements	CW 3310-R17				
i)	230 mm Concrete Pavement (Plain Dowelled)		m ²	100	\$	-
B.22	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	80	\$	-
B.23	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	660	\$	-
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	50	\$	-
B.24	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R12	tonne	1310	\$	-

 Name of Bidder

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
B.25	Reflective Crack Maintenance	CW 3250-R7	m	500		\$ -
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.26	Catch Pit	CW 2130-R12				
i)	SD-023		each	4		\$ -
B.27	Catch Basin	CW 2130-R12				
i)	SD-024, 1800mm deep		each	6		\$ -
ii)	SD-025, 1800mm deep		each	1		\$ -
B.28	Catch Basin	CW 2130-R12				
i)	SD-010, 1800 mm deep		each	2		\$ -
B.29	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12 E36				
i)	Ditch Inlet (Custom)		each	1		\$ -
B.30	Sewer Service	CW 2130-R12 E38				
i)	250 mm, PVC LDS					
a)	In a Trench, Class B Type 3 Bedding, Class 3 Backfill		m	40		\$ -
ii)	300mm PVC LDS					
a)	In a Trench, Class B Type 3 Bedding, Class 3 Backfill		m	15		\$ -
iii)	300mm CSP					
a)	In a Trench, Class B Type 3 Bedding, Class 3 Backfill		m	40		\$ -
iv)	250mm CSP					
a)	In a Trench, Class B Type 3 Bedding, Class 3 Backfill		m	20		\$ -
B.31	Connecting to Existing Manhole	CW 2130-R12				
i)	250mm Catch Basin Lead		each	1		\$ -

 Name of Bidder

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.32	Connecting to Existing Sewer	CW 2130-R12				
i)	300 mm PVC Connecting Pipe					
a)	Connecting to 375 mm Concrete Sewer		each	2	\$	-
B.33	Connecting to New Catch Basin	CW 2130-R12				
i)	250mm Catch Basin Lead		each	1	\$	-
B.34	Removal of Existing Catch Basins	CW 2130-R12	each	11	\$	-
B.35	Installation of Subdrains	CW 3120-R4	m	140	\$	-
B.36	Sewer Inspection	CW 2145-R4 / E34				
a)	375mm		m	55	\$	-
B.37	Sewer Cleaning	CW 2140-R4 / E35				
a)	375mm		m	63	\$	-
ADJUSTMENTS						
B.38	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	3	\$	-
B.39	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	2	\$	-
ii)	64 mm		each	1	\$	-
MISCELLANEOUS UNDERGROUND						
B.40	Grouted Stone Riprap (Ditch Inlet)	CW 3615-R4	m ²	18	\$	-
B.41	Supply and Install Field Stone Riprap (Ditch Outlet)	CW 3615-R4	m ²	11	\$	-
B.42	Separation Geotextile Fabric	CW 3130-R4	m ²	36	\$	-
B.43	Abandon Culverts	CW 3610-R5	each	2	\$	-
B.44	Exploration of Existing Utilities	E33	hour	24	\$	-

 Name of Bidder

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.45	LANDSCAPING Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	8900		\$ -
B	<u>SASK AVENUE RECONSTRUCTION (Cavalier Drive to Acheson Drive Lane)</u>				Subtotal:	\$ -

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>SASK AVE REHABILITATION (Acheson Drive Lane to Hamilton Avenue)</u>					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19	m ³	150	\$	-
C.2	Supplying and Placing Base Course Material	CW 3110-R19	m ³	75	\$	-
C.3	Grading of Boulevards	CW 3110-R19	m ²	1330	\$	-
	ROADWORKS - RENEWALS					
C.4	Partial Slab Patches	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m²	15	\$	-
ii)	230 mm Concrete Pavement (Type B)		m ²	100	\$	-
iii)	200 mm Concrete Pavement (Type D)		m ²	40	\$	-
iv)	230 mm Concrete Pavement (Type D)		m ²	60	\$	-
C.5	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	200	\$	-
C.6	Drilled Tie Bars	CW 3230-R8				
i)	25 M Deformed Tie Bar		each	150	\$	-
C.7	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled), Slip Form Paving					
a)	Greater than 30 m		m	990	\$	-
ii)	Modified Barrier (180 mm reveal ht, Dowelled)					
a)	3m to 30 m		m	50	\$	-
C.8	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	600	\$	-
ii)	Tie-ins and Approaches					

 Name of Bidder

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	a) Type IA		tonne	50		\$ -
C.9	Planing of Pavement	CW 3450-R6				
	i) 50 - 100 mm Depth (Asphalt)		m ²	4260		\$ -
	JOINT AND CRACK SEALING					
C.10	Reflective Crack Maintenance	CW 3250-R7	m	720		\$ -
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.11	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
	i) AP-011 - Barrier Curb and Gutter Inlet Frame and Box		each	8		\$ -
	ii) AP-012 - Barrier Curb and Gutter Inlet Cover		each	8		\$ -
	iii) AP-006 - Standard Frame for Manhole and Catch Basin		each	2		\$ -
	iv) AP-007 - Standard Solid Cover for Standard Frame		each	1		\$ -
	v) AP-008 - Standard Grated Cover for Standard Frame		each	1		\$ -
C.12	Install Catch Basin Hood	CW 2130-R12				
	i) AP-022		each	1		\$ -
	MISCELLANEOUS UNDERGROUND					
C.13	Exploration of Existing Utilities	E33	hour	24		\$ -
	ADJUSTMENTS					
C.14	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	12		\$ -
C.15	Lifter Rings (AP-010)	CW 3210-R8				

 Name of Bidder

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	38 mm		each	12		\$ -
ii)	51 mm		each	2		\$ -
	LANDSCAPING					
C.16	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	1270		\$ -
C	<u>SASK AVE REHABILITATION (Acheson Drive Lane to Hamilton Avenue)</u>				Subtotal:	\$ -

 Name of Bidder

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>MULTI-USE PATHWAYS</u>					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19	m ³	160	\$	-
D.2	Sub-Grade Compaction	CW 3110-R19	m ²	1630	\$	-
D.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	230	\$	-
D.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	50	\$	-
D.5	Imported Fill Material	CW 3110-R19	m ³	870	\$	-
D.6	Separation Geotextile Fabric	CW 3130-R4	m ²	160	\$	-
	ROADWORKS - NEW CONSTRUCTION					
D.7	Surfacing Material	CW 3150-R4				
i)	Granular		tonne	100	\$	-
D	<u>MULTI-USE PATHWAYS</u>				Subtotal:	\$ -

 Name of Bidder

FORM B (R2): PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>SASKATCHEWAN AVENUE AT STURGEON CREEK- BRIDGE WORKS</u>				Subtotal:	\$ -
B	<u>SASK AVENUE RECONSTRUCTION (Cavalier Drive to Acheson Drive Lane)</u>				Subtotal:	\$ -
C	<u>SASK AVE REHABILITATION (Acheson Drive Lane to Hamilton Avenue)</u>				Subtotal:	\$ -
D	<u>MULTI-USE PATHWAYS</u>				Subtotal:	\$ -
TOTAL BID PRICE (GST extra)					(in figures)	_____

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 851-2017

SASKATCHEWAN AVENUE AT STURGEON CREEK BRIDGE CONSTRUCTION

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 851-2017

SASKATCHEWAN AVENUE AT STURGEON CREEK BRIDGE CONSTRUCTION

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within ninety (90) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B13)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 851-2017

SASKATCHEWAN AVENUE AT STURGEON CREEK BRIDGE CONSTRUCTION

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B13)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on January 18, 2018

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)