FORM A: BID (See B8)

1.	Contract Title	McGregor Street – Selkirk Aver Pavement Reconstruction	nue to Mountain Avenue: Concr	ete
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder as it a	opears on Invoice (if different from above	/e)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
	(Choose one)	The Bidder is: a sole proprietor a partnership a corporation carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B		represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera		meanings
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Price Prices, appended hereto.		

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
		a bid bond (Form G1: Bid Bond and Agreement to Bond)
	(Choose one)	an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% or more Indigenous ownership
		NO, it is not

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials
(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

UNIT PRI ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	McGregor Street Reconstruction - Selkirk A		ntain Ave			
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m³	14400		
A.2	Hydro-Excavation	E13	hours	25		
A.3	Sub-Grade Compaction	CW 3110-R19	m²	17900		
٩.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	6100		
ii)	100 mm		tonne	12800		
A.5	Supplying and Placing Base Course Material	CW 3110-R19	M3	1400		
A.6	Grading of Boulevards	CW 3110-R19	m²	600		
۹.7	Separation / Reinforcement Geotextile Fabric	CW 3130-R4	m²	17700		
۹.8	Supply and Install Geogrid	CW 3135-R1	m²	5300		
۹.9	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	320		
	ROADWORKS - RENEWALS					
A.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	14450		
ii)	Asphalt Pavement		m²	13850		
A.11	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	5		
ii)	200 mm Concrete Pavement (Type B)		m²	15		
iii)	200 mm Concrete Pavement (Type C)		m²	5		

ITEM	ICES DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iv)	200 mm Concrete Pavement (Type D)		m²	5		
A.12	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	290		
A.13	Drilled Tie Bars	CW 3230-R8				
i)	25 M Deformed Tie Bar		each	130		
A.14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	3200		
ii)	Bullnose		m²	20		
A.15	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a	a) Type IA		tonne	150		
ii)	Tie-ins and Approaches					
a	a) Type IA		tonne	50		
A.16	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	100		
ii)	50 - 100 mm Depth (Asphalt)		m²	100		
A.17	Pavement Repair Fabric	E11	m²	100		
A.18	Detectable Warning Surface Tiles	CW 3326-R3	each	84		
	ROADWORKS - NEW CONSTRUCTION					
A.19	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	13350		
ii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	750		
iii)	Construction of Monolithic Curb and Sidewalk	SD-228B	m²	125		
iv)	Construction of Monolithic Curb and Sidewalk (Keyed)	SD-228B, E15	m²	2900		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
v)	Construction of Monolithic Curb and Sidewalk (Double-Keyed)	SD-228B, E15	M2	750		
vi)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	15		
vii)	Construction of 230 mm Concrete Pavement		m²	650		
A.20	for Early Opening 72 Hour (Plain-Dowelled) Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	25		
ii)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	275		
iii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	250		
iv)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	65		
4.21	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	3325		
4.22	100 mm Concrete Sidewalk	CW 3325-R5	m²	50		
4.23	Interlocking Paving Stones	CW 3330-R5	m²	50		
	JOINT AND CRACK SEALING					
4.24	Reflective Crack Maintenance	CW 3250-R7	m	420		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
4.25	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	15		
ii)	SD-025, 1800 mm deep		each	1		
4.26	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	4		
A.27	Sewer Service	CW 2130-R12				
i)	150 mm, PVC					
а) In a Trench, Class B Sand Bedding, Class 3 Backfill		m	160		
A.28	Sewer Service Risers	CW 2130-R12				

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)		150 mm	KEF.		QUANTITY		
i	a)	SD-014		vert. m	5.0		
۹.29		Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)		375mm					
i	a)	Class 3 Backfill		each	1		
ii)		300 mm					
i	a)	Class 3 Backfill		each	3		
4.30		Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)		375 mm					
i	a)	Class 3 Backfill		m	8		
ii)		300 mm					
i	a)	Class 3 Backfill		m	5		
A.31		Sewer Inspection (following repair)	CW2145-R4				
i)		250 mm, PVC		m	6		
ii)		300 mm, PVC		m	120		
iii)		375 mm, PVC		m	80		
4.32		Connecting to Existing Manhole	CW 2130-R12				
i)		250 mm Catch Basin Lead		each	1		
4.33		Connecting to Existing Sewer	CW 2130-R12				
i)		250 mm PVC Catch Basin Lead Connecting Pipe					
;		Connecting to 300 mm Clay Combined Sewer		each	6		
		Connecting to 375 mm Clay Combined Sewer		each	4		
		Connecting to 600 mm Concrete Combined Sewer		each	2		
		Connecting to 750 mm CIPP Lined Concrete Combined Sewer		each	8		
4.34		Removal of Existing Catch Basins	CW 2130-R12	each	16		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.35	Removal of Existing Catch Pit	CW 2130-R12	each	12		
٩.36	Installation of Subdrains	CW 3120-R4	m	240		
4.37	Watermain and Water Service Insulation					
i)	Pipe Under Roadway Excavation (SD-018)		m²	400		
	ADJUSTMENTS					
A.38	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	14		
4.39	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
ii)	Brick Risers		vert. m	1.0		
iii)	Cast-in-place Concrete		vert. m	1.0		
A.40	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	3		
ii)	51 mm		each	4		
iii)	64 mm	3210	each	4		
iv)	76 mm		each	4		
A.41	Adjustment of Valve Boxes	CW 3210-R8	each	29		
4.42	Adjustment of Curb Stop Boxes	CW 3210-R8	each	8		
	LANDSCAPING					
A.43	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	260		
	MISCELLANEOUS					
A.45	Remove and Replace Existing Manhole	CW 2130-R12				
i)	SD-010					
а) 1200 mm Base		vert. m	9		
A.46	Combined Sewers	CW 2130-R12				
i)	250 mm					

		(=====)				
UNIT PRIC	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
a)	trenchless installation, Class B sand		m	13		
	bedding, Class 3 backfill					
А	McGregor Street Reconstruction - Selkirk	Avenue to Mour	ntain Ave	enue	Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 218-2018

McGregor Street - Selkirk Avenue to Mountain Avenue: Concrete Pavement Reconstruction

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	
	(Name of Surety) By:	(Seal)

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 218-2018

McGregor Street - Selkirk Avenue to Mountain Avenue: Concrete Pavement Reconstruction

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____,

By:

(Name of Surety)

_____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2)

(See B13)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 218-2018

McGregor Street - Selkirk Avenue to Mountain Avenue: Concrete Pavement Reconstruction

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 18, 2018

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)