FORM A: BID (See B8)

1.	Project Title	2005 WATERMAIN REN	EWALS – CONTRACT NO. 2	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	er the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	rizes the following contact pe f the Bid.	rson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Offer		s to perform the Work in acc d Price, in Canadian funds, se	

5.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
6.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
7.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
8.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
9.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
10.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

11.	Signatures	n witness whereof the Bidder or the Bidder's authorized official or fficials have signed this					
		, 20					
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials					
	(Witness)	(Print here name and official capacity of individual whose signature appears above)					
	(Witness)	(Print here name and official capacity of individual whose signature appears above)					

SEAL

FORM B: PRICES (See B9)

2005 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
NO.	Flushweet Book 244 m south of Bo	REF.	200	QUANTITY	PRICE	
<u>A</u>	Elmhurst Road - 314 m south of Pa Parkin Ave	irkin Ave to	200 m sc	outn of		
_	I alkili Ave					
A.1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B			25.0		
ii)	sand bedding, Class 3 backfill trenchless installation, Class B		m	35.0		
,	sand bedding, Class 5 backfill		m	129.0		
A.2	Hydrant Assembly	CW 2110				
۵)	SD-006		ooob	2		
a)	3D-000		each	2		
A.3	Watermain Valve	CW 2110				
a)	150mm		each	1		
A.4	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B			45.0		
ii)	sand bedding, Class 3 backfill trenchless installation, Class B		m	15.0		
",	sand bedding, Class 5 backfill		m	5.0		
A.5	Corporation Stops	CW 2110				
a)	19mm		each	17		
A.6	Curb Stops - Replace Existing	CW 2110				
a)	19mm		each	2		
A.7	Curb Stop Boxes - Replace Existing	CW 2110				
a)	19mm		each	2		
A.8	Connecting to Existing Watermains					
	and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	2		
A.9	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	15		

FORM B: PRICES (See B9)

2005 WATERMAIN RENEWALS - CONTRACT NO. 2

	PRICES							
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
A.10	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110						
a)	On Water Services		each	12				
A.11	Continuity Bonding	CW 2110	each	7				
A.12	Construction of Hydrant Approach c/w CSP	E7	each	2				
A.13	Construction of Asphalt Patches Type 1A	CW 3410	m²	20.0				
A.14	Surfacing Material	CW 3150						
a)	Limestone		tonne	10.0				
	Part A Subtotal:							
<u>B</u>	Harstone Road - Eldridge Ave to to	97 m North	of Eldri	dge Ave	ı			
B.1	Watermain Renewal	CW 2110						
a) i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill		m	197.0				
b) i)	250mm trenchless installation, Class B sand bedding, Class 3 backfill		m	9.0				
B.2	Hydrant Assembly	CW 2110		_				
a)	SD-006		each	2				
B.3	Watermain Valve	CW 2110						
a)	150mm		each	2				
b)	250mm		each	1				
B.4	Fittings	CW 2110						
a)	Tees							
i)	250mm x 250mm x150 mm		each	1				

FORM B: PRICES (See B9)

2005 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
b)	Bends (SD-004)					
i)	150mm - 90°		each	3		
ii)	250mm - 45°		each	2		
c)	Reducers					
i)	250mm - 150mm		each	1		
B.5	Water Services	CW 2110				
a)	19mm					
i) ii)	trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B		m	116.0		
,	sand bedding, Class 5 backfill		m	10.0		
B.6	Corporation Stops	CW 2110				
B.7	19mm		each	15		
a)	Curb Stops - Replace Existing	CW 2110				
i)	19mm		each	7		
b)	Curb Stop Boxes - Replace Existing	CW 2110				
i)	19mm		each	7		
B.8	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	2		
ii)	250mm		each	1		
B.9	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	8		
B.10	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	2.0		
b)	On Water Services		each	22.0		

FORM B: PRICES (See B9)

2005 WATERMAIN RENEWALS – CONTRACT NO. 2

UNIT PRICES

a)

19mm

ITEN NO.	I DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
B.1	Construction of Hydrant Approach c/w CSP	E7	each	2			
B.1	Construction of Asphalt Patches Type 1A	CW 3410	m²	20.0			
B.1	Surfacing Material	CW 3150					
a) Limestone		tonne	10.0			

				Part B Subt	otal:	
<u>C</u>	Lynbrook Drive - Elmhurst Road to	Lynbrook I	Orive	1		
C.1	Watermain Renewal	CW 2110				
a) i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill		m	99.0		
C.2	Watermain Valve	CW 2110				
a)	150mm		each	1		
C.3	Fittings	CW 2110				
a)	Tees					
i)	150mm X 150mm X 150mm		each	1		
b)	Bends (SD-004)					
i)	150mm - 22 1/2°		each	2		
ii)	150mm - 90°		each	1		
C.4	Water Services	CW 2110				
a) i)	19mm trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
C.5	Corporation Stops	CW 2110				

each

1

FORM B: PRICES (See B9)

2005 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.6	Curb Stops – Replace Existing	CW 2110				
a)	19mm		each	1		
C.7	Curb Stops	CW 2110				
i)	38mm		each	2		
C.8	Curb Stop Boxes - Replace Existing	CW 2110				
i)	19mm		each	1		
C.9	Curb Stop Boxes - Replace Existing	CW 2110				
i)	38mm		each	2		
C.10	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	1		
b)	Perpendicular connection					
ii)	150mm		each	1		
C.11	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	38mm		each	2		
C.12	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	4		
C.13	Construction of Asphalt Patches Type 1A	CW 3410	m²	30.0		
C.14	Concrete Curb Renewal	CW 3240				
a)	Lip curb & gutter		m	10.0		
C.15	Abandonment of Existing 150 AC WM Between Elmhurst Rd and Lynbrook Dr	E9	each	1		
				Part C Subt	otal:	

FORM B: PRICES (See B9)

2005 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Paradias Pay Paradias Priva to C		Nuita de	QUANTITI	FRICE	
<u>D</u>	Paradise Bay - Paradise Drive to So	outhboine L	rive 			
D.1	Watermain Renewal	CW 2110				
a) i) ii)	150mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill		m	52.0 260.0		
1-1			m	200.0		
b) i)	250mm trenchless installation, Class B sand bedding, Class 3 backfill		m	1.0		
D.2	Hydrant Assembly	CW 2110				
a)	SD-007		each	4		
D.3	Watermain Valve	CW 2110				
a)	150mm		each	3		
D.4	Fittings	CW 2110				
a)	Tees					
i)	250mm x 250mm x150 mm		each	1		
b)	Bends (SD-004)					
i)	150mm - 11 1/4°		each	1		
ii)	150mm - 22 1/2°		each	2		
iii)	150mm - 45°		each	3		
D.5	Corporation Stops	CW 2110				
a)	19mm		each	19		
D.6	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	1		
b)	Perpendicular connection					
ii)	250mm		each	1		

FORM B: PRICES (See B9)

2005 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.7	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	19		
D.8	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	7		
D.9	Continuity Bonding	CW 2110	each	12		
D.10	Full Depth Partial Slab Patches	CW 2110				
a) i)	Removal 150mm reinforced concrete pavement		m²	20.0		
b) i)	Installation 150mm reinforced concrete pavement		m²	20.0		
D.11	Concrete Curb Renewal	CW 3240				
a)	Lip curb & gutter		m	10.0		
D.12	Remove and Replace Exist Catchbasins	CW 2130				
a)	SD-024		each	1		
				Part D Subt	otal:	
<u>E</u>	Vialoux Drive - Princeton Boulevar Boulevard	d to 206 m e	east of Pi	rinceton		
E.1	Watermain Renewal	CW 2110				
a) i)						
ii)	sand bedding, Class 3 backfill trenchless installation, Class B		m	35.0		
	sand bedding, Class 5 backfill		m	143.0		
b) i)	250mm trenchless installation, Class B sand bedding, Class 3 backfill		m	3.0		
E.2	Hydrant Assembly	CW 2110				
a)	SD-006		each	2		

FORM B: PRICES (See B9)

2005 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.3	Watermain Valve	CW 2110				
a)	200mm		each	1		
b)	250mm		each	1		
E.4	Fittings	CW 2110		·		
a)	Tees	CVV Z110				
i)	200mm x 200mm x 200 mm		each	1		
			Gacii	'		
b)	Bends (SD-004)					
i)	200mm - 45°		each	2		
ii)	200mm – 22 1/2°		each	2		
c)	Reducer					
i)	250mm – 200mm		each	1		
E.5	Corporation Stops	CW 2110				
i)	19mm		each	12		
E.6	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	200mm		each	2		
ii)	250mm		each	1		
E.7	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	12		
E.8	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	8		
E.9	Continuity Bonding	CW 2110	each	4		
E.10	Construction of Hydrant Approach c/w CSP	E7	each	2		

FORM B: PRICES (See B9)

2005 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.11	Construction of Asphalt Patches Type 1A	CW 3410	m²	20.0		
E.12	Surfacing Material	CW 3150				
a)	Limestone		tonne	10.0		
	<u> </u>	<u> </u>		Part E Subt	otal:	
<u>F</u>	Provisional Items					
F.1	Granular Backfill Material	E3	m^3	50.0		
F.2	Cement Stabilized Backfill Material	E3	m^3	50.0		
F.3	Regrading Existing Sewer Service – Up to 1.5 Metres Long	CW 2110				
a)	150mm		each	15		
b)	250mm		each	2		
F.4	Regrading Existing Sewer Service – Longer than 1.5 Metres	CW 2110				
a)	150mm		m	20.0		
b)	250mm		m	10.0		
F.5	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m²	20.0		
F.6	Sodding	CW 3510	m ²	200.0		
F.7	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	250mm to 250mm		each	2		
F.8	Catchbasin Lead Pipe	CW 2130				
a) i)	250mm trenchless installation, Class B sand bedding, Class 3 backfill		m	7.0		
F.9	Maintaining Curb Stop Excavations	CW 2110	day	5.0		

FORM B: PRICES (See B9)

2005 WATERMAIN RENEWALS - CONTRACT NO. 2

	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
NO. F.13	CSP Culvert	E8				
a)	300mm					
i)	Supply		m	10.0		
ii)	Install		m	10.0		
b)	450mm					
i)	Supply		m	10.0		
ii)	Install		m	10.0		
				Part I Subt	otal:	
TOTAL	_ BID PRICE (GST extra) (in figures) \$	6				
(in words)						

Name of Bidder	

(Seal)

Template Version: C020050301

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT				
(hereinafter called the "Principal") and				
called the "Obligee") in the sum of ten perchereinafter described, for the payment of w	and firmly bound unto THE CITY OF WINNIPEG (Incent (10%) of the Total Bid Price set out in the Bid Strich sum the Principal and Surety bind themselves, the assigns, jointly and severally, firmly by these presents	ubmission their heirs,		
WHEREAS the Principal has submitted a Bi	id to the Obligee dated the			
day of	, 20 for			
BID OPPORTUNITY NO. 176-2005				
2005 WATERMAIN RENEWALS – CONTR	ACT NO. 2			
as more fully set out in the Bid Opportunity.				
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	ligation is such that if the Bid of the Principal is not ac accordance with the terms of the Bid, enters into a Co performance security for guaranteeing the faithful pe , but otherwise shall remain in full force and effect.	ntract with		
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the			
day of	, 20			
SIGNED AND SEALED in the presence of: (Witness)	(Name of Principal) Per: Per:	(Seal)		
	(Name of Surety)			

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 176-2005 2005 WATERMAIN RENEWALS - CONTRACT NO. 2 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

<u>(D. (.)</u>	
(Date)	
Corpo Mater 185 K	ity of Winnipeg rate Finance Department als Management Branch ing Street, Main Floor
Winni	peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 176-2005
	2005 WATERMAIN RENEWALS – CONTRACT NO. 2
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
(Addres	s of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demai Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written d for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	is)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 17, 2005.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

/Nome	of bank or financial institution
(ivalile	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
_	
Per:	
	(Authorized Signing Officer)