PART A BID SUBMISSION

FORM A: BID (See B7)

1.	Project Title		E – KEEWATIN STREET TO DU AND ASPHALT RESURFACING	
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact person of the Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		sed in the Contract shall have General Conditions unless the c	
5.	Offer		rs to perform the Work in accordid Price, in Canadian funds, set	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official officials have signed this
		day of , 20
	Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above
	(Witness)	(Print here name and official capacity of individual whose signature appears above

SEAL

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
NOTRE	Đ,	AME AVENUE - KEEWATIN STREET TO DUI	BLIN AVENUE,	CONCR	ETE REPAIRS	AND ASPHALT	RESURFACING
		EARTH AND BASE WORKS					
1.		Excavation	CW 3110-R7	m³	600		
2.		Sub-Grade Compaction	CW 3110-R7	m²	3700		
3.		Crushed Sub-base Material	CW 3110-R7				
	i)	50 mm - Limestone		tonne	870		
4.		Supplying and Placing Base Course Material	CW 3110-R7	m³	600		
5.		Grading of Boulevards	CW 3110-R7	m²	1600		
6.		Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1200		
		ROADWORKS - RENEWALS					
7.		Pavement Removal	CW 3110-R7				
	i)	Concrete Pavement		m²	3050		
	ii)	Asphalt Pavement		m²	200		
8.		Partial Slab Patches	CW 3230-R4				
	i)	200 mm Concrete Pavement (Type A)		m²	5		
	ii)	200 mm Concrete Pavement (Type B)		m²	450		
	iii)	200 mm Concrete Pavement (Type C)		m²	50		
	iv)	200 mm Concrete Pavement (Type D)		m²	25		
9.		Partial Slab Patches - Early Opening (72 hour)	CW 3230-R4				
	i)	200 mm Concrete Pavement (Type A)		m²	5		
	ii)	200 mm Concrete Pavement (Type B)		m²	450		
	iii)	200 mm Concrete Pavement (Type C)		m²	50		
	iv)	200 mm Concrete Pavement (Type D)		m²	25		
10.		Drilled Dowels	CW 3230-R4				
	i)	19.1 mm Diameter		each	2130		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - RENEWALS (Cont'd.)					
11.	Drilled Tie Bars	CW 3230-R4				
i)	20 M Deformed Tie Bar		each	2550		
12.	Miscellaneous Concrete Slab Removal	CW 3235-R5				
i)	Sidewalk		m²	50		
13.	Miscellaneous Concrete Slab Installation	CW 3235-R5				
i)	Monolithic Curb and Sidewalk (varies)	SD-228B	m²	1925		
ii)	Median Slab	SD-227A	m²	265		
iii)	Sidewalk	SD-228A	m²	10		
14.	Miscellaneous Concrete Slab Renewal	CW 3235-R5				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	40		
	b) 5 sq.m. to 20 sq.m.		m²	170		
	c) Greater than 20 sq.m.		m²	340		
ii)	Bullnose	SD-227C	m²	60		
15.	Concrete Curb Removal	CW 3240-R5				
i)	Barrier Separate		m	2435		
ii)	Ramp Curb		m	75		
16.	Concrete Curb Installation	CW 3240-R5				
i)	Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	25		
ii)	Ramp Curb (15 mm ht, Integral)	SD-229A,B,C	m	140		
iii)	Safety Curb (330 mm ht)	SD-206B	m	60		
iv)	Splash Strip (150 mm ht, Barrier Curb, Integral, 600 mm width)	SD-227B	m	1015		
17.	Concrete Curb Renewal	CW 3240-R5				
i)	Barrier (150 mm ht, Dowelled)	SD-205,	m			
	a) Less than 3 m	SD206A	m	15		
	b) 3 m to 30 m		m	50		
18.	Supply and Installation of Dowel Assemblies	CW 3310-R9	m	380		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - RENEWALS (Cont'd.)					
19.	Construction of Asphaltic Concrete Overlay	CW 3410-R6				
	Main Line Paving	011 0110 110				
,	a) Type IA		tonne	2450		
ii)	Tie-ins and Approaches					
	a) Type IA		tonne	70		
20.	Construction of Asphalt Patches	CW 3410-R6	m²	45		
21.	Planing of Pavement	CW 3450-R3				
i)	0 - 50 mm Depth (Asphalt)		m²	1000		
ii)	50 - 100 mm Depth (Asphalt)		m²	11750		
	ROADWORKS - NEW CONSTRUCTION					
22.	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R9				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	735		
ii)	Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m²	1410		
23.	Concrete Pavements for Early Opening	CW 3310-R9				
i)	Construction of 230 mm Concrete Pavement for Early Opening (72 hour Plain-Dowelled)		m²	245		
ii)	Construction of 200 mm Concrete Pavement for Early Opening (24 hour Reinforced)		m²	30		
iii)	Construction of 200 mm Concrete Pavement for Early Opening (72 hour Plain-Dowelled)		m²	470		
	JOINT AND CRACK SEALING					
24.	Longitudinal Joint & Crack Filling (> 25mm in width)	CW 3250-R6	m	95		
25.	Reflective Crack Maintenance	CW 3250-R6	m	2760		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
26.	Catch Basin	CW 2130-R9				
i)	SD-024		each	14		

	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd.)					
27.	Drainage Connection Pipe	CW 2130-R9	m	15		
28.	Replacing Standard Frames & Covers	CW 2130-R9				
	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
· /	AP-005 - Standard Solid Cover for Standard Frame		each	6		
	AP-006 - Standard Grated Cover for Standard Frame		each	1		
	Connecting new Sewer Service to Existing Sewer Service	CW 2130-R9				
i)	250 mm		each	12		
30.	Connecting to Existing Sewer	CW 2130-R9				
	250 mm PVC SDR-35 of Connecting Pipe to 300 mm Combined Sewer					
	a) Connecting to 300 mm Combined Sewer		each	2		
31.	Removal of Existing Catchbasins	CW 2130-R9	each	12		
32.	Abandonment of Existing Drainage Inlets	CW 2130-R9	each	8		
33.	Installation of Subdrains	CW 3120-R1	m	115		
	ADJUSTMENTS					
	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	28		
35.	Replacing Existing Risers	CW 2130-R9				
i)	Pre-cast Concrete Risers		vert. m	3		
36.	Lifter Rings	CW 3210-R6				
i)	51mm		each	23		
ii)	64mm		each	5		
37.	Adjustment of Valve Boxes	CW 3210-R6	each	13		
38.	Valve Box Extensions	CW 3210-R6	each	10		
39.	Adjustment of Curb Stop Boxes	CW 3210-R6	each	5		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS (Cont'd.)					
40.	Curb Stop Extensions	CW 3210-R6	each	1		
	LANDSCAPING					
41.	Sodding	CW 3510-R8				
i)	width < 600mm		m²	200		
ii)	width > or = 600mm		m²	1400		
	MISCELLANEOUS					
42.	Adjustment of Existing Traffic Signals Pit Covers	E.11	each	2		
43.	Pavement Repair Fabric	E.7	m²	100		
TOTAL BI	D PRICE (GST extra)		(i	n figures)		
(in words)						

(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT		
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per hereinafter described, for the payment of w	and firmly bound unto THE CITY OF WINNIPEG cent (10%) of the Total Bid Price set out in the Bid which sum the Principal and Surety bind themselves assigns, jointly and severally, firmly by these present	Submission s, their heirs,
WHEREAS the Principal has submitted a B	id to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 34-2005		
NOTRE DAME AVENUE – KEEWATIN ST ASPHALT RESURFACING	REET TO DUBLIN AVENUE, CONCRETE REPAIR	S AND
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a deperformance security for guaranteeing the faithful, but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of: (Witness)	(Name of Principal) Per: Per:	(Seal)
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bobecome bound as Surety for the Prir		ees with THE CITY OF WINNIPEG to
		of
(Name of Bidder)		
(Place)		
the Bidder to you on	, 20 for	
BID OPPORTUNITY NO. 34-2005		
NOTRE DAME AVENUE – KEEWA ⁻ ASPHALT RESURFACING	TIN STREET TO DUBLIN AVEN	NUE, CONCRETE REPAIRS AND
Work shown and described in the Performance Bond to be maintained period. The Performance Bond shall tis a condition that this Agreem mentioned above is not required Submission Deadline. AND IT IS HEREBY DECLARED nothing of any kind or matter whats.	e Bid Opportunity, if our Prine I and continue in full force and e Il be in the form specified in the ent to Bond shall become nu- from our Principal within six AND AGREED that the Surety oever that will not discharge the	the due and proper performance of the cipal's Bid is accepted by you, such effect until the expiration of the warranty Bid Opportunity. Ill and void if the Performance Bondaty (60) Calendar Days following the shall be liable as Principal, and that e Principal shall operate as a discharge the liability of Sureties to the contrary
SIGNED AND SEALED this	day of	, 20
	(Name of Surety)	
	By: (Attorney-in-Fact)	(Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 34-2005
NOTRE DAME AVENUE – KEEWATIN STREET TO DUBLIN AVENUE, CONCRETE REPAIRS AND ASPHALT RESURFACING
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 30, 2005.

If our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993, Revision).

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	e of bank or financial institution)
Per:	(Authorized Signing Officer)
Per:	(Authorized Signing Officer)