

**FORM A: BID**  
(See B8)

1. Project Title SUPPLY AND INSTALLATION OF ASYMMETRICAL TWO (2) POST ABOVE GROUND VEHICLE LIFT

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
Facsimile Number

(Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

Template Version: G020050301

6. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a purchase order authorizing the commencement of the Work..

7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

|     |       |       |       |
|-----|-------|-------|-------|
| No. | _____ | Dated | _____ |
|     | _____ |       | _____ |
|     | _____ |       | _____ |

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline.

10. Signatures In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
(See B9)

SUPPLY AND INSTALLATION OF ASYMMETRICAL TWO (2) POST ABOVE GROUND VEHICLE LIFT

UNIT PRICES

| ITEM NO. | DESCRIPTION  | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--------------|------------|------|------------------|------------|--------|
| 1.       | Vehicle lift | E2.1       | each | 1                | _____      | _____  |

TOTAL BID PRICE (GST and MRST extra) (in figures)\$ \_\_\_\_\_

(in words) \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Name of Bidder

## FORM N: DETAILED SPECIFICATIONS

### SUPPLY AND INSTALLATION OF ASYMMETRICAL TWO (2) POST ABOVE GROUND VEHICLE LIFT

#### 1.0 TYPE

1.1 The Contractor shall supply and install a vehicle lift complete, and ready for use with all features and auxiliary equipment as described herein.

1.2 State make and model of vehicle lift being bid: \_\_\_\_\_

#### 2.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

2.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state "yes" for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

2.2 The bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

#### 3.0 GENERAL SPECIFICATIONS

3.1 overall height, state: \_\_\_\_\_

3.2 overall width, state: \_\_\_\_\_

3.3 drive thru clearance, state: \_\_\_\_\_

3.4 distance to overhead switch, state: \_\_\_\_\_

3.5 a) front arm reach (min), state: \_\_\_\_\_

b) front arm reach (max), state: \_\_\_\_\_

3.6 a) rear arm reach (min), state: \_\_\_\_\_

b) rear arm reach (max), state: \_\_\_\_\_

3.7 adapter height, state: \_\_\_\_\_

3.8 increments of travel, state: \_\_\_\_\_

3.9 number of locking positions, state: \_\_\_\_\_

3.10 cylinder height, state: \_\_\_\_\_

3.11 fluid capacity, state: \_\_\_\_\_

3.12 the required ceiling height, state: \_\_\_\_\_

**4.0 LIST DEVIATIONS**

4.1 The Bidder shall list any deviations that might be considered less than specified in E2.1 and within the Detailed Specifications:

---

---

---

---

---

\_\_\_\_\_  
Name of Bidder