

**FORM A: BID**  
(See B8)

1. Project Title 2005 WATERMAIN RENEWALS – CONTRACT 44

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
Facsimile Number

(Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

4. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

Template Version: C120050301

5. Bid Security

In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

6. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.

7. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

8. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.

9. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

10. Time

This offer shall be open for acceptance, binding and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline.

11. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

(If no corporate seal)  
Signed and sealed in  
the presence of:

\_\_\_\_\_  
(Witness)

\_\_\_\_\_  
(Witness)

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_  
(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_  
(Print here name and official capacity of individual whose signature appears above)

SEAL

**FORM B: PRICES**  
 (See B9)  
 2005 WATERMAIN RENEWALS - CONTRACT 44

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>Part A: Blair Street - Holden Street to Lagimodiere Blvd</b>						
<b>Surface Restorations</b>						
A.1	Miscellaneous Concrete Slab Renewal	3235-R4				
a)	Sidewalk		sq.m.	5.0		
A.2	Full Depth Partial Slab Patches Remove and Replace	2110-R7				
a)	150mm reinforced concrete		sq.m.	10.0		
A.3	Concrete Curb Removal	3240-R4				
a)	Barrier Curb		lin.m.	8.0		
A.4	Concrete Curb Installation	3240-R4				
a)	Barrier Curb		lin.m.	8.0		
A.5	Construction of Asphaltic Concrete Overlay	3410-R5				
a)	Tie Ins and Approaches					
i)	Type 1A		tonnes	2.0		
<b>Watermain Renewal</b>						
A.6	Watermain Renewal	2110-R7				
a)	150 mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		lin. m.	3.0		
ii)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	3.0		
iii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	200.0		
b)	200 mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		lin. m.	1.0		
ii)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	3.0		
iii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	1.0		
c)	300 mm					
i)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	4.0		
A.7	Hydrant Assembly SD-006	2110-R7				
			each	3.0		
A.8	Watermain Valve	2110-R7				
a)	150 mm		each	3.0		
A.9	Fittings	2110-R7				
a)	Vertical Bends (SD-004)					
i)	150mm - 11 1/4° - 45° bend		each	4.0		
b)	Tees					
i)	200x200x150		each	1.0		
ii)	300x300x150		each	1.0		
A.10	Connection to Existing Watermain Inline Connection - No Plug Existing	2110-R7				
a)	200mm watermain		each	2.0		
b)	300mm watermain		each	2.0		
A.11	Connecting Existing Copper Water Services to New Watermains	2110-R7				
a)	19mm		each	16.0		

**FORM B: PRICES**  
 (See B9)  
 2005 WATERMAIN RENEWALS - CONTRACT 44

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.12	Water Services	2110-R7				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin.m.	4.0		
A.13	Corporation Stops	2110-R7				
a)	19mm		each	16.0		
A.14	Curb Stops	2110-R7				
a)	19mm		each	1.0		
A.15	Curb Stop Boxes	2110-R7				
a)	19mm		each	1.0		
A.16	Continuity Bonding	2110-R7				
			each	15.0		
A.17	10.9 Kilogram Sacrificial Zinc Anodes	2110-R7				
a)	On Water Services		each	1.0		
<b>Part A: Blair Street - Holden Street to Lagimodiere Blvd</b>			<b>Subtotal Part A:</b> _____			
<b>Part B: Blenheim Av. - Des Meurons St. to 110m East of Des Meurons St.</b>						
<b>Surface Restorations</b>						
B.1	Miscellaneous Concrete Slab Renewal	3235-R4				
a)	Sidewalk		sq.m.	3.0		
B.2	Full Depth Partial Slab Patches Remove and Replace	2110-R7				
a)	150mm reinforced concrete		sq.m.	3.0		
B.3	Concrete Curb Removal	3240-R4				
a)	Barrier Curb		lin.m.	3.0		
B.4	Concrete Curb Installation	3240-R4				
a)	Barrier Curb		lin.m.	3.0		
B.5	Construction of Asphaltic Concrete Overlay	3410-R5				
a)	Tie Ins and Approaches					
i)	Type 1A		tonnes	2.0		
<b>Watermain Renewal</b>						
B.6	Watermain Renewal	2110-R7				
a)	150 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	3.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	130.0		
B.7	Hydrant Assembly	2110-R7				
a)	SD-006		each	1.0		
B.8	New Hydrant Assembly on Existing Watermain					
a)	SD-006		each	1.0		
B.9	Watermain Valve	2110-R7				
a)	150 mm		each	1.0		

**FORM B: PRICES**  
 (See B9)  
 2005 WATERMAIN RENEWALS - CONTRACT 44

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.10	Fittings	2110-R7				
a)	Bends (SD-004)					
i)	150mm - 11 1/4° - 45° bend		each	2.0		
B.11	Connection to Existing Watermain	2110-R7				
a)	Inline Connection - No Plug Existing					
i)	150mm watermain		each	2.0		
B.12	Connecting Existing Copper Water Services to New Watermains	2110-R7				
a)	19mm		each	18.0		
B.13	Water Services	2110-R7				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin.m.	16.0		
B.14	Corporation Stops	2110-R7				
a)	19mm		each	18.0		
B.15	Curb Stops	2110-R7				
a)	19mm		each	1.0		
B.16	Curb Stop Boxes	2110-R7				
a)	19mm		each	1.0		
B.17	Continuity Bonding	2110-R7				
			each	17.0		
B.18	10.9 Kilogram Sacrificial Zinc Anodes	2110-R7				
a)	On Water Services		each	1.0		
<b>Part B: Blenheim Av. - Des Meurons St. to 110m East of Des Meurons St.</b>				<b>Subtotal Part B:</b> _____		
<b>Part C: Burnaby Bay (E. Leg) - 90m N. of Kildare Av. W. to Burnaby Bay (N. Leg)</b>						
	<b>Surface Restorations</b>					
C.1	Miscellaneous Concrete Slab Renewal	3235-R4				
a)	Sidewalk		sq.m.	4.0		
C.2	Full Depth Partial Slab Patches Remove and Replace	2110-R7				
a)	150mm reinforced concrete		sq.m.	3.0		
C.3	Concrete Curb Removal	3240-R4				
a)	Barrier Curb		lin.m.	3.0		
C.4	Concrete Curb Installation	3240-R4				
a)	Barrier Curb		lin.m.	3.0		
C.5	Construction of Asphaltic Concrete Overlay	3410-R5				
a)	Tie Ins and Approaches					
i)	Type 1A		tonnes	2.0		

**FORM B: PRICES**  
 (See B9)  
 2005 WATERMAIN RENEWALS - CONTRACT 44

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>Watermain Renewal</b>						
C.6	Watermain Renewal	2110-R7				
a)	150 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	4.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	150.0		
C.7	Hydrant Assembly	2110-R7				
a)	SD-006		each	2.0		
C.8	Watermain Valve	2110-R7				
a)	150 mm		each	2.0		
C.9	Connection to Existing Watermain	2110-R7				
a)	Inline Connection - No Plug Existing					
i)	150mm watermain		each	2.0		
C.10	Connecting Existing Copper Water Services to New Watermains	2110-R7				
a)	19mm		each	18.0		
C.11	Water Services	2110-R7				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin.m.	6.0		
C.12	Corporation Stops	2110-R7				
a)	19mm		each	18.0		
C.13	Curb Stops	2110-R7				
a)	19mm		each	1.0		
C.14	Curb Stop Boxes	2110-R7				
a)	19mm		each	1.0		
C.15	Continuity Bonding	2110-R7				
			each	17.0		
C.16	10.9 Kilogram Sacrificial Zinc Anodes	2110-R7				
a)	On Water Services		each	1.0		
<b>Part C: Burnaby Bay (E. Leg) - 90m N. of Kildare Av. W. to Burnaby Bay (N. Leg)</b>				<b>Subtotal Part C:</b> _____		
<b>Part D: Hull Av. - St. George Rd. To St Thomas Rd.</b>						
<b>Surface Restorations</b>						
D.1	Miscellaneous Concrete Slab Renewal	3235-R4				
a)	Sidewalk		sq.m.	4.0		
D.2	Full Depth Partial Slab Patches Remove and Replace	2110-R7				
a)	150mm reinforced concrete		sq.m.	3.0		
D.3	Concrete Curb Removal	3240-R4				
a)	Barrier Curb		lin.m.	6.0		
D.4	Concrete Curb Installation	3240-R4				
a)	Barrier Curb		lin.m.	6.0		

**FORM B: PRICES**  
 (See B9)  
 2005 WATERMAIN RENEWALS - CONTRACT 44

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.5	Construction of Asphaltic Concrete Overlay	3410-R5				
a)	Tie Ins and Approaches					
i)	Type 1A		tonnes	2.0		
	<b>Watermain Renewal</b>					
D.6	Watermain Renewal	2110-R7				
a)	150 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	5.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	30.0		
b)	300 mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		lin. m.	4.0		
ii)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	4.0		
iii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	144.0		
D.7	Hydrant Assembly	2110-R7				
a)	SD-006		each	2.0		
D.8	Watermain Valve	2110-R7				
a)	150 mm		each	3.0		
b)	300 mm		each	2.0		
D.9	Fittings	2110-R7				
a)	Bends (SD-004)					
i)	150mm - 11 1/4° - 45° bend		each	4.0		
ii)	150mm - 90° bend		each	1.0		
iii)	300mm - 11 1/4° - 45° bend		each	4.0		
b)	Reducers					
i)	300x150		each	1.0		
c)	Tees					
i)	300x300x150		each	3.0		
ii)	300x300x300		each	1.0		
D.10	Connection to Existing Watermain	2110-R7				
a)	Inline Connection - No Plug Existing					
i)	150mm watermain		each	4.0		
ii)	300mm watermain		each	2.0		
D.11	Connecting Existing Copper Water Services to New Watermains	2110-R7				
a)	19mm		each	14.0		
D.12	Water Services	2110-R7				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin.m.	5.0		
D.13	Corporation Stops	2110-R7				
a)	19mm		each	14.0		
D.14	Curb Stops	2110-R7				
a)	19mm		each	1.0		
D.15	Curb Stop Boxes	2110-R7				
a)	19mm		each	1.0		



**FORM B: PRICES**  
 (See B9)  
 2005 WATERMAIN RENEWALS - CONTRACT 44

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.16	Continuity Bonding	2110-R7	each	13.0		
D.17	10.9 Kilogram Sacrificial Zinc Anodes	2110-R7				
a)	On Water Services		each	1.0		
b)	On Metallic Watermains		each	3.0		
<b>Part D: Hull Av. - St. George Rd. To St Thomas Rd.</b>			<b>Subtotal Part D:</b> _____			
<b>Part E: Provisional Items</b>						
E.1	Sodding	3510-R7	sq.m.	10.0		
E.2	Fittings	2110-R7				
a)	Vertical Bends					
i)	200mm - 11 1/4° - 45° bend		each	1.0		
E.3	Regrading of Existing Sewer Services - up to 3 metres long	2130-R7 & 2110-R7				
a)	150mm Class 5 Backfill		each	3.0		
b)	250mm Class 3 Backfill		each	1.0		
E.4	Remove and Replace Existing Wood Fencing		lin.m.	3.0		
E.5	Asphalt Patching	3410-R5	sq.m.	5.0		
E.6	Street Light Cable Installation	E6				
a)	Trenching		lin.m.	30.0		
b)	Coring		lin.m.	10.0		
E.7	Maintaining Curb Stop Excavations	2110-R7	day	5.0		
E.8	Supply & Install 300mm CSP Culvert	3610-R3	lin.m.	3.0		
E.9	Supply of Precast Sidewalk Blocks	3234-R4	sq.m.	5.0		
<b>Part E: Provisional Items</b>			<b>Subtotal Part E:</b> _____			
TOTAL BID PRICE (GST extra) (in figures)\$				_____		
(in words)				_____		
_____				_____		

Name of Bidder \_\_\_\_\_

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B11)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ for

BID OPPORTUNITY NO. 522-2005

2005 WATERMAIN RENEWALS – CONTRACT 44

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B11)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 522-2005

2005 WATERMAIN RENEWALS – CONTRACT 44

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within thirty (30) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B11)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Branch  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 522-2005  
2005 WATERMAIN RENEWALS – CONTRACT 44

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 29, 2005

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)