

- NOTES:**
- FOR CORNER REINF SEE 4
 - DESIGN LIVE LOAD IS 14.4 kPa.
 - FOR COLUMN SCHEDULE SEE DWG WC-S0515.
 - FOR WATER STOP REFER TO 1
 - ENCASE ALL PIPING UNDER BUILDING IN CONCRETE. SEE 1, 2, 4
 - APPROXIMATE LOCATION ONLY SHOWN FOR EQUIPMENT PADS.

REBAR LEGEND:

- TOP BARS
- BOTTOM BARS
- DRAIN PIPE CENTERLINE

1 PART PLAN AT EL 232.800
1:100


2 DETAIL
1:20

3 DETAIL
1:20

G SECTION
1:50

F SECTION
1:50

KEY PLAN



APECA
Certificate of Authorization
CH2M HILL Canada Ltd.
No. 1441 Expiry: April 30, 2006

CH2MHILL
Frederickson Cooper
ARCHITECTS

EarthTech
A Web International Ltd. Company

ENGINEER'S SEAL

ORIGINAL
SIGNED BY
D. KRUGER

2006/02/06

CONSULTANT DRAWING NO.
WC-S0111

THE CITY OF WINNIPEG
WATER AND WASTE DEPARTMENT
ENGINEERING DIVISION

WATER TREATMENT PLANT
CHEMICAL FEED SYSTEMS
FOUNDATIONS AND CONCRETE STRUCTURES

STRUCTURAL
CHEMICAL AREA
FIRST FLOOR PLAN

CITY FILE NUMBER
SHEET OF
CITY DRAWING NUMBER
1-0601C-A-S011-001-00D

B.M. ELEV.			
DESIGNED BY	EL	CHECKED BY	AP
DRAWN BY	RL/DJ	APPROVED BY	DJT
SCALE:	1:100	RELEASED FOR CONSTRUCTION BY:	R. SOROKOWSKI
ISSUED FOR TENDER	2006/02/03	DATE	2005/07/04
NO. REVISIONS		DATE	2006/02/08