#### FORM A: BID (See B7)

1.	Project Title	SUPPLY AND DELIVERY OF HYBRID TRANSIT BUSES	SIXTY-FOOT DIESEL-ELEC	TRIC
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	e above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the		to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Gene otherwise requires.		
5.	Offer	The Bidder hereby offers to Contract for the price(s), in C		

appended hereto.

6.	Qualification	The Bidder has in the past performed the works listed on Form C: Qualification, appended hereto, which were similar in nature, scope and value to the Work for which this offer is made.		
7.	Vehicle Data	The Bidder proposes to perform the Work in compliance with the listed specifications on Form N: Vehicle Data, appended hereto and agrees that no changes to these data will be allowed without the prior approval of the Contract Administrator.		
8.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:		
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)		
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)		
		a certified cheque or draft		
		and agrees that it shall be held by the City in accordance with the Contract.		
9.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC.3.01.		
10.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.		
11.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.		
12.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:		
		No Dated		
		<del></del>		
13.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of ninety (90) Calendar Days following the Submission Deadline.		

Tomplete Version: C0200E0201

14.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

## **FORM B: PRICES**

(See B8)

## SUPPLY AND DELIVERY OF SIXTY-FOOT DIESEL-ELECTRIC HYBRID TRANSIT BUSES

#### **UNIT PRICES**

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QTY.	UNIT PRICE	AMOUNT
1.	60 ft Low Floor Diesel Electric				-	
2	Hybrid Bus	D2.2	EA	20		
2.	Set of Specialized Tools and Equipment for Maintaining Hybrid					
	Drive System and Articulating Joint	D2.1	EA	1		
TOTAL BID PRICE (GST and MRST extra) (in figures)\$						
(in words)						

## **FORM C: QUALIFICATION**

(See B9)

## SUPPLY AND DELIVERY OF SIXTY-FOOT DIESEL-ELECTRIC HYBRID TRANSIT BUSES

Year:	Value:
Client:	
Client Contact:	Telephone No.:
Description of contract:	
Year:	Value:
Client:	
Client Contact:	
Description of contract:	
Year:	Value:
Client:	
Client Contact:	Telephone No.:
Description of contract:	

Name of Bidder

#### **FORM N: VEHICLE DATA**

As part of their submission, Bidders shall supply the following information on the basic bus offered.

Please Photocopy Additional Sheets if Required in Accordance with B6.1(d).

A.	Overall length (over bumpers)	m.	ft.
B.	Overall length (over body)	m.	ft.
C.	Overall width (body)	m.	ft.
D.	Front overall height – empty	m.	ft.
E.	Front overall height – loaded	m.	ft.
F.	Rear overall height – empty	m.	ft.
G.	Rear overall height – loaded	m.	ft.
Н.	Wheelbase	m.	ft.
l.	Overhang centre line axle to bumper – front	m.	ft.
J.	Overhang centre line axle to bumper – rear	m.	ft.
K.	Turning radius – right	m.	ft.
L.	Turning radius – left	m.	ft.
M.	Ground to floor	m.	ft.
	At entrance door	m.	ft.
	At exit door	m.	ft.
N.	Weight, including fuel, oil, coolant, etc. no driver, no	passengers	
	Front axle	kg.	lb.
	Centre axle	kg.	lb.
	Rear axle	kg.	lb.
	Total weight	kg.	lb.
ENG	SINE		
A.	Manufacturer		
B.	Model		
C.	Max. Brake Horse Power	@	Rpm
D.	Max. Torque	lb-ft @	Rpm

## **FORM N: VEHICLE DATA**

## **TRANSMISSION**

A.	Manufacturer				
B.	Model				
C.	Ratios	1st	2nd	3rd	4th
STEE	RING				
A.	Manufacturer				
B.	Туре				
C.	Ratio				
SUSP	ENSION				
000.					
A.	Туре				_
BRAK	ES				
A.	Manufacturer				
B.	Number of chambers				
C.	Drum diameter – Fro	nt		mm.	
	Drum diameter – Cer	ntre		mm.	
	Drum diameter – Rea	ar		mm.	
D.	Brake lining width – F	ront		mm.	
	Brake lining width – 0	Centre		mm.	
	Brake lining width – F	Rear		mm.	
E.	Brake lining thickness	s – Front		mm.	
	Brake lining thickness	s – Centre		mm.	
	Brake lining thickness	s – Rear		mm.	
F.	Brake lining area - Fr	ont		sq.cm.	
	Brake lining area - Co	entre		sq.cm.	
	Brake lining area - Ro	ear		sq.cm.	
	Brake lining area - To	otal		sq.cm.	
G.	Lining manufacturer	and type			
H.	ABS manufacturer ar	nd type			

#### **FORM N: VEHICLE DATA**

FRO	NT AXLE		
A.	Manufacturer and Model		
CEN	TRE AXLE		
A.	Manufacturer and Model		
DRI\	/E AXLE		
A.	Manufacturer and Model		
B.	Ratio		
C.	Bus maximum speed	km per hr	mph
FUE	L SYSTEM AND LUBRICATION		
A.	Fuel Tank Capacity		
B.	Engine Oil Grade and Specification Required		
C.	Transmission Fluid Grade and Specification Required		
D.	Hydraulic Fluid Grade and Specification Required		
E.	Power Steering Fluid Grade and Specification Require	ed	
SEA	TING CAPACITY		
A.	Number of seats		
	Note: Passenger seating dimensions must meet minim APTA Standard Bus Procurement Guideline Requirem		

## **FORM N: VEHICLE DATA**

## SPECIALIZED TOOLS AND EQUIPMENT

1.	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
9.	
10.	
11.	
12.	
13.	
14.	
15.	
16.	
17.	
18.	
19.	
20.	

Name of Bidder

(Seal)

Template Version: G020050301

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

## **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT				
(hereinafter called the "Principal") and				
called the "Obligee") in the sum of ten perchereinafter described, for the payment of w	and firmly bound unto <b>THE CITY OF WINNIPEG</b> cent (10%) of the Total Bid Price set out in the Bid which sum the Principal and Surety bind themselves assigns, jointly and severally, firmly by these presen	Submission , their heirs,		
WHEREAS the Principal has submitted a B	id to the Obligee dated the			
day of	, 20 for			
BID OPPORTUNITY NO. 723-2006				
SUPPLY AND DELIVERY OF SIXTY-FOOT	Γ DIESEL-ELECTRIC HYBRID TRANSIT BUSES			
as more fully set out in the Bid Opportunity.				
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	ligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a dependence security for guaranteeing the faithful processing the	Contract with		
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the			
day of	, 20			
SIGNED AND SEALED in the presence of:  (Witness)	(Name of Principal)  Per:  Per:	(Seal)		
	(Name of Surety)			

Ву:

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

## AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby under become bound as Surety for the Principal,	rtakes and agrees with THE CITY OF WINNIPEG to
	of
(Name of Bidder)	<u> </u>
(Place)	
the Bidder to you on	, 20 for
BID OPPORTUNITY NO. 723-2006	
SUPPLY AND DELIVERY OF SIXTY-FOOT DIESEL	ELECTRIC HYBRID TRANSIT BUSES
the Work shown and described in the Bid Opportu	Contract Price for the due and proper performance of inity, if our Principal's Bid is accepted by you, such full force and effect until the expiration of the warranty pecified in the Bid Opportunity.
	all become null and void if the Performance Bond oal within ninety (90) Calendar Days following the
nothing of any kind or matter whatsoever that will no	hat the Surety shall be liable as Principal, and that t discharge the Principal shall operate as a discharge ge relating to the liability of Sureties to the contrary
SIGNED AND SEALED this day of _	, 20
(Nam	e of Surety)
Ву:	(Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Mater 185 K	City of Winnipeg prate Finance Department rials Management Branch King Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 723-2006
	SUPPLY AND DELIVERY OF SIXTY-FOOT DIESEL-ELECTRIC HYBRID TRANSIT BUSES
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
	IEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
dema Letter paym	Standby Letter of Credit may be drawn on by you at any time and from time to time upon writter nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	al drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addre	ss)
and w	ve confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on April 12, 2007.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to twenty percent (20%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)