

FORM A: BID
(See B7)

1. Contract Title Province of Manitoba/City of Winnipeg 2007 Residential Street Renewal Program – Part 1: Pandora Avenue West and Devon Avenue Part 2: McLeod Avenue

2. Bidder _____
Name of Bidder

Street

City Province Postal Code

Facsimile Number

(Mailing address if different) _____
Street or P.O. Box

City Province Postal Code

The Bidder is:

- (Choose one)
- a sole proprietor
 - a partnership
 - a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

Template Version: C420061130

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

(If no corporate seal)
Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES (SEE B8)						
UNIT PRICES						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 CITY FUNDED WORK						
A	<u>Pandora Avenue West Reconstruction - From Owen Street to Bournais Street</u>					
	EARTH AND BASE WORKS					
A1	Excavation	CW 3110-R10	m ³	1000.0		
A2	Sub-Grade Compaction	CW 3110-R10	m ²	1800.0		
A3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	1350.0		
A4	Supplying and Placing Base Course Material	CW 3110-R10, E16	m ³	165.0		
A5	Grading of Boulevards	CW 3110-R10	m ²	1600.0		
A6	Imported Fill Material	CW 3110-R10	m ³	400.0		
A7	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	1800.0		
	ROADWORKS - REMOVALS/RENEWALS					
A8	Pavement Removal	CW 3110-R10				
	i) Asphalt Pavement		m ²	1700.0		
A9	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m ²	10.0		
	b) Greater than 20 sq.m.		m ²	30.0		
A10	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150 mm ht, Dowelled)	SD-205, SD206A				
	a) 3 m to 30 m		m	20.0		
	ii) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	30.0		

FORM B: PRICES (SEE B8)						
UNIT PRICES						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A11	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type I		tonne	180.0		
A12	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R7	tonne	375.0		
ROADWORKS - NEW CONSTRUCTION						
A13	Concrete Pavements for Early Opening	CW 3310-R11				
	i) Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced)		m ²	380.0		
A14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R11				
	i) Construction of Barrier (180mm ht, Separate)	SD-203A	m	30.0		
	ii) Construction of Lip Curb (40mm ht, Integral)	SD-202B	m	25.0		
A15	Reverse Concrete Curb and Gutter	E15				
	i) Reverse Concrete Barrier Curb and Gutter (180 mm) utilizing slip form paving		m	140.0		
	ii) Reverse Concrete Lip Curb and Gutter (40 mm) utilizing slip form paving		m	25.0		
	iii) Reverse Concrete Ramp Curb and Gutter (10 mm) utilizing slip form paving		m	5.0		
	iv) Reverse Concrete Modified Barrier Curb and Gutter (180 mm) utilizing slip form paving		m	40.0		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A16	Catch Basin	CW 2130-R10				
	i) SD-025		each	1		
A17	Sewer Service	CW 2130-R10				
	i) 250 mm					
	a) in a Trench, Class B bedding with sand, Type 2, Class 3 Backfill		m	15.0		

FORM B: PRICES						
(SEE B8)						
UNIT PRICES						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A18	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
A19	Connecting new Sewer Service to Existing Sewer Service	CW 2130-R10				
	i) 250 mm		each	1		
A20	Abandoning Existing Catch Basins	CW 2130-R10	each	1		
A21	Removal of Corrugated Steel Pipe - Culvert	E16	m	35.0		
A22	Reset Existing Corrugated Steel Pipe - Culvert	E17	m	10.0		
ADJUSTMENTS						
A23	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast concrete risers		vert. m	2.0		
A24	Lifter Rings	CW 3210-R7				
	i) 51mm		each	5		
LANDSCAPING						
A25	Sodding	CW 3510-R9				
	i) width > or = 600mm		m ²	1600.0		
MISCELLANEOUS						
A26	Grouted Stone Riprap	CW 3615-R2	m ³	3.0		
A	Pandora Avenue West Reconstruction - From Owen Street to Bournais Street				Subtotal:	

FORM B: PRICES (SEE B8)						
UNIT PRICES						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>Devon Avenue Rehabilitation - From Roch Street to Rothesay Street</u>					
	EARTH AND BASE WORKS					
B1	Grading of Boulevards	CW 3110-R10	m ²	2700.0		
	ROADWORKS - REMOVALS/RENEWALS					
B2	Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	150.0		
B3	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	200		
B4	Miscellaneous Concrete Slab Removal	CW 3235-R6				
	i) Sidewalk		m ²	910.0		
B5	Miscellaneous Concrete Slab Installation	CW 3235-R6				
	i) Sidewalk	SD-228A	m ²	1130.0		
B6	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m ²	15.0		
B7	Supply of Precast Sidewalk Blocks	CW 3235-R6	m ²	15.0		
B8	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (100mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	70.0		
	b) 3 m to 30 m		m	75.0		
	c) Greater than 30 m		m	290.0		
	ii) Modified Barrier (100mm ht, Dowelled)	SD-203B	m	250.0		
	iii) Curb Ramp (10mm ht, type)	SD-229 E	m	15.0		

FORM B: PRICES						
(SEE B8)						
UNIT PRICES						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B9	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	5.0		
B10	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type I		tonne	825.0		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	95.0		
B11	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	250.0		
	ii) 0 - 50 mm Depth (Concrete)		m ²	30.0		
B12	Moisture Barrier/Stress Absorption Geotextile Fabric	E12	m ²	2750.0		
B13	Pavement Patching	E13	m ²	550.0		
B14	Cracking and Seating Pavement	E11	m ²	5000.0		
B15	Partial Depth Saw-Cutting	E11	m ²	500.0		
	JOINT AND CRACK SEALING					
B16	Reflective Crack Maintenance	CW 3250-R6	m	500.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B17	Catch Pit	CW 2130-R10				
	i) SD-023		each	6		
B18	Drainage Connection Pipe	CW 2130-R10	m	10.0		
B19	Abandoning Existing Drainage Inlets	CW 2130-R10	each	6		

FORM B: PRICES (SEE B8)						
UNIT PRICES						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ADJUSTMENTS						
B20	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
B21	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast Concrete Risers+C184		vert. m	1.0		
B22	Lifter Rings	CW 3210-R7				
	i) 38mm		each	3		
	ii) 51mm		each	4		
	iii) 64mm		each	3		
B23	Adjustment of Curb Stop Boxes	CW 3210-R7	each	10		
B24	Curb Stop Extensions	CW 3210-R7	each	10		
LANDSCAPING						
B25	Sodding	CW 3510-R9				
	i) width < 600mm		m ²	100.0		
	ii) width > or = 600mm		m ²	2600.0		
B	Devon Avenue Rehabilitation - From Roch Street to Rothesay Street				Subtotal:	

FORM B: PRICES (SEE B8)						
UNIT PRICES						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 PROVINCIALY FUNDED WORK (See D2)						
C	<u>McLeod Avenue Rehabilitation - From Gateway Street to London Street</u>					
	EARTH AND BASE WORKS					
C1	Excavation	CW 3110-R10	m ³	120.0		
C2	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	250.0		
C3	Supplying and Placing Base Course Material	CW 3110-R10, E16	m ³	220.0		
C4	Grading of Boulevards	CW 3110-R10	m ²	1500.0		
C5	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	380.0		
	ROADWORKS - REMOVALS/RENEWALS					
C6	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m ²	380.0		
C7	Slab Replacement	CW 3230-R5				
	i) 200 mm Concrete Pavement (Reinforced)		m ²	170.0		
C8	Partial Slab Patches	CW 3230-R5				
	i) 200 mm Concrete Pavement (Type A)		m ²	40.0		
	ii) 200 mm Concrete Pavement (Type B)		m ²	815.0		
	iii) 200 mm Concrete Pavement (Type C)		m ²	20.0		
	iv) 200 mm Concrete Pavement (Type D)		m ²	25.0		
C9	Slab Replacement - Early Opening (72 hour)	CW 3230-R5				
	i) 200 mm Concrete Pavement (Reinforced)		m ²	400.0		
C10	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R5				
	i) 200 mm Concrete Pavement (Type B)		m ²	50.0		
C11	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	1900		

FORM B: PRICES (SEE B8)						
UNIT PRICES						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C12	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	1000		
	ii) 25 M Deformed Tie Bar		each	2600		
C13	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	125.0		
	b) 5 sq.m. to 20 sq.m.		m ²	200.0		
	c) Greater than 20 sq.m.		m ²	225.0		
	ii) Monolithic Curb and Sidewalk	SD-228B	m ²	40.0		
C14	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	170.0		
	b) 3 m to 30 m		m	200.0		
	c) Greater than 30 m		m	120.0		
	ii) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	50.0		
	iii) Curb Ramp (10mm ht, type)	SD-229 E	m	45.0		
C15	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type I		tonne	1300.0		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	200.0		
C16	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	150.0		
	ii) 0 - 50 mm Depth (Concrete)		m ²	200.0		

FORM B: PRICES (SEE B8)						
UNIT PRICES						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
C17	Reflective Crack Maintenance	CW 3250-R6	m	500.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C18	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	1		
	ADJUSTMENTS					
C19	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	8		
C20	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast concrete risers		vert. m	1.0		
C21	Lifter Rings	CW 3210-R7				
	i) 38mm		each	3		
	ii) 51mm		each	3		
C22	Adjustment of Valve Boxes	CW 3210-R7	each	3		
	LANDSCAPING					
C23	Sodding	CW 3510-R9				
	i) width < 600mm		m ²	150.0		
	ii) width > or = 600mm		m ²	1350.0		
C	McLeod Avenue Rehabilitation - From Gateway Street to London Street				Subtotal:	

FORM B: PRICES (SEE B8)						
UNIT PRICES						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART 1 CITY FUNDED WORK						
A	Pandora Avenue West Reconstruction - From Owen Street to Bournais Street				Subtotal:	
B	Devon Avenue Rehabilitation - From Roch Street to Rothesay Street				Subtotal:	
Total Price for Part 1: City Funded Work						
PART 2 PROVINCIAALLY FUNDED WORK (See D2)						
C	McLeod Avenue Rehabilitation - From Gateway Street to London Street				Subtotal:	
Total Price for Part 2: Provincially Funded Work						
TOTAL BID PRICE (GST extra) (in figures) _____						
(in words) _____						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 799-2006

Province of Manitoba/City of Winnipeg 2007 Residential Street Renewal Program – Part 1: Pandora Avenue West and Devon Avenue Part 2: McLeod Avenue

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 799-2006

Province of Manitoba/City of Winnipeg 2007 Residential Street Renewal Program – Part 1: Pandora Avenue West and Devon Avenue Part 2: McLeod Avenue

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Branch
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 799-2006

Province of Manitoba/City of Winnipeg 2007 Residential Street Renewal Program – Part 1:
Pandora Avenue West and Devon Avenue Part 2: McLeod Avenue

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 7, 2007.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)