### FORM A: BID (See B7)

1.	Contract Title	STREET RENEWAL PRO	BA / CITY OF WINNIPEG 200 DGRAM: PART 1 - SHARP B D PART 2 – HEARNE AVENU	OULEVARD AND
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	er the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	rizes the following contact performs for the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms us ascribed to them in the G	ed in the Contract shall ha eneral Conditions.	ave the meanings
5.	Offer		s to perform the Work in acd Price, in Canadian funds, s	

Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
	an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
	a certified cheque or draft
	and agrees that it shall be held by the City in accordance with the Contract.
Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
	No Dated
Time	This offer shall be open for acceptance, binding and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline.
	(Choose one)  Execution of Contract  Commencement of the Work  Contract  Addenda

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official of officials have signed this
		, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ART	1 CITY FUNDED WORK	1			<u></u>	
Α	SANSOME AVENUE - ROUGE ROAD TO WE	STWOOD DRIVE				
A.1	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m²	430		
A.2	Excavation	CW 3110-R10	m³	150		
A.3	Supplying and Placing Base Course Material	CW 3110-R10, E16	m³	150		
A.4	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R11				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m²	430		
A.5	Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m²	290		
A.6	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type A)		m²	15		
i	i) 150 mm Concrete Pavement (Type B)		m²	215		
A.7	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	585		
A.8	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	670		
A.9	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	45		
	b) 5 sq.m. to 20 sq.m.		m²	60		
	c) Greater than 20 sq.m.		m²	220		
A.10	Concrete Curb Removal	CW 3240-R6				
	i) Barrier (Separate)		m	30		
A.11	Concrete Curb Installation	CW 3240-R6				
	i) Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	30		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.12	Concrete Curb Renewal	CW 3240-R6				
i)	Barrier (150 mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m	0020071	m	25		
	b) 3 m to 30 m		m	15		
	c) Greater than 30 m		m	290		
ii)	Curb Ramp (10 mm ht, Dowelled)	SD-229 E	m	35		
A.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R11				
i)	Construction of Barrier (150 mm ht, Separate)	SD-203A	m	90		
A.14	Catch Pit	CW 2130-R10				
i)	SD-023		each	8		
A.15	Drainage Connection Pipe	CW 2130-R10	m	30		
A.16	Connecting to Existing Catch Basin	CW 2130-R10				
i)	250 mm Drainage Connection Pipe		each	10		
A.17	Replacing Standard Frames & Covers	CW 2130-R10				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	4		
A.18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	11		
A.19	Abandoning Existing Drainage Inlets	CW 2130-R10	each	8		
A.20	Inspection of Existing Catch Basin Leads	E13	m	75		
A.21	Lifter Rings	CW 3210-R7				
i)	51 mm		each	1		
A.22	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Main Line Paving					
	a) Type IA		tonne	880		
ii)	Tie-ins and Approaches					
	a) Type IA		tonne	25		

### FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.23	Grading of Boulevards	CW 3110-R10	m²	3,030		
A.24	Sodding	CW 3510-R9				
i)	width < 600mm		m²	300		
ii)	width > or = 600mm		m²	2,730		
A.25	Pavement Repair Fabric	CW 3130-R1, E11	m²	100		
A.26	Reflective Crack Maintenance	CW 3250-R6	m	1,000		
Α	SANSOME AVENUE - ROUGE ROAD TO WES	STWOOD DRIVE			0.1.7.1.1	
					Sub-Total:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	SHARP BOULEVARD - BRUCE AVENUE TO I	LODGE AVENUE				
B.1	Pavement Removal	CW 3110-R10				
i)	Concrete Pavement		m²	2,900		
B.2	Excavation	CW 3110-R10	m³	1,750		
B.3	Sub-Grade Compaction	CW 3110-R10	m²	3,300		
B.4	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	2,700		
B.5	Crushed Sub-base Material	CW 3110-R10				
i)	50 mm - Limestone		tonne	2,300		
B.6	Supplying and Placing Base Course Material	CW 3110-R10	m³	330		
B.7	Installation of Subdrains	CW 3120-R1	m	65		
B.8	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R11				
i)	Construction of 150 mm Concrete Pavement (Reinforced) Slip Form Paving		m²	2,960		
B.9	Drilled Dowels	CW 3230-R5				
i)	19.1 mm Diameter		each	100		
B.10	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	45		
	b) 5 sq.m. to 20 sq.m.		m²	60		
	c) Greater than 20 sq.m.		m²	220		
B.11	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R11				
i)	Construction of Barrier (180 mm ht, Separate, Slip Form Paving)	SD-203A	m	450		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	25		
iii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	155		
iv)	Construction of Curb Ramp (10 mm ht, Integral)	SD-229E	m	25		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.12	Catch Basin	CW 2130-R10				
i)	SD-024		each	6		
B.13	Sewer Service	CW 2130-R10				
i)	250 mm PVC SDR-35					
	a) in a Trench, Class B Sand Bedding, Class 3 Backfill		m	20		
B.14	Connecting to Existing Sewer	CW 2130-R10				
i)	250 mm PVC SDR-35 of connecting pipe					
	a) Connecting to 300 mm Concrete Combined Sewer		each	2		
	b) Connecting to 375 mm Concrete Combined Sewer		each	4		
B.15	Catch Pit	CW 2130-R10				
i)	SD-023		each	2		
B.16	Drainage Connection Pipe	CW 2130-R10	m	10		
B.17	Connecting to Existing Catch Basin	CW 2130-R10				
i)	250 mm Drainage Connection Pipe		each	2		
B.18	Replacing Standard Frames & Covers	CW 2130-R10				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
B.19	Removal of Existing Catch Basins	CW 2130-R10	each	2		
B.20	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
B.21	Replacing Existing Risers	CW 2130-R10				
i)	Pre-cast Concrete Risers		vert. m	1		
B.22	Adjustment of Valve Boxes	CW 3210-R7	each	2		
B.23	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
B.24	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	2		
B.25	Adjustment of Existing Cathodic Protection Monitoring Station Boxes	E15	each	3		
B.26	Inspection of Existing Catch Basin Leads	E13	m	35		

### FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.27	Construction of Asphaltic Concrete Pavements	CW 3410-R7				
i)	Tie-ins and Approaches					
	a) Type IA		tonne	10		
B.28	Lifter Rings	CW 3210-R7				
i)	51 mm		each	2		
B.29	Grading of Boulevards	CW 3110-R10	m²	3,050		
B.30	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	150		
ii)	width > or = 600 mm		m²	2,900		
В	SHARP BOULEVARD - BRUCE AVENUE TO L	ODGE AVENUE			Sub-Total:	

# FORM B: PRICES (SEE B8)

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART	2	PROVINCIALLY FUNDED WOR	K (See D2)				
С		BARKER BOULEVARD - BARKER BOULEVA	RD TO MUSGRO	VE STR	EET		
C.1		Excavation	CW 3110-R10	m³	200		
C.2		Supplying and Placing Base Course Material	CW 3110-R10, E16	m³	200		
C.3		Slab Replacement	CW 3230-R5				
	i)	150 mm Concrete Pavement (Reinforced)		m²	950		
C.4		Partial Slab Patches	CW 3230-R5				
	i)	150 mm Concrete Pavement (Type A)		m²	10		
	ii)	150 mm Concrete Pavement (Type B)		m²	340		
	iii)	150 mm Concrete Pavement (Type D)		m²	35		
C.5		Drilled Dowels	CW 3230-R5				
	i)	19.1 mm Diameter		each	820		
C.6		Drilled Tie Bars	CW 3230-R5				
	i)	20 M Deformed Tie Bar		each	870		
C.7		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
		a) Less than 5 sq.m.		m²	40		
		b) 5 sq.m. to 20 sq.m.		m²	80		
		c) Greater than 20 sq.m.		m²	245		
C.8		Planing of Existing Mountable Curb (75 mm ht, Integral)	E16	m	765		
C.9		Concrete Curb Renewal	CW 3240-R6				
	i)	Barrier (150 mm ht, Dowelled)	SD-205, SD206A				
		a) 3 m to 30 m		m	40		
		b) Greater than 30 m		m	50		
	ii)	Curb Ramp (10mm ht, Dowelled)	SD-229 E	m	20		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.10	Miscellaneous Concrete Slab Removal	CW 3235-R6				
i	Median Slab		m²	20		
C.11	Miscellaneous Concrete Slab Installation	CW 3235-R6				
i)	Bullnose	SD-227C	m²	25		
C.12	Concrete Curb Installation	CW 3240-R6				
i)	Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	10		
ii)	Mountable Curb (75 mm ht, Dowelled, Slip Form Paving)	SD-201	m	770		
C.13	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	7		
C.14	Inspection of Existing Catch Basin Leads	E13	m	65		
C.15	Lifter Rings	CW 3210-R7				
i)	51mm		each	4		
C.16	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	6		
C.17	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Main Line Paving					
	a) Type IA		tonne	940		
C.18	Grading of Boulevards	CW 3110-R10	m²	1,410		
C.19	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	110		
ii)	width > or = 600 mm		m²	1,300		
C.20	Pavement Repair Fabric	CW 3130-R1, E11	m²	100		
C.21	Reflective Crack Maintenance	CW 3250-R6	m	800		
С	BARKER BOULEVARD - BARKER BOULEVA	RD TO MUSGRO	OVE STR	EET	Sub-Total:	
					Jub- i Jiai.	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	HEARNE AVENUE - MOUNT ROYAL ROAD TO	O LODGE AVEN	UE			
D.1	Pavement Removal	CW 3110-R10				
i)	Concrete Pavement		m²	2,860		
D.2	Excavation	CW 3110-R10	m³	1,600		
D.3	Sub-Grade Compaction	CW 3110-R10	m²	2,560		
D.4	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	2,560		
D.5	Crushed Sub-base Material	CW 3110-R10				
i)	50 mm - Limestone		tonne	2,780		
D.6	Supplying and Placing Base Course Material	CW 3110-R10	m³	335		
D.7	Installation of Subdrains	CW 3120-R1	m	40		
D.8	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R11				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	950		
D.9	Drilled Dowels	CW 3230-R5				
i)	19.1 mm Diameter		each	100		
D.10	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	20		
	b) 5 sq.m. to 20 sq.m.		m²	30		
D.11	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R11				
i)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	30		
ii)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	360		
iii)	Construction of Curb and Gutter ( 40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	220		
iv)	Construction of Curb Ramp (10 mm ht, Integral)	SD-229E	m	15		
D.12	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	65		

### FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.13	Interlocking Paving Stones	CW 3330-R3	m²	20		
D.14	Catch Basin	CW 2130-R10				
ij	SD-024		each	6		
D.15	Remove and Replace Existing Catch Pit	CW 2130-R10				
į,	SD-023		each	3		
D.16	Sewer Service	CW 2130-R10				
į i	250 mm PVC SDR-35					
	a) in a Trench, Class B Sand Bedding, Class 3 Backfill		m	25		
D.17	Drainage Connection Pipe	CW 2130-R10	m	10		
D.18	Connecting to Existing Catch Basin	CW 2130-R10				
į,	250 mm Drainage Connection Pipe		each	5		
D.19	Connecting to Existing Sewer	CW 2130-R10				
į,	250 mm PVC SDR-35 of connecting pipe					
	a) Connecting to 300 mm Concrete Combined Sewer		each	2		
	b) Connecting to 375 mm Concrete Combined Sewer		each	4		
D.20	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
D.21	Inspection of Existing Catch Basin Leads	E13	m	35		
D.22	Replacing Existing Risers	CW 2130-R10				
i)	Pre-cast Concrete Risers		vert. m	1		
D.23	Adjustment of Valve Boxes	CW 3210-R7	each	4		
į i	Main Line Paving					
	a) Type IA		tonne	450		
ii)	Tie-ins and Approaches					
	a) Type IA		tonne	10		
D.24	Lifter Rings	CW 3210-R7				
i)	51 mm		each	7		

### FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.25	Grading of Boulevards	CW 3110-R10	m²	1,900		
D.26	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	200		
ii)	width > or = 600 mm		m²	1,700		
D.27	Reflective Crack Maintenance	CW 3250-R6	m	400		
D HEARNE AVENUE - MOUNT ROYAL ROAD TO LODGE AVENUE					Sub-Total:	

### FORM B: PRICES

(SEE B8)

U	N	ΙT	Р	R	IC.	ES

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SL	JMMARY				
CITY FUNDED WORK					
SANSOME AVENUE - ROUGE ROAD TO WES	Sub-Total:				
B SHARP BOULEVARD - BRUCE AVENUE TO LODGE AVENUE					
			(total	price) PART 1	
PROVINCIALLY FUNDED WOR	K (See D2)				
C BARKER BOULEVARD - BARKER BOULEVARD TO MUSGROVE STREET				Sub-Total:	
D HEARNE AVENUE - MOUNT ROYAL ROAD TO LODGE AVENUE				Sub-Total:	
			(total	price) PART 2	
D PRICE (GST extra)		(in fig	jures)		
	SUCITY FUNDED WORK  SANSOME AVENUE - ROUGE ROAD TO WES  SHARP BOULEVARD - BRUCE AVENUE TO LE  PROVINCIALLY FUNDED WORK  BARKER BOULEVARD - BARKER BOULEVARD  HEARNE AVENUE - MOUNT ROYAL ROAD TO	SUMMARY  CITY FUNDED WORK  SANSOME AVENUE - ROUGE ROAD TO WESTWOOD DRIVE  SHARP BOULEVARD - BRUCE AVENUE TO LODGE AVENUE  PROVINCIALLY FUNDED WORK (See D2)  BARKER BOULEVARD - BARKER BOULEVARD TO MUSGRO HEARNE AVENUE - MOUNT ROYAL ROAD TO LODGE AVEN	SUMMARY  CITY FUNDED WORK  SANSOME AVENUE - ROUGE ROAD TO WESTWOOD DRIVE  SHARP BOULEVARD - BRUCE AVENUE TO LODGE AVENUE  PROVINCIALLY FUNDED WORK (See D2)  BARKER BOULEVARD - BARKER BOULEVARD TO MUSGROVE STR  HEARNE AVENUE - MOUNT ROYAL ROAD TO LODGE AVENUE	SUMMARY  CITY FUNDED WORK  SANSOME AVENUE - ROUGE ROAD TO WESTWOOD DRIVE  SHARP BOULEVARD - BRUCE AVENUE TO LODGE AVENUE  (total PROVINCIALLY FUNDED WORK (See D2)  BARKER BOULEVARD - BARKER BOULEVARD TO MUSGROVE STREET  HEARNE AVENUE - MOUNT ROYAL ROAD TO LODGE AVENUE  (total	SUMMARY  CITY FUNDED WORK  SANSOME AVENUE - ROUGE ROAD TO WESTWOOD DRIVE  SUB-Total:  SHARP BOULEVARD - BRUCE AVENUE TO LODGE AVENUE  (total price) PART 1  PROVINCIALLY FUNDED WORK (See D2)  BARKER BOULEVARD - BARKER BOULEVARD TO MUSGROVE STREET  SUB-Total:  SUB-Total:  SUB-Total:  SUB-Total:  SUB-Total:  (total price) PART 2

(Seal)

Template Version: C420061215

### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS T	HAT		
(hereinafter called the "Principal") and			
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten per described, for the payment of which sum the administrators, successors and assigns, join	cent (10%) of the Total ne Principal and Surety	Bid Price set out in the Bi bind themselves, their heir	d hereinafter
WHEREAS the Principal has submitted a Bi	d to the Obligee dated	the	
day of	, 20	for	
BID OPPORTUNITY NO. 150-2007			
PROVINCE OF MANITOBA / CITY OF WIN PART 1 - SHARP BOULEVARD AND SANS BARKER BOULEVARD		_	
as more fully set out in the Bid Opportunity.			
NOW THEREFORE the condition of this ob if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required of the Contract, this obligation shall be void,	accordance with the term performance security f	ms of the Bid, enters into a corguaranteeing the faithful	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and	I sealed this bond the	
day of	, 20	·	
SIGNED AND SEALED in the presence of:	(Name of Principal)		
(Witness)			(Seal)
	(Name of Surety)		

Ву:

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 150-2007 PROVINCE OF MANITOBA / CITY OF WINNIPEG 2007 RESIDENTIAL STREET RENEWAL PROGRAM: PART 1 - SHARP BOULEVARD AND SANSOME AVENUE AND PART 2 - HEARNE AVENUE AND BARKER BOULEVARD in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within thirty (30) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 150-2007
PROVINCE OF MANITOBA / CITY OF WINNIPEG 2007 RESIDENTIAL STREET RENEWAL PROGRAM: PART 1 - SHARP BOULEVARD AND SANSOME AVENUE AND PART 2 – HEARNE AVENUE AND BARKER BOULEVARD
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)  WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on April 27, 2007.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)