

FORM A: BID
(See B8)

1. Contract Title Province of Manitoba / City of Winnipeg 2007 Residential Street Renewals – Part 1 Chancellor Drive and Various Other Locations – Part 2 Elizabeth Road and Various Other Locations

2. Bidder _____
Name of Bidder

Street

City Province Postal Code

Facsimile Number

(Mailing address if different) _____
Street or P.O. Box

City Province Postal Code

The Bidder is:

- (Choose one)
- a sole proprietor
 - a partnership
 - a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

(If no corporate seal)
Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 CITY FUNDED WORK						
A	<u>CHANCELLOR DRIVE</u>					
A.1	Grading of Boulevards	CW 3110-R10	m ²	3150		
	ROADWORKS - RENEWALS					
A.2	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type B)		m ²	885		
	ii) 150 mm Concrete Pavement (Type C)		m ²	250		
	iii) 150 mm Concrete Pavement (Type D)		m ²	250		
A.3	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	2025		
A.4	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	2115		
A.5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	35		
	b) 5 sq.m. to 20 sq.m.		m ²	195		
	c) Greater than 20 sq.m.		m ²	225		
A.6	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m ²	10		
A.7	Supply of Precast Sidewalk Blocks	CW 3235-R6	m ²	10		
A.8	Removal of Precast Sidewalk Blocks	CW 3235-R6	m ²	10		
A.9	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled) Slip Form Paving	SD-205, SD206A				
	a) Greater than 30 m		m	765		
	ii) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	135		
	iii) Curb Ramp (15mm ht, Separate)	SD-229 E	m	60		
A.10	Supply and Installation of Dowel Assemblies	CW 3310-R11	m	40		
A.12	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	1		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.13	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	1050		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	90		
A.14	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	290		
	ii) 0 - 50 mm Depth (Concrete)		m ²	20		
	JOINT AND CRACK SEALING					
A.15	Reflective Crack Maintenance	CW 3250-R6	m	480		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.16	Remove and Replace Existing Catch Pit	CW 2130-R10				
	i) SD-023		each	2		
A.17	Drainage Connection Pipe	CW 2130-R10	m	5		
A.18	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
	iii) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	10		
	ADJUSTMENTS					
A.19	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	10		
A.20	Lifter Rings	CW 3210-R7				
	i) 38mm		each	1		
	ii) 76mm		each	2		
A.21	Adjustment of Valve Boxes	CW 3210-R7	each	7		
A.22	Valve Box Extensions	CW 3210-R7	each	1		
A.23	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
A.24	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	10		

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.25	Curb Stop Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
A.26	Sodding	CW 3510-R9				
	i) width < 600mm		m ²	950		
	ii) width > or = 600mm		m ²	2200		
A	<u>CHANCELLOR DRIVE</u>				Subtotal:	

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>LAKEPOINT ROAD</u>					
B.1	Grading of Boulevards	CW 3110-R10	m ²	1100		
	ROADWORKS - RENEWALS					
B.2	Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	15		
B.3	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type B)		m ²	300		
	ii) 150 mm Concrete Pavement (Type C)		m ²	50		
	iii) 150 mm Concrete Pavement (Type D)		m ²	50		
B.4	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	540		
B.5	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	560		
B.6	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m ²	15		
B.7	Concrete Curb Removal	CW 3240-R6				
	i) Lip Curb		m	305		
B.8	Concrete Curb Installation	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled) Slip Form Paving	SD-205	m	275		
	ii) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	30		
B.9	Concrete Curb Renewal	CW 3240-R6				
	i) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	25		
	ii) Curb Ramp (15mm ht, Separate)	SD-229 E	m	10		
B.10	Supply and Installation of Dowel Assemblies	CW 3310-R11	m	8		

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.11	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	330		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	55		
B.12	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Concrete)		m ²	15		
	JOINT AND CRACK SEALING					
B.13	Reflective Crack Maintenance	CW 3250-R6	m	165		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.14	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	1		
	iv) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
	v) AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
	ADJUSTMENTS					
B.15	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
B.16	Lifter Rings	CW 3210-R7				
	i) 76mm		each	2		
B.17	Adjustment of Valve Boxes	CW 3210-R7	each	4		
B.18	Valve Box Extensions	CW 3210-R7	each	1		
B.19	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
B.20	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	2		
B.21	Curb Stop Extensions	CW 3210-R7	each	1		

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.22	LANDSCAPING	CW 3510-R9				
	Sodding					
	i) width < 600mm		m ²	400		
	ii) width > or = 600mm	m ²	700			
B	<u>LAKEPOINT ROAD</u>				Subtotal:	

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>SWEETWATER BAY</u>					
C.1	Grading of Boulevards	CW 3110-R10	m ²	800		
	ROADWORKS - RENEWALS					
C.2	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type B)		m ²	250		
C.3	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	355		
C.4	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	355		
C.5	Concrete Curb Removal	CW 3240-R6				
	i) Lip Curb		m	285		
C.6	Concrete Curb Installation	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled) Slip Form Paving	SD-205	m	225		
	ii) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	60		
C.7	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	280		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	60		
C.8	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	125		
	JOINT AND CRACK SEALING					
C.9	Reflective Crack Maintenance	CW 3250-R6	m	144		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.10	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
C.11	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
C.12	Lifter Rings	CW 3210-R7				
	i) 76mm		each	1		
C.13	Adjustment of Valve Boxes	CW 3210-R7	each	4		
	LANDSCAPING					
C.14	Sodding	CW 3510-R9				
	i) width < 600mm		m ²	300		
	ii) width > or = 600mm		m ²	500		
C	<u>SWEETWATER BAY</u>				Subtotal:	

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>WEATHERSTONE PLACE</u>					
D.1	Grading of Boulevards	CW 3110-R10	m ²	1600		
	ROADWORKS - RENEWALS					
D.2	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type B)		m ²	595		
	ii) 150 mm Concrete Pavement (Type C)		m ²	100		
	iii) 150 mm Concrete Pavement (Type D)		m ²	100		
D.3	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	1045		
D.4	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	1080		
D.5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	40		
	b) 5 sq.m. to 20 sq.m.		m ²	10		
D.6	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m ²	40		
D.7	Supply of Precast Sidewalk Blocks	CW 3235-R6	m ²	15		
D.8	Removal of Precast Sidewalk Blocks	CW 3235-R6	m ²	15		
D.9	Concrete Curb Removal	CW 3240-R6				
	i) Lip Curb		m	585		
D.10	Concrete Curb Installation	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled) Slip Form Paving	SD-205	m	545		
	ii) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	30		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.11	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled) Slip Form Paving	SD-205, SD206A				
	a) 3 m to 30 m		m	35		
	ii) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	20		
	iii) Curb Ramp (15mm ht, Separate)	SD-229 E	m	20		
D.12	Supply and Installation of Dowel Assemblies	CW 3310-R11	m	10		
D.13	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	5		
D.14	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	615		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	50		
D.15	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	150		
	ROADWORKS - NEW CONSTRUCTION					
D.16	Interlocking Paving Stones	CW 3330-R3	m ²	1		
	JOINT AND CRACK SEALING					
D.17	Reflective Crack Maintenance	CW 3250-R6	m	262		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.18	Catch Pit	CW 2130-R10				
	i) SD-023		each	2		
D.19	Remove and Replace Existing Catch Basin	CW 2130-R10				
	i) SD-024		each	1		
D.20	Drainage Connection Pipe	CW 2130-R10	m	8		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.21	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	1		
D.22	Connecting to Existing Catch Basin	CW 2130-R10				
	i) 250mm Drainage Connection Pipe		each	2		
D.23	Abandoning Existing Drainage Inlets	CW 2130-R10	each	2		
ADJUSTMENTS						
D.24	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	8		
D.25	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast Concrete Risers		vert. m	0.5		
D.26	Lifter Rings	CW 3210-R7				
	i) 51mm		each	1		
	ii) 76mm		each	2		
D.27	Adjustment of Valve Boxes	CW 3210-R7	each	7		
D.28	Valve Box Extensions	CW 3210-R7	each	1		
D.29	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
D.30	Curb Stop Extensions	CW 3210-R7	each	1		
LANDSCAPING						
D.31	Sodding	CW 3510-R9				
	i) width < 600mm		m ²	400		
	ii) width > or = 600mm		m ²	1200		
D	<u>WEATHERSTONE PLACE</u>				Subtotal:	

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 PROVINCIALY FUNDED WORK (See D2)						
E	<u>ELIZABETH ROAD</u>					
E.1	Grading of Boulevards	CW 3110-R10	m ²	2400		
	ROADWORKS - RENEWALS					
E.2	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type B)		m ²	700		
	ii) 150 mm Concrete Pavement (Type C)		m ²	150		
	iii) 150 mm Concrete Pavement (Type D)		m ²	150		
E.3	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	1510		
E.4	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	1560		
E.5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	10		
	b) 5 sq.m. to 20 sq.m.		m ²	185		
	c) Greater than 20 sq.m.		m ²	400		
E.6	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m ²	20		
E.7	Supply of Precast Sidewalk Blocks	CW 3235-R6	m ²	10		
E.8	Removal of Precast Sidewalk Blocks	CW 3235-R6	m ²	10		
E.9	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled) Slip Form Paving	SD-205, SD206A				
	a) Greater than 30 m		m	515		
	ii) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	210		
	iii) Curb Ramp (15mm ht, Separate)	SD-229 E	m	115		
E.10	Supply and Installation of Dowel Assemblies	CW 3310-R11	m	30		
E.11	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	4		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.12	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	960		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	145		
E.13	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Concrete)		m ²	20		
	ROADWORKS - NEW CONSTRUCTION					
E.14	Interlocking Paving Stones	CW 3330-R3	m ²	1		
	JOINT AND CRACK SEALING					
E.15	Reflective Crack Maintenance	CW 3250-R6	m	470		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.16	Catch Pit	CW 2130-R10				
	i) SD-023		each	9		
E.17	Remove and Replace Existing Catch Basin	CW 2130-R10				
	i) SD-024		each	3		
E.18	Drainage Connection Pipe	CW 2130-R10	m	45		
E.19	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	4		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	3		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	2		
E.20	Connecting to Existing Catch Basin	CW 2130-R10				
	i) 250mm Drainage Connection Pipe		each	9		
E.21	Abandoning Existing Drainage Inlets	CW 2130-R10	each	9		
	ADJUSTMENTS					
E.22	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	21		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.23	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast Concrete Risers		vert. m	1.0		
E.24	Lifter Rings	CW 3210-R7				
	i) 51mm		each	3		
	ii) 76mm		each	8		
E.25	Adjustment of Valve Boxes	CW 3210-R7	each	4		
E.26	Valve Box Extensions	CW 3210-R7	each	2		
E.27	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
E.28	Curb Stop Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
E.29	Sodding	CW 3510-R9				
	i) width < 600mm		m ²	700		
	ii) width > or = 600mm		m ²	1700		
E	<u>ELIZABETH ROAD</u>				Subtotal:	

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	<u>HORACE STREET</u>					
F.1	Grading of Boulevards	CW 3110-R10	m ²	1700		
	ROADWORKS - RENEWALS					
F.2	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type B)		m ²	300		
	ii) 150 mm Concrete Pavement (Type C)		m ²	50		
	iii) 150 mm Concrete Pavement (Type D)		m ²	50		
F.3	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	625		
F.4	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	650		
F.5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	5		
	b) 5 sq.m. to 20 sq.m.		m ²	50		
	c) Greater than 20 sq.m.		m ²	475		
F.6	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m ²	20		
F.7	Supply of Precast Sidewalk Blocks	CW 3235-R6	m ²	5		
F.8	Removal of Precast Sidewalk Blocks	CW 3235-R6	m ²	5		
F.9	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled) Slip Form Paving	SD-205, SD206A				
	a) Greater than 30 m		m	465		
	ii) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	95		
	iii) Curb Ramp (15mm ht, Separate)	SD-229 E	m	30		
F.10	Supply and Installation of Dowel Assemblies	CW 3310-R11	m	8		
F.11	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	5		

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.12	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	495		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	50		
F.13	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	80		
	ii) 0 - 50 mm Depth (Concrete)		m ²	15		
	ROADWORKS - NEW CONSTRUCTION					
F.14	Interlocking Paving Stones	CW 3330-R3	m ²	1		
	JOINT AND CRACK SEALING					
F.15	Reflective Crack Maintenance	CW 3250-R6	m	225		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
F.16	Catch Pit	CW 2130-R10				
	i) SD-023		each	6		
F.17	Drainage Connection Pipe	CW 2130-R10	m	25		
F.18	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
F.19	Connecting to Existing Catch Basin	CW 2130-R10				
	i) 250mm Drainage Connection Pipe		each	6		
F.20	Abandoning Existing Drainage Inlets	CW 2130-R10	each	6		
	ADJUSTMENTS					
F.21	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	9		
F.22	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast Concrete Risers		vert. m	0.5		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.23	Lifter Rings	CW 3210-R7				
	i) 76mm		each	3		
F.24	Adjustment of Valve Boxes	CW 3210-R7	each	8		
F.25	Valve Box Extensions	CW 3210-R7	each	2		
F.26	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
F.27	Curb Stop Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
F.28	Sodding	CW 3510-R9				
	i) width < 600mm		m ²	500		
	ii) width > or = 600mm		m ²	1100		
F	<u>HORACE STREET</u>				Subtotal:	

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	<u>LAWNDALE AVENUE</u>					
G.1	Grading of Boulevards	CW 3110-R10	m ²	1800		
	ROADWORKS - RENEWALS					
G.2	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type B)		m ²	20		
G.3	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	30		
G.4	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	30		
G.5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	20		
	b) Greater than 20 sq.m.		m ²	545		
G.6	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m ²	12		
G.7	Supply of Precast Sidewalk Blocks	CW 3235-R6	m ²	10		
G.8	Removal of Precast Sidewalk Blocks	CW 3235-R6	m ²	10		
G.9	Concrete Curb Removal	CW 3240-R6				
	i) Curb and Gutter		m	340		
	ii) Lip Curb		m	35		
G.10	Concrete Curb Installation	CW 3240-R6				
	i) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	35		
	ii) Curb and Gutter (150mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement) Slip Form Paving	SD-200	m	340		
G.11	Concrete Curb Renewal	CW 3240-R6				
	i) Curb Ramp (15mm ht, Separate)	SD-229 E	m	15		
G.12	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	5		

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.13	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	320		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	30		
G.14	Construction of Asphalt Patches	CW 3410-R7	m ²	130		
G.15	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	1300		
	ii) 0 - 50 mm Depth (Concrete)		m ²	15		
	ROADWORKS - NEW CONSTRUCTION					
G.16	Interlocking Paving Stones	CW 3330-R3	m ²	2		
	JOINT AND CRACK SEALING					
G.17	Reflective Crack Maintenance	CW 3250-R6	m	141		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
G.18	Catch Pit	CW 2130-R10				
	i) SD-023		each	2		
G.19	Drainage Connection Pipe	CW 2130-R10	m	10		
G.20	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
G.21	Connecting to Existing Catch Basin	CW 2130-R10				
	i) 250mm Drainage Connection Pipe		each	2		
G.22	Abandoning Existing Drainage Inlets	CW 2130-R10	each	2		
	ADJUSTMENTS					
G.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	7		

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.24	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast Concrete Risers		vert. m	0.5		
G.25	Lifter Rings	CW 3210-R7				
	i) 76mm		each	1		
G.26	Adjustment of Valve Boxes	CW 3210-R7	each	4		
G.27	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
G.28	Curb Stop Extensions	CW 3210-R7	each	1		
LANDSCAPING						
G.29	Sodding	CW 3510-R9				
	i) width < 600mm		m ²	600		
	ii) width > or = 600mm		m ²	1200		
G	<u>LAWNDALE AVENUE</u>				Subtotal:	

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART 1 CITY FUNDED WORK						
A	<u>CHANCELLOR DRIVE</u>				Subtotal:	
B	<u>LAKEPOINT ROAD</u>				Subtotal:	
C	<u>SWEETWATER BAY</u>				Subtotal:	
D	<u>WEATHERSTONE PLACE</u>				Subtotal:	
(total price) PART 1						
PART 2 PROVINCIAALLY FUNDED WORK (See D2)						
E	<u>ELIZABETH ROAD</u>				Subtotal:	
F	<u>HORACE STREET</u>				Subtotal:	
G	<u>LAWNDALE AVENUE</u>				Subtotal:	
(total price) PART 2						
TOTAL BID PRICE (GST extra) (in figures) _____						
(in words) _____						

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 160-2007

PROVINCE OF MANITOBA / CITY OF WINNIPEG 2007 RESIDENTIAL STREET RENEWALS – PART 1
CHANCELLOR DRIVE AND VARIOUS OTHER LOCATIONS – PART 2 ELIZABETH ROAD AND
VARIOUS OTHER LOCATIONS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 160-2007

PROVINCE OF MANITOBA / CITY OF WINNIPEG 2007 RESIDENTIAL STREET RENEWALS – PART 1
CHANCELLOR DRIVE AND VARIOUS OTHER LOCATIONS – PART 2 ELIZABETH ROAD AND
VARIOUS OTHER LOCATIONS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Branch
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 160-2007

PROVINCE OF MANITOBA / CITY OF WINNIPEG 2007 RESIDENTIAL STREET RENEWALS – PART 1
CHANCELLOR DRIVE AND VARIOUS OTHER LOCATIONS – PART 2 ELIZABETH ROAD AND
VARIOUS OTHER LOCATIONS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 2, 2007.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)