

FORM A: BID
(See B7)

1. Contract Title 2007 Concrete Pavement Preservation Program

2. Bidder

Name of Bidder

Street

City

Province

Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

(If no corporate seal)
Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	PART A: PAVEMENT REHABILITATION					
A	<u>Nairn Avenue - Grey to Panet</u>					
	ROADWORKS - REMOVALS/RENEWALS					
A1	Slab Replacement	CW 3230-R5				
	i) 230 mm Concrete Pavement (Plain-Dowelled)		m ²	120.0		
A2	Partial Slab Patches	CW 3230-R5				
	i) 230 mm Concrete Pavement (Type A)		m ²	15.0		
	ii) 230 mm Concrete Pavement (Type B)		m ²	25.0		
	iii) 230 mm Concrete Pavement (Type C)		m ²	15.0		
	iv) 230 mm Concrete Pavement (Type D)		m ²	120.0		
A3	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	140		
A4	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	150		
	ii) 25 M Deformed Tie Bar		each	150		
A5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Median Slab	SD-227A	m ²	35.0		
	ii) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	170.0		
	b) 5 sq.m. to 20 sq.m.		m ²	120.0		
	iii) Bullnose	SD-227C	m ²	35.0		
	iv) Monolithic Curb and Sidewalk	SD-228B	m ²	15.0		

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A6	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (180mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	120.0		
	b) 3 m to 30 m		m	105.0		
	ii) Barrier (180mm ht, Integral)	SD-204				
	a) Less than 3 m		m	20.0		
	b) 3 m to 30 m		m	70.0		
	iii) Curb Ramp (10 mm ht, Integral)	SD-229E	m	25.0		
A7	Supply and Installation of Dowel Assemblies	CW 3310-R11	m	25.0		
A8	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	26.0		
	ADJUSTMENTS					
A9	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
A10	Adjustment of Valve Boxes	CW 3210-R7	each	2		
A11	Valve Box Extensions	CW 3210-R7	each	1		
A12	Adjustment of Curb Stop Boxes	CW 3210-R7	each	4		
	LANDSCAPING					
A13	Seeding	CW 3520-R7	m ²	50.0		
A	Nairn Avenue - Grey to Panet				Subtotal:	

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>Kenaston Boulevard - CNR Rivers underpass to McGillivray</u>					
	ROADWORKS - REMOVALS/RENEWALS					
B1	Slab Replacement	CW 3230-R5				
	i) 230 mm Concrete Pavement (Plain-Dowelled)		m ²	120.0		
B2	Partial Slab Patches	CW 3230-R5				
	i) 230 mm Concrete Pavement (Type A)		m ²	10.0		
	ii) 230 mm Concrete Pavement (Type B)		m ²	85.0		
	iii) 230 mm Concrete Pavement (Type D)		m ²	390.0		
B3	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	480		
B4	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	355		
	ii) 25 M Deformed Tie Bar		each	475		
B5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Median Slab	SD-227A	m ²	5.0		
	ii) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	5.0		
	b) 5 sq.m. to 20 sq.m.		m ²	25.0		
	iii) Bullnose	SD-227C	m ²	5.0		

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B6	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (180mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	10.0		
	b) 3 m to 30 m		m	40.0		
	ii) Mountable Curb 125 (Integral)	SD-201	m	25.0		
	iii) Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	15.0		
	iv) Splash Strip (180 mm ht, Barrier Curb, Integral, 600mm width)	SD-227B	m	45.0		
	v) Splash Strip (180 mm ht, Modified Barrier Curb, Integral, 600mm width)	SD-227B, SD-203B	m	5.0		
B7	Supply and Installation of Dowel Assemblies	CW 3310-R11	m	10.0		
	LANDSCAPING					
B8	Seeding	CW 3520-R7	m ²	50.0		
B	Kenaston Boulevard - CNR Rivers underpass to McGillivray				Subtotal:	

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>Pembina Highway Northbound - South City Limits to Rue des Trappistes</u>					
	ROADWORKS - REMOVALS/RENEWALS					
C1	Slab Replacement	CW 3230-R5				
	i) 230 mm Concrete Pavement (Plain-Dowelled)		m ²	330.0		
C2	Partial Slab Patches	CW 3230-R5				
	i) 230 mm Concrete Pavement (Type A)		m ²	10.0		
	ii) 230 mm Concrete Pavement (Type B)		m ²	60.0		
	iii) 230 mm Concrete Pavement (Type C)		m ²	10.0		
	iv) 230 mm Concrete Pavement (Type D)		m ²	70.0		
C3	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	210		
C4	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	240		
	ii) 25 M Deformed Tie Bar		each	190		
C5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	20.0		
	b) 5 sq.m. to 20 sq.m.		m ²	95.0		
	c) Greater than 20 sq.m.		m ²	80.0		
C6	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (180mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	10.0		
	b) 3 m to 30 m		m	50.0		
	ii) Curb Ramp (10 mm ht, Integral)	SD-229E	m	5.0		

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C7	Supply and Installation of Dowel Assemblies	CW 3310-R11	m	25.0		
C8	Construction of Asphalt Patches	CW 3410-R7	m ²	30.0		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
C9	Replacing Standard Frames & Covers	CW 2130-R11				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
ADJUSTMENTS						
C10	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6		
C11	Replacing Existing Risers	CW 2130-R11				
	i) Pre-cast Concrete Risers		vert. m	0.5		
LANDSCAPING						
C12	Seeding	CW 3520-R7	m ²	80.0		
C	Pembina Highway Northbound - South City Limits to Rue des Trappistes				Subtotal:	

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>Bishop Grandin Boulevard - Waverley to Fort Garry Bridge</u>					
	ROADWORKS - REMOVALS/RENEWALS					
D1	Slab Replacement	CW 3230-R5				
	i) 230 mm Concrete Pavement (Plain-Dowelled)		m ²	300.0		
D2	Partial Slab Patches	CW 3230-R5				
	i) 230 mm Concrete Pavement (Type A)		m ²	40.0		
	ii) 230 mm Concrete Pavement (Type B)		m ²	115.0		
	iii) 230 mm Concrete Pavement (Type C)		m ²	15.0		
	iv) 230 mm Concrete Pavement (Type D)		m ²	140.0		
D3	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	310		
D4	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	370		
	ii) 25 M Deformed Tie Bar		each	310		
D5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Bullnose	SD-227C	m ²	10.0		
D6	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (180mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	15.0		
	b) 3 m to 30 m		m	65.0		
	ii) Mountable Curb 120 mm height (Integral)	SD-201	m	95.0		
D7	Supply and Installation of Dowel Assemblies	CW 3310-R11	m	65.0		

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D8	Replacing Standard Frames & Covers	CW 2130-R11				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
	iii) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
	iv) AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
	v) AP-011 - Mountable Curb and Gutter Inlet		each	5		
	ADJUSTMENTS					
D9	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	7		
D10	Replacing Existing Risers	CW 2130-R11				
	i) Pre-cast Concrete Risers		vert. m	0.5		
	LANDSCAPING					
D11	Seeding	CW 3520-R7	m ²	50.0		
D	Bishop Grandin Boulevard - Waverley to Fort Garry Bridge				Subtotal:	

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART B: PAVEMENT REHABILITATION						
E	<u>Bishop Grandin Boulevard - Laqimodiere to St. Anne's</u>					
ROADWORKS - REMOVALS/RENEWALS						
E1	Slab Replacement	CW 3230-R5				
	i) 230 mm Concrete Pavement (Plain-Dowelled)		m ²	150.0		
E2	Partial Slab Patches	CW 3230-R5				
	i) 230 mm Concrete Pavement (Type A)		m ²	80.0		
	ii) 230 mm Concrete Pavement (Type B)		m ²	430.0		
	iii) 230 mm Concrete Pavement (Type D)		m ²	200.0		
E3	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	925		
E4	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	580		
	ii) 25 M Deformed Tie Bar		each	925		
E5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Median Slab	SD-227A	m ²	25.0		
	ii) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	10.0		
	b) 5 sq.m. to 20 sq.m.		m ²	15.0		
	iii) Bullnose	SD-227C	m ²	11.0		
	iv) Monolithic Curb and Sidewalk	SD-228B	m ²	15.0		

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E6	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (180mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	40.0		
	b) 3 m to 30 m		m	150.0		
	c) Greater than 30 m		m	60.0		
	ii) Curb Ramp (10 mm ht, Integral)	SD-229E	m	10.0		
E7	Supply and Installation of Dowel Assemblies	CW 3310-R11	m	10.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E8	Replacing Standard Frames & Covers	CW 2130-R11				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
	ADJUSTMENTS					
E9	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
	LANDSCAPING					
E10	Seeding	CW 3520-R7	m ²	50.0		
E	Bishop Grandin Boulevard - Lagimodiere to St. Anne's				Subtotal:	

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	<u>Chief Peguis Trail - Main to Henderson</u>					
	ROADWORKS - REMOVALS/RENEWALS					
F1	Slab Replacement	CW 3230-R5				
	i) 230 mm Concrete Pavement (Plain-Dowelled)		m ²	45.0		
F2	Partial Slab Patches	CW 3230-R5				
	i) 230 mm Concrete Pavement (Type A)		m ²	60.0		
	ii) 230 mm Concrete Pavement (Type B)		m ²	165.0		
	iii) 230 mm Concrete Pavement (Type D)		m ²	65.0		
F3	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	500		
F4	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	215		
	ii) 25 M Deformed Tie Bar		each	500		
F5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Median Slab	SD-227A	m ²	5.0		
	ii) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	50.0		
	b) 5 sq.m. to 20 sq.m.		m ²	80.0		
	c) Greater than 20 sq.m.		m ²	140.0		
	iii) Bullnose	SD-227C	m ²	20.0		
	iv) Monolithic Curb and Sidewalk	SD-228B	m ²	40.0		

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F6	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (180mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	30.0		
	b) 3 m to 30 m		m	50.0		
	ii) Mountable Curb 125 (Integral)	SD-201	m	70.0		
	iii) Curb Ramp (10 mm ht, Integral)	SD-229E	m	15.0		
F7	Supply and Installation of Dowel Assemblies	CW 3310-R11	m	10.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
F8	Replacing Standard Frames & Covers	CW 2130-R11				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
	iii) AP-011 - Mountable Curb and Gutter Inlet		each	2		
	ADJUSTMENTS					
F9	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	11		
	LANDSCAPING					
F10	Seeding	CW 3520-R7	m ²	50.0		
F	Chief Peguis Trail - Main to Henderson				Subtotal:	

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART A: PAVEMENT REHABILITATION						
A	Nairn Avenue - Grey to Panet				Subtotal:	
B	Kenaston Boulevard - CNR Rivers underpass to McGillivray				Subtotal:	
C	Pembina Highway Northbound - South City Limits to Rue des Trappistes				Subtotal:	
D	Bishop Grandin Boulevard - Waverley to Fort Garry Bridge				Subtotal:	
Part A Total:						
PART B: PAVEMENT REHABILITATION						
E	Bishop Grandin Boulevard - Lagimodiere to St. Anne's				Subtotal:	
F	Chief Peguis Trail - Main to Henderson				Subtotal:	
Part B Total:						
TOTAL BID PRICE (GST extra) (in figures) _____						
(in words) _____						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 488-2007

2007 Concrete Pavement Preservation Program

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 488-2007

2007 Concrete Pavement Preservation Program

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Branch
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 488-2007
2007 Concrete Pavement Preservation Program

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 24, 2007

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)