



# ADDENDUM NO. 1 BID OPPORTUNITY NO. 598-2007

2007 WATERMAIN RENEWALS, ACADEMY ROAD FROM HARROW STREET TO WELLINGTON CRESCENT – CONTRACT NO. 33

## URGENT

**PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY**

ISSUED: August 17, 2007  
BY: Stacy Cournoyer, P. Eng.  
TELEPHONE NO. (204) 986-2142

**THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS**

Template Version: 20040128

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid Submission non-responsive.**

---

## PART A – BID SUBMISSION

Replace 598-2007\_Bid\_Submission with 598-2007\_Addendum\_1-Bid\_Submission.

## PART D – SUPPLEMENTAL CONDITIONS

- Revise D14.1 to read: The Contractor shall achieve Substantial Performance within thirty (30) consecutive Working Days of the commencement of the Work as specified in D13.
- Revise D15.1 to read: The Contractor shall achieve Total Performance within forty (40) consecutive Working Days of the commencement of the Work as specified in D13.

## PART E – SPECIFICATIONS

Add Clause E8 Video Inspection of Services within Limits of Repair

### **E8. VIDEO INSPECTION OF SERVICES WITHIN LIMITS OF REPAIR**

- E8.1 With the Contract Administrator present, provide video inspection from the sewer main to property line of sewer services within the limits of online sewer repairs and renewals to determine if service renewal is required.
- E8.2 Video Inspections must:
  - (a) have an image quality such that an accurate assessment of the sewer service condition can be made,
  - (b) have a distance counter visible on the screen,
- E8.3 Video inspection of sewer services shall be measured on a length basis and paid for at the Contract Unit Price per metre for "Sewer Service Inspection" for all sizes and types of sewer service. The length to be paid for shall be the total number of metres of sewer services inspected, accepted and measured by the Contract Administrator, which price shall be payment in full for performing all operations herein described and all other items incidental to the video inspection of sewer services.

## **DRAWINGS**

Replace 598-2007\_Drawing\_D-9236-R0 with 598-2007\_Drawing\_D-9236-R1.

Replace 598-2007\_Drawing\_D-9237-R0 with 598-2007\_Drawing\_D-9237-R1.

Replace 598-2007\_Drawing\_D-9238-R0 with 598-2007\_Drawing\_D-9238-R1.