



NOTES :

BASEMENT FLOOR PLAN - DATA AND TELEPHONE
SCALE: 1/4"=1'-0"

MAIN FLOOR PLAN - DATA AND TELEPHONE
SCALE: 1/4"=1'-0"

LEGEND	
ITEM	DESCRIPTION (SUPPLIED & INSTALLED BY CONTRACTOR, UNLESS OTHERWISE SPECIFIED)
NB	NETWORK BOX 24"x24"x6" 16 GA. MIN. WITH KNOCKOUTS, PAINTED GALV. TO HOUSE 12-PORT SURFACE MOUNT PATCH PANEL BOX, HUBBELL MODEL SMB120W OR APPROVE EQUIV.
CAB1	SECTIONAL WALL MOUNT RACK, MIDDLE ATLANTIC (DWR12-22) WITH 28" OVERALL HEIGHT, 21" RACKING HEIGHT, 12 RACK SPACES, 200LBS CAPACITY. MOUNT 4" ABOVE FLOOR TO BOTTOM OF CABINET.
100-01	DATA DUPLEX WALL JACK (CAT-6), BLUE, WITH WHITE FACE PLATE. MOUNT SAME HEIGHT AS ELECTRICAL RECEPTACLES.
CEBOX	TELEPHONE - CENTREX SYSTEM. SUPPLY & INSTALL CAT-6 JACK (BLACK) IN SAME DEVICE BOX AS DATA AND FISH COORD TO ACCESSABLE AREA ABOVE FINISH CEILING. MOUNT SAME HEIGHT AS ELECTRICAL RECEPTACLES. CABLING & TERMINATION TO BE INSTALLED BY MTS UNDER DIRECTIONS OF CTY OF WINNIPEG CORPORATE IT.
JB	JUNCTION BOX, 24"x24"x6"
TXXX	TELEPHONE - LOCAL (BY MTS)

DATA AND PHONE RENOVATION NOTES

SUPPLY & INSTALL, UNLESS OTHERWISE NOTED. SEE SPECIFICATIONS.
ALL WIRING TO BE SECURED & ROUTED PARALLEL TO BUILDING STRUCTURE. ALL OPENINGS THROUGH FIRE ASSEMBLIES ARE TO BE FIRE STOPPED AND SEALED WITH ULC APPROVED FIRE STOPPING TO MAINTAIN THE INTEGRITY OF THE FIRE SEPARATION, AND PROVIDE A SMOKE-TIGHT BARRIER.

- INSTALL CAB1 ON DATA BACKBOARD.
- TERMINATE ALL DATA CABLING FROM WALL PORTS OR PATCH PANEL IN NB TO (1) 48-PORT CATEGORY 6 PATCH PANEL.
- TELEPHONE PORT LOCATION WHERE DATA PORT AND TELEPHONE PORT ARE SHOWN TOGETHER. A SINGLE DEVICE BOX TO HOUSE THE BOTH IS REQUIRED. A FISH CORD FOR THE TELEPHONE IS REQUIRED TO FACILITATE MTS TO PULL CABLE FROM CEILING SPACE INTO WALL DEVICE BOX.
- JUNCTION BOX MOUNTED UNDERSIDE OF ROOF JOIST ABOVE FINISH CEILING WITH 3" EMT ROUTED IN MAIN FLOOR WALL CAVITY TO MECHANICAL ROOM. ALL OPENINGS THROUGH FIRE ASSEMBLIES ARE TO BE FIRE STOPPED AND SEALED WITH ULC APPROVED FIRE STOPPING TO MAINTAIN THE INTEGRITY OF THE FIRE SEPARATION, AND PROVIDE A SMOKE-TIGHT BARRIER.
- ALL MAIN FLOOR DATA TO ROUTE TO JB USING J-HOOKS FASTENED RIGIDLY & PARALLEL TO BUILDING STRUCTURE

NO.	REVISION/DESCRIPTION	BY	DATE
SEALS			

DRAWN BY	DATE	CHECKED BY	APPROVED
DTA	2007.10.10	USER APPROVAL	

CITY OF WINNIPEG
PLANNING, PROPERTY & DEVELOPMENT DEPARTMENT
CIVIC ACCOMMODATIONS DIVISION
300 - 65 GARRY ST. R3C 4K4

PROJECT
COMMUNITY POLICE SERVICE CENTRE

1400 HENDERSON HWY.
SHEET TITLE
**BASEMENT & MAIN FLOOR PLAN
DATA AND TELEPHONE**

SCALE	PROJECT NO.	SHEET NO.
AS SHOWN	2004-023	T1