



ADDENDUM NO. 1 BID OPPORTUNITY NO. 113-2008

OAK POINT HIGHWAY NORTH BOUND FROM 75 M SOUTH OF HYDE AVENUE TO EAGLE DRIVE – ASPHALT OVERLAY AND ASSOCIATED WORKS

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY

ISSUED: February 7, 2008
BY: D. Korbaylo /gc
TELEPHONE NO. (204) 986-3465

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Template Version: 20040128

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid Submission non-responsive.

PART E – SPECIFICATIONS

Add: **E9.**

E9. SEEDING

E9.1 Further to CW 3520-R7 and CW3540-R5, this specification covers the supply and placement of grass seed and preparation of existing grade for regional street boulevards and medians.

E9.2 Grass Seed

Add revised grass seed mixture to clause 5.3 of CW 3520-R7:

“For regional street boulevards and medians a mixture composed of:

Seventy percent (70%) Fults Alkaligrass (Puccinellia distans), twenty percent (20%) Audubon or Aberdeen Creeping Red Fescue and ten percent (10%) Perennial Ryegrass.”

E9.3 Seeding

Replace first paragraph of clause 9.5 of CW 3520-R7 with the following wording:

“Grass seed will be sown at a rate of 2.2 kilograms per 100 square metres.”

E9.4 Preparation of Existing Grade

Add paragraph to clause 9.2 of CW 3540-R5:

“Prior to placing topsoil for seeded areas, all sub-grade areas for regional street boulevards and medians except in areas within the edge of a tree canopy (or drip line) shall be scarified or pulverized to a minimum depth of 50 mm.”