FORM A: BID (See B7)

1.	Contract Title	SUPPLY AND DELIVERY OF LUBRICANTS
2.	Bidder	
		Name of Bidder
		Street
		City Province Postal Code
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Code
		The Bidder is:
	(Choose one)	a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.
5.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a notice of award authorizing the commencement of the Work.
6.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

7.	Addenda	The Bidder certifies that the following addendal agrees that they shall be deemed to form a part of	
		No Dated	
8.	Time	This offer shall be open for acceptance, binding period of seventy-five (75) Calendar Days for Deadline.	
9.	Signatures	The Bidder or the Bidder's authorized official or o	officials have signed this
		day of	, 20
		Signature of Bidder or Bidder's Authorized Official or Officials	
		(Print here name and official capacity of individual who	
		(Print here name and official capacity of individual wh	ose signature appears above)

SEAL

FORM B: PRICES (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

ENGINE OIL – HEAVY DUTY SINGLE GRADE

Item No.		1 to 3	4 to 6	7	
Description		Engine oil - heavy duty 10W	Engine oil - heavy duty 30	Engine oil - heavy duty 40	
SAE Viscosity 0	Grade	10W	30	40	
API	CF-2			•	
	CF	*	*	•	
	CJ-4			•	
Allison	C-4	•	*		
Caterpillar	TO-4	*	*		
Detroit Diesel	7SE270 2-stroke type 1			•	

Item No.	Description	Approx. Annual Qty	Unit	Product Offered (Print)	Unit Price
1.	Engine oil - heavy duty 10W- 1 L container	144	L		/L
2.	Engine oil - heavy duty 10W- 20 L container	400	L		/L
3.	Engine oil - heavy duty 10W- 205 L container	615	L		/L
4.	Engine oil - heavy duty 30- 1 L container	36	L		/L
5.	Engine oil - heavy duty 30- 20 L container	660	L		/L
6.	Engine oil - heavy duty 30- 205 L container	1,025	L		/L
7.	Engine oil - heavy duty 40- bulk	38,000	L		/L

FORM B: PRICES (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

ENGINE OIL – HEAVY DUTY MULTI-GRADE

Item No. Description		8	9 to 10	11 to 15	
		Engine oil - heavy duty 0W 30	Engine oil - heavy duty 10W 30	Engine oil - heavy duty 15W 40	
SAE Viscosity (Grade	0W 30	10W 30	15W 40	
	CJ-4	*	•	•	
	SL		•	•	
Allison	C-4	*	•	•	
Caterpillar	TO-4	*	•	•	
	SEBU 6385	*	•	•	
Cummins	CES 20078		•	•	
	CES 20081			•	
Detroit Diesel	7SE270 4-stroke			•	
	7SE273 Category I & II			•	
Mack	EO-M Plus	*	•	•	

Item No.	Description	Approx. Annual Qty.	Unit	Product Offered (Print)	Unit Price
8.	Engine oil - heavy duty 0W 30 - 20 L container	60	L		/L
9.	Engine oil - heavy duty 10W 30 - 1 L container	320	L		/L
10.	Engine oil - heavy duty 10W 30 - 20 L container	20	L		/L
11.	Engine oil - heavy duty 15W 40 - 1 L container	525	L		/L
12.	Engine oil - heavy duty 15W 40 - 4 L container	70	L		/L
13.	Engine oil - heavy duty 15W 40 - 20 L container	280	L		/L
14.	Engine oil - heavy duty 15W 40 - 205 L container	410	L		/L
15.	Engine oil - heavy duty 15W 40 - bulk	71,500	L		/L

FORM B: PRICES (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

ENGINE OIL - GASOLINE ENGINES

Item No.		16	17 to 19	20 to 22	23 to 25
Description		Engine oil - gasoline engine 0W 30	Engine oil - gasoline engine 5W 20	Engine oil - gasoline engine 5W 30	Engine oil - gasoline engine 10W 30
SAE Viscosity Grade API SL		0W 30	5W 20	5W 30	10W 30
		*	*	*	•
ILSAC	GF-4	*	•	*	*

Item No.	Description	Approx. Annual Qty.	Unit	Product Offered (Print)	Unit Price
16.	Engine oil - gasoline engine 0W 30 - 1 L container	140	L		/L
17.	Engine oil - gasoline engine 5W 20 - 1 L container	480	L		/L
18.	Engine oil - gasoline engine 5W 20 - 205 L container	410	L		/L
19.	Engine oil – gasoline engine 5W 20 - bulk	7,625	L		/L
20.	Engine oil - gasoline engine 5W 30 - 1 L container	225	L		/L
21.	Engine oil - gasoline engine 5W 30 - 205 L container	205	L		/L
22.	Engine oil - gasoline engine 5W 30 - bulk	3,500	L		/L
23.	Engine oil - gasoline engine 10W 30 - 1 L container	210	L		/L
24.	Engine oil - gasoline engine 10W 30 - (4 x 4 L containers)	60	L		/L
25.	Engine oil - gasoline engine 10W 30 - 205 L container	1,640	L		/L

FORM B: PRICES (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

ENGINE OIL – NATURAL GAS ENGINES (NON-AUTOMOTIVE)

FLEET / TRANSIT / VARIOUS DEPT'S.

Item No.	26	27	
Description	Engine oil - natural gas engine 40	Engine oil - natural gas engine 15W 40	
SAE Viscosity Grade	40	15W 40	
Sulphated Ash (% weight)	0.4 to 0.5	0.4 to 0.5	
Total Base No.	5.0	5.0	

Item	Description	Approx.	Unit	Product Offered (Print)	Unit Price
No.		Annual			
		Qty.			
26.	Engine oil - natural gas engine 40 - 205 L container	410	L		/L
27.	Engine oil - natural gas engine 15W 40 - 205 L container	410	L		/L

ENGINE OIL – LOCOMOTIVE DIESEL

Item No.	28		
Description	Engine oil - locomotive diesel 40		
SAE Viscosity Grade	40		

Item No.	Description	Approx. Annual Qty.	Unit	Product Offered (Print)	Unit Price
28.	Engine oil - natural gas engine 40- 205 L container	410	L		/L

FORM B: PRICES (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

GEAR OIL - AUTOMOTIVE

Item No.		29 to 30.	31 to 33	34	
Description		Gear oil 75W 90	Gear oil 80W 90	Gear oil 80W 140 EP	
SAE Viscos	sity Grade	75W 90	80W 90	80W 140	
API	GL-5	•	•	•	
	MT-1	•	•	•	
Mack	Mack GO-J ◆		•	•	
Eaton	PS 163			•	

Item No.	Description	Approx. Annual Qty.	Unit	Product Offered (Print)	Unit Price
29.	Gear oil 75W 90 - 60 L container	180	L		/L
30.	Gear oil 75W 90 - 205 L container	2,050	L		/L
31.	Gear oil 80W 90 - 20 L container	180	L		/L
32.	Gear oil 80W 90 - 60 L container	360	L		/L
33.	Gear oil 80W 90 - 205 L container	7,380	L		/L
34.	Gear oil 80W 140 EP - 60 L container	540	L		/L

FORM B: PRICES (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

AUTOMATIC TRANSMISSION FLUID

Item No.		35 to 38	39	40 to 43	44	
Description		Dexron III / Mercon	Mercon V	Dexron VI Spec	Approved severe duty / extended drain ATF	
Ford	WSP M2C185-A	•	•			
	WSE M2C202-B	•	•	•		
GM	GMN 10060			•		
Allison	C-4	•		•		
	TES 295				•	
	TES 389	•	•		•	
	V730D	•				

Item No.	Description	Approx. Annual	Unit	Product Offered (Print)	Unit Price
	D 111 / N4	Qty.			
	Dexron III / Mercon				/L
35.	- 1 L container	250	L		
	Dexron III / Mercon				/L
36.	- 20 L container	320	L		
	Dexron III / Mercon				/I
37.	- 205 L container	1,025	L		/L
	Dexron III / Mercon				/1
38.	- bulk	35,000	L		/L
	Mercon V				//
39	- 205 L container	1,230	L		/L
	Dexron VI				//
40.	- 1 L container	320	L		/L
	Dexron VI - (4 x 4L				//
41.	containers)	160	L		/L
	Dexron VI				/1
42.	- 205 L container	615	L		/L
	Dexron VI				//
43.	- bulk	25,000	L		/L
	Approved severe duty				
44.	/ extended drain ATF – 205 L container	820	L		/L

FORM B: PRICES See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

TRACTOR TRANSMISSION / HYDRAULIC FLUID

Item No.		45 to 46	47 to 48	
Description		Tractor transmission / hydraulic fluid, summer	Tractor transmission / hydraulic fluid, all season	
Viscosity (cSt @ 40°C)		55 to 65	35 to 45	
Viscosity Index	(140	192	
Pour Point		-42°C	-45°C	
API	GL-4	•	*	
Allison	C-4	•	*	
Caterpillar	TO-4	•	*	
John Deere	J20C	•	*	
	J20D	•	*	

Item No.	Description	Approx. Annual Qty.	Unit	Product Offered (Print)	Unit Price
45.	Tractor transmission / hydraulic fluid – summer - 20 L container	440	L		/L
46.	Tractor transmission / hydraulic fluid – summer - 205 L container	1,640	L		/L
47.	Tractor transmission / hydraulic fluid - all season - 20 L container	160	L		/L
48.	Tractor transmission / hydraulic fluid - all season - 205 L container	410	L		/L

FORM B: PRICES (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

HYDRAULIC FLUID

Item No.	49	50	
Description	Hydraulic fluid 32	Hydraulic fluid 46	
ISO Viscosity Grade	32	46	
Viscosity Index	95	100	
Operating temperature range	-18 to +57°C	-25 to +57°C	
Pour Point	-39°C	-36°C	
Oxidation Stability	6500 h	6500 h	
Dennison HF-O	•	•	
Vickers 35VQ 25	•	•	

Item No.	Description	Approx. Annual Qty.	Unit	Product Offered (Print)	Unit Price
49.	Hydraulic fluid 32 - 205 L container	3,895	L		/L
50.	Hydraulic fluid 46 - 205 L container	410	L		/L

FORM B: PRICES (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

HYDRAULIC FLUID - WIDE TEMPERATURE RANGE / ALL SEASON

FLEET / TRANSIT / VARIOUS DEPT'S.

Item No.	51	52 to 54	55	56
Description	Hydraulic fluid 15 wide temperature range	Hydraulic fluid 22 wide temperature range	Hydraulic oil 32 wide temperature range	Hydraulic oil 46 all season
ISO Viscosity Grade	15	22	32	46
Viscosity Index	380	160	140	240
Operating temperature range	-45 to +23°C	-25 to +57°C	-18 to +66°C	-18 to +75°C
Pour Point	-57°C	-51°C	-48°C	-48°C
Oxidation Stability	3000 h	6500 h	6500 h	6500 h
Dennison HF-O ◆		•	•	•
Vickers 35VQ 25	•	•	•	•

Item No.	Description	Approx. Annual Qty.	Unit	Product Offered (Print)	Unit Price
51.	Hydraulic fluid 15 wide temperature range - 205 L container	1,435	L		/L
52.	Hydraulic fluid 22 wide temperature range - 20 L container	420	L		/L
53.	Hydraulic fluid 22 wide temperature range - 205 L container	840	L		/L
54.	Hydraulic oil 22 wide temperature range - bulk	2,800	L		/L
55.	Hydraulic oil 32 wide temperature range - 20 L container	200	L		/L
56.	Hydraulic oil 46 all season - 20 L container	960	L		/L

FORM B: PRICES (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

GREASE - MULTIPURPOSE EP LITHIUM

FLEET / TRANSIT / VARIOUS DEPT'S.

Item No.		57		
Description		Grease EP1 lithium		
NLGI Grade		1		
	GC-LB	•		
Timken OK I	Load (D-2509)	27 kg		
Dropping Po	pint	190°C		

Item No.	Description	Approx. Annual Qty	Unit	Product Offered (Print)	Unit Price
57.	Grease EP1 lithium - 180 KG container	1745	KG		/KG

GREASE - MULTIPURPOSE EP LITHIUM COMPLEX

Item No.		58	59	60 to 61	62
Description		Grease EP00 lithium complex	Grease EP1 lithium complex	Grease EP2 lithium complex	Grease EP2 lithium complex No solid lubricants (M0S2 and graphite)
NLGI	Grade	00	1	2	2
	GC-LB	•	•	•	*
Timken OK L	Load (D-2509)	18 kg	27 kg	27 kg	27 kg
Dropping Point		135°C	149°C	149°C	230 °C
Molybdenum disulphide (% weight)				3 to 5%	

Item No.	Description	Approx Annual Qty	Unit	Product Offered (Print)	Unit Price
58.	Grease EP00 lithium complex- 17 KG container	51	KG		/KG
59.	Grease EP1 lithium complex- 400 G container	50	KG		/KG
60.	Grease EP2 lithium complex- 400 G container	525	KG		/KG
61.	Grease EP2 lithium complex- 54 KG container	108	KG		/KG
62.	Grease EP2 lithium complex No solid lubricant (M0S2 and graphite free) - 180 KG container	1,593	KG		/KG

FORM B: PRICES (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

ENGINE OIL – TWO-CYCLE GASOLINE ENGINES

FLEET / VARIOUS DEPT'S.

Item No.		63	64	
Description		2-cycle engine oil - air-cooled	2-cycle engine oil - water-cooled	
API	TC	*		
NMMA	TC-W 3		*	
SAE Fluidity / N	Miscibility	F/M 4 @ -40°C	F/M 3 @ -25°C	
Fuel/oil ratio	Fuel/oil ratio		to 100:1	

Item No.	Description	Approx. Annual Qty	Unit	Product Offered (Print)	Unit Price
63.	2-cycle engine oil - air- cooled - 1 L container	55	L		/L
64.	2-cycle engine oil - water-cooled - 1 L container	30	L		/L

CHAIN SAW BAR OIL

Item No.	65	66	
Description	Chain saw bar oil - winter	Chain saw bar oil - summer	
Viscosity (cSt @ 40°C)	30 to 60	100 to 200	
Pour Point	-30°C	-9°C	
Flash Point	140°C	200°C	

Item No.	Description	Approx. Annual Qty.	Unit	Product Offered (Print)	Unit Price
65.	Chain saw bar oil - winter - 4 L container	20	L		/L
66.	Chain saw bar oil - summer- 4 L container	20	L		/L

FORM B: PRICES (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

CONCRETE FORM RELEASE OIL

FLEET / VARIOUS DEPT'S.

Item No.	67		
Description	Concrete form release oil		
Viscosity (cSt @ 40 °C) (approx.)	4		
Flash Point	40°C		
Suitable for wood and steel forms.	•		
Suitable as supplied for both brush and spray application.	•		

Item No.	Description	Approx. Annual Qty.	Unit	Product Offered (Print)	Unit Price
67.	Concrete form release oil - 205 L container	205	L		/L

SOLUBLE CUTTING OIL

Item No.	68		
Description	Soluble cutting oil		
Viscosity (cSt @ 40 °C) (approx.)	36		
Water/oil mix ratio	10:1 to 30:1		

Item No.	Description	Approx. Annual Qty.	Unit	Product Offered (Print)	Unit Price
68.	Soluble cutting oil - 20 L container	60	L		/L

FORM B: PRICES (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

STODDART SOLVENT

FLEET / TRANSIT / VARIOUS DEPT'S.

Item No.	69					
Description	Stoddart solvent (1)					
Flash Point	40°C					
Aniline Point	54°C					
Kauri Butanol Value	39					
General purpose, aliphatic.	•					
(1) ESSO Varsol 3139, PETRO-CANADA PetroSol 3139, or equal see clause B5.						

	em	Description	Approx.	Unit	Product Offered (Print)	Unit Price
N	0.		Annual			
			Qty			
(69.	Stoddart solvent - 205 L container	2,255	L		/L

REFUNDABLE CONTAINER DEPOSIT

Item No.	Description	Approx. Annual	Unit.	Unit Price
INO.		Qty.		
70.	205 L container	145	each	/ea

FORM B: PRICES (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

MINIMUM / DELIVERY CHARGE

FLEET / TRANSIT / VARIOUS DEPT'S.

Item No.	Description	Spec. Reference	Approx. Annual Qty.	Unit.	Unit Price
	Delivery charge	E5.2	12	each	/ea

Name of Bidder		