FORM A: BID (See B8)

1.	Contract Title	ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 8				
2.	Bidder					
		Name of Bidder				
		Street				
		City	Province	Postal Code		
		Facsimile Number				
	(Mailing address if different)	Street or P.O. Box				
		City	Province	Postal Code		
		The Bidder is:				
	(Choose one)	a sole proprietor				
		a partnership				
		a corporation				
		carrying on business under the	above name.			
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.				
		Contact Person	Title			
		Telephone Number	Facsimile Number			
4.	Definitions	All capitalized terms used in ascribed to them in the Genera		meanings		
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.				

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:			
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)			
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)			
		a certified cheque or draft			
		and agrees that it shall be held by the City in accordance with the Contract.			
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.			
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.			
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.			
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:			
		No Dated			
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.			

12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES

(See B9)

UNIT P	RICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
Α.	STORM RELIEF SEWERS/COMBINED SEWERS					
		011/04.00				
A.1	Storm Relief Sewers/Combined Sewers	CW2130				
	a) 300mm C76-III RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	100		
	ii) Trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	10		
	b) 300mm C76-IV RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	135		
	ii) Trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	150		
	c) 300mm C76-V RCP or SDR 35 PVC					
	i) Trenchless installation, Class B		~	30		
	Type 3 Bedding Class 1 Backfill		m	30		
	d) 375mm C76-III RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	370		
	ii) Trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	125		
	e) 375mm C76-IV RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	70		
	f) 375mm C76-V RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	5		
				U		
	g) 450mm C76-III RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	5		
	h) 450mm C76-IV RCP or SDR 35 PVC					
	i) Trenchless installation, Class B		15-	405		
	Type 3 Bedding Class 1 Backfill		m	165		
	i) 450mm C76-V RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	25		
1	71	l	•	I U	I	I

FORM B: PRICES

(See B9)

UNIT F	PRICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
A.2	New Manholes	CW2130				
	a) SD-010 i) 1200mm (MH.2,4,6,7,9,11,13,14,17,18,19, 20,21,22,25,26,27,28,29,31,34,37,38,39,41)		vert. m	105		
A.3	New Manholes on Existing Sewers	CW2130, E5				
	a) SD-010 i) 1800mm (MH.3) ii) 2100mm(MH.40) b) SD-010		vert. m vert. m	5 5		
	i) 1200mm C/W OF (MH.10,33) ii) 1800mm x 1.83 base C/W OF		l.s.	2		
	(MH.1,5,8,12,15,24,30,32,35,36,42)		l.s.	11		
	iii) 2400mm x 1.83 base C/W OF (MH.16)		l.s.	1		
	iv) 2700mm x 1.83 base C/W OF (MH.23)		l.s.	1		
A.4	Manhole Risers for Manhole Adjustments	CW2130 E5				
	a) 750/900mm		vert. m	1		
A.5	Catch Basins/Catch Pits	CW2130				
	a) SD-024 1800mm deep (AP-008,009,010,011)		unit	7		
	b) SD-025 1800mm deep		unit	1		
	c) SD-024 1200mm deep (AP-008,009,010,011)		unit	1		
	d) SD-023 460mm deep		unit	1		
A.6	Sewer Services	CW2130				
	a) 150mm i) trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill b) 250mm		m	10		
	i) trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	65		
	ii) trenchless installation, ClassB Type 3 Bedding Class 3 Backfill		m	20		
	c) 300mm		m	20		
	i) trenchless installation, Class B Type 3 Bedding Class 1 Backfill		m	35		
A.7	Replacing Existing Manhole Cover	CW2130				
	a) AP-004 - Manhole Frame b) AP-005 - Manhole Cover (Solid or Grated)		unit unit	1 1		
A.8	Patching Existing Manholes/Catchbasins	CW2130	vert. m	5		

(See B9)

	RICES					
ITEM	DECODIDITION			APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
A.9	Replacing Existing Manhole or Catch Basin Rungs	CW2130	unit	5		
A.10	Adjustment of Existing Catch Basins and Manholes	CW3210	unit	6		
A.11	Sewer Repair - Up to 3 Metres Long a) 300mm - Class 1 backfill	CW 2130	each	2		
A.12	Sewer Repair - In Addition to First 3 Metres	CW 2130	m	4		
A.13	Replacing Existing Catch Basin Hoods	CW2130	unit	6		
A.14	Connecting Existing Sewer Service to New Sewer a) 150mm	CW 2130	each	6		
A.15	Connecting to Existing Relief Sewers	CW2130	ouon			
,	a) 300mm to 1980mm b) 300mm to 2250mm c) 450mm to 2400mm	0112100	unit unit unit	2 1 1		
A.16	Connecting to Existing Manhole	CW2130				
	a) 250mm b) 300mm c) 375mm d) 450mm		unit unit unit unit	1 4 3 1		
A.17	Connecting to Existing Catch Basin	CW2130				
	a) 250mm b) 300mm		unit unit	8 3		
A.18	Cement Stabilized Fill	CW2130	m3	20		
A.19	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW2130				
	a) 200mm b) 250mm		unit unit	4 3		
A.20	Abandoning Existing Sewer Services Under Pavement (Includes Misc. Sewer Observation Inspection)	CW2130				
	a) 150mm b) 200mm c) 250mm		unit unit unit	1 6 8		

FORM B: PRICES

(See B9)

	RICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
A.21	Abandon Existing Catch Basins	CW2130	unit	7		
		014/04/00				
	Removing Existing Manholes	CW2130				
	a) Flush Tank Manhole		unit	4		
A.23	Concrete Pipe - Three					
	Edge Bearing Test	CW2130				
	Luge bearing rest	01/2130				
	a) 300mm C76-III		unit	1		
	b) 300mm C76-IV		unit	1		
	c) 300mm C76-V		unit	1		
	d) 375mm C76-III		unit	1		
	e) 375mm C76-IV		unit	1		
	f) 375mm C76-V		unit	1		
	g) 450mm C76-III		unit	1		
	h) 450mm C76-IV		unit	1		
	i) 450mm C76-V		unit	1		
A.24	Sewer Inspection (New Sewers)	CW2145				
	a) 300mm		lin.m.	420		
	b) 375mm		lin.m.	575		
	c) 450mm		lin.m.	185		
		0.000				
	Misc. Sewer Inspection Cleaning	CW2140				
	and Televising (Existing Sewers)	CW2145	line and	05		
	a) 300mm CS (Post-Construction)		lin.m.	95		
A.26	Misc. Sewer Observation Inspection	CW2145				
	(Existing Sewers)	6772145				
	(Existing Sewers)					
	a) 1980mm SRS (Post-Construction)		lin.m.	75		
	b) 2250mm SRS (Post-Construction)		lin.m.	60		
	c) 2400mm SRS (Post-Construction)		lin.m.	110		
A.27	Pavement (Removal)	CW2130				
	· · · · · ·					
	a) Concrete					
	i) 150mm Pavement		m2	60		
	ii) 200mm Pavement		m2	1125		
	iii) 100mm Sidewalk		m2	50		

(See B9)

UNIT F	PRICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
1 00	Deinferred Concrete Devement	014/24/20				
A.28	Reinforced Concrete Pavement	CW2130				
	a) 150mm Pavement		m2	30		
	b) 150mm Pavement		1112	00		
	for early opening (72 hour)		m2	30		
	c) 200mm Pavement		m2	195		
	d) 200mm Pavement					
	for early opening (72 hour)		m2	825		
	e) 200mm Pavement					
	for early opening (24 hour)		m2	100		
A.29	Concrete Curb Installation	CW2130				
		CW3310				
	a) barrier/modified barrier		lin.m.	100		
	b) splash strip		lin.m.	10		
	c) barrier curb and gutter		lin.m.	15		
A.30	Concrete Curb Renewal	CW2130				
	a) barrier/modified barrier	CW3310	lin.m.	15		
		0.1/0.0.7				
A.31	100mm Concrete Sidewalk	CW3235	m2	50		
A.32	100mm Concrete Sidewalk with					
, (.OZ	Reveals for Paving Stone		m2	25		
				20		
A.33	Regrading of Existing Interlocking Paving Stone	CW3335	m2	95		
A.34	Supply and Installation of Lean					
A.34	Concrete Base for Paving Stones	CW3310	m2	95		
	Concrete Dase for 1 aving Stories	0003010	1112	30		
A.35	Asphaltic Concrete Planing	CW3450				
/	a) planing 0-50mm depth	0110100	m2	1500		
				1000		
A.36	Hot Mix Asphaltic Concrete					
	Pavement Type 1A	CW2130				
	a) patching		tonne	175		
	b) overlay		tonne	275		
A.37	Miscellaneous Boulevard Sodding	CW3510	m2	55		
TOTAL	BID PRICE (GST extra) (in figures)					
(in words)						
I						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 12-2009

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 8

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of ______ , 20_____ .

SIGNED AND SEALED in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)		
Per:	(Sea	al)
Per:		
(Name of Surety)		

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 12-2009

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 8

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20____.

(Name of Surety)

_____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 12-2009

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 8

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 26, 2009.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)