Template Version: C420081212 - RW

FORM A: BID (See B7)

1.	Contract Title	Lakewood to Lagimodie	pa/City of Winnipeg Bishop Gre: Part A-Pavement Rehabilion; Part C-Roundabout Cons	itation; Part B-Multi-
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	norizes the following contact of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms uascribed to them in the	sed in the Contract shall General Conditions.	have the meanings
5.	Offer		ers to perform the Work in a kid Price, in Canadian funds, o.	

Template Version: C420081212 - RW 6. **Bid Security** In accordance with B10.1, the Bidder encloses bid security in the form of: a bid bond (Form G1: Bid Bond and Agreement to Bond) (Choose one) an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) a certified cheque or draft and agrees that it shall be held by the City in accordance with the Contract. 7. **Execution of Contract** The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4. The Bidder agrees that no Work shall commence until he is in receipt of 8. Commencement of the Work a letter of intent from the Award Authority authorizing the commencement of the Work. 9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid. 10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: No. Dated

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

have signed this

Template Version: C420081212 - RW

Template Version: C420081212 - RW

2.	Signatures	The Bidder or the Bidder's authorized official or officials
		day of

, 20
Signature of Bidder or Bidder's Authorized Official or Officials
(Print here name and official capacity of individual whose signature appears above)
(Print here name and official capacity of individual whose signature appears above)

SEAL

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
Α	Pavement Rehabilitation - Lakewoo	d Boulevard to	Lagimod	<u>diere</u>		
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R11	m³	50		
A.2	Sub-Grade Compaction	CW 3110-R11	m²	165		
A.3	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - Limestone		tonne	85		
A.4	Supplying and Placing Base Course Material	CW 3110-R11, E11	m³	100		
	ROADWORK - REMOVALS/RENEWALS					
A.5	Slab Replacement	CW 3230-R6				
i)	200 mm Concrete Pavement (Plain- Dowelled)		m²	560		
A.6	Partial Slab Patches	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m²	30		
ii)	200 mm Concrete Pavement (Type B)		m²	1720		
iii)	200 mm Concrete Pavement (Type C)		m²	16		
iv)	200 mm Concrete Pavement (Type D)		m²	76		
A.7	Slab Replacement - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Plain- Dowelled)		m²	185		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.8	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m²	60		
ii)	200 mm Concrete Pavement (Type B)		m²	550		
A.9	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	2615		
A.10	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar	SD-213B, E12	each	3390		
A.11	Miscellaneous Concrete Slab Removal	CW 3235-R7				
i)	Sidewalk		m²	145		
ii)	Monolithic Curb and Sidewalk		m²	300		
A.12	Miscellaneous Concrete Slab Installation	CW 3235-R7				
i)	Sidewalk	SD-228A	m²	90		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	510		
A.13	150 mm Concrete Erosion Pad (Reinforced)	CW 3235-R7, E13	m²	24		
A.14	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Bullnose	SD-227C	m²	8		
A.15	Concrete Curb Removal	CW 3240-R7				
i)	Curb Ramp		m	60		
A.16	Concrete Curb Installation	CW 3240-R7				
i)	Curb Ramp (10mm ht, Monolithic)	SD-229A,B,C	m	90		

	(SEE B8)									
ITEM	/	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
A.17	/1	Concrete Curb Renewal	CW 3240-R7	ONT	Q0/1111111	TRIOL	711100111			
i)		Barrier (100mm ht, Dowelled)	SD-205, SD-206A							
	a)	Less than 3 m	3D-200A	m	15					
	b)	3 m to 30 m		m	20					
	c)	Greater than 30 m		m	40					
ii)		Barrier (100mm ht, Separate)	SD-203A, E14							
	a)	Less than 3 m	L14	m	100					
	b)	3 m to 30 m		m	205					
	c)	Greater than 30 m		m	65					
iii)		Mountable Curb 75mm ht (Separate)	SD-201, E14	m	735					
A.18		Supply and Installation of Dowel Assemblies	CW 3310-R13	m	230					
A.19		Construction of Asphaltic Concrete Overlay	CW 3410-R8							
i)		Main Line Paving								
	a)	Type IA		tonne	4900					
ii)		Tie-ins and Approaches								
	a)	Type IA		tonne	210					
A.20		Planing of Pavement	CW 3450-R5							
i)		0 - 50 mm Depth (Asphalt)		m²	1100					
ii)		50 - 100 mm Depth (Asphalt)		m²	16500					
iii)		0 - 50 mm Depth (Concrete)		m²	300					
A.21		Partial Depth Planing of Existing Joints	E15	m²	60					
A.22		Asphalt Patching of Miscellaneous Concrete	E16	tonne	35					

		(SEE B8) SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
A.23	JOINT AND CRACK SEALING Reflective Crack Maintenance	CW 3250-R7	m	1400		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.24	Remove and Replace Existing Catch Basin	CW 2130-R11				
i)	SD-024		each	1		
A.25	Remove and Replace Existing Catch Pit	CW 2130-R11				
i)	SD-023		each	2		
A.26	Drainage Connection Pipe	CW 2130-R11	m	10		
A.27	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
v)	AP-011 - Mountable Curb and Gutter Inlet		each	1		
A.28	Corrugated Steel Pipe - Supply	CW 3610-R3				
i)	(250mm, 1.6 gauge)		m	15		
A.29	Corrugated Steel Pipe - Install	CW 3610-R3				
i)	(250mm, 1.6 gauge)		m	15		

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	ADJUSTMENTS					
A.30	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
A.31	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	1		
A.32	Lifter Rings	CW 3210-R7				
i)	38mm		each	1		
ii)	51mm		each	1		
iii)	76mm		each	1		
A.33	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	4		
A.34	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	3		
	LANDSCAPING					
A.35	Sodding	CW 3510-R9				
i)	width < 600mm		m²	10		
ii)	width > or = 600mm		m²	550		
A.36	Seeding	CW 3520-R7	m²	865		
Α	Pavement Rehabilitation - Lakewoo	liere	Subtotal:			

		SPEC.		APPROX.	UNIT	
ITEM	M DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
B1	Multi-Use Pathway Construction-	Island Shore to D	e La Sei	gneurie		
	EARTH AND BASE WORKS					
B1.1	Stripping Topsoil	CW 3110-R11, E17	m²	10000		
B1.2	Ditch and Berm Earth Work	CW 3110-R11, E17	m²	10000		
B1.3	Sub-Grade Compaction (Pathway)	CW 3110-R11, E17	m²	2350		
B1.4	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - Limestone		tonne	780		
B1.5	Supplying and Placing Base Course Material	CW 3110-R11, E11	m³	120		
B1.6	Separation Geotextile Fabric	CW 3130-R2	m²	2350		
B1.7	Removal of Trees	E18	each	5		
	ROADWORK - NEW CONSTRUCT	ON				
B1.8	Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)	Main Line Paving					
	a) Type IA		tonne	360		
ii)	Accessible Bench Nodes	E19				
	a) Type IA		tonne	6		
	JOINT AND CRACK SEALING					
B1.9	Reflective Crack Maintenance	CW 3250-R7	m	200		

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B1.10	Corrugated Steel Pipe - Supply	CW 3610-R3				
i)	(250mm, 1.6 gauge)		m	12		
B1.11	Corrugated Steel Pipe - Install	CW 3610-R3				
i)	(250mm, 1.6 gauge)		m	12		
B1.12	"Beehive" Manhole Covers	E20	each	1		
	LANDSCAPING					
B1.13	Sodding	CW 3510-R9, E21				
i)	width < 600mm		m²	250		
ii)	width > or = 600mm		m²	2300		
B1.14	Seeding	CW 3520-R7, E21	m²	5820		
	MISCELLANEOUS					
B1.15	Grouted Stone Riprap	CW 3615-R2	m³	70		
B1	Multi-Use Pathway Construction- Is	land Shore to D	e La Sei	gneurie	Subtotal:	

	Τ	(SEE B8) SPEC.		APPROX.	LINUT	Τ
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
B2	Multi-Use Pathway Construction- D	e La Seigneurie	to Lagir	<u>nodiere</u>		
	EARTH AND BASE WORKS					
B2.1	Stripping Topsoil	CW 3110-R11, E17	m²	12500		
B2.2	Ditch and Berm Earth Work	CW 3110-R11, E17	m²	12500		
B2.3	Sub-Grade Compaction (Pathway)	CW 3110-R11, E17	m²	2600		
B2.4	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - Limestone		tonne	810		
B2.5	Supplying and Placing 6 mm Crushed Limestone Material	E22	m³	4		
B2.6	Supplying and Placing Base Course Material	CW 3110-R11, E11	m³	135		
B2.7	Separation Geotextile Fabric	CW 3130-R2	m²	2600		
B2.8	Removal of Trees	E18	each	4		
	ROADWORK - NEW CONSTRUCTION	DN				
B2.9	Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	360		
ii)	Accessible Bench Nodes	E19				
a)	Type IA		tonne	4		
	JOINT AND CRACK SEALING					
B2.10	Reflective Crack Maintenance	CW 3250-R7	m	200		

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B2.11	Corrugated Steel Pipe - Supply	CW 3610-R3				
i)	(250mm, 1.6 gauge)		m	6		
B2.12	Corrugated Steel Pipe - Install	CW 3610-R3				
i)	(250mm, 1.6 gauge)		m	6		
B2.13	"Beehive" Manhole Covers	E20	each	1		
	LANDSCAPING					
B2.14	Sodding	CW 3510-R9, E21				
i)	width < 600mm	L21	m²	200		
ii)	width > or = 600mm		m²	1600		
B2.15	Seeding	CW 3520-R7, E21	m²	9360		
	MISCELLANEOUS					
B2.16	Grouted Stone Riprap	CW 3615-R2	m³	35		
B2.17	Hydro-Excavation of Utility Lines	E23	hours	2		
B2	Multi-Use Pathway Construction- De	<u>modiere</u>	Subtotal:			

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	Roundabout Construction (Lakewo			QUANTITI	FRICE	AWOONT
		_	-			
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R11	m³	1150		
C.2	Sub-Grade Compaction	CW 3110-R11	m²	2630		
C.3	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - Limestone		tonne	1560		
C.4	Supplying and Placing Base Course Material	CW 3110-R11, E11, E24	m³	320		
C.5	Grading of Boulevards	CW 3110-R11	m²	1125		
C.6	Removal of Existing Concrete Bases	CW 3110-R11				
i)	600mm Diameter or Less		each	2		
C.7	Separation Geotextile Fabric	CW 3130-R2	m²	2160		
C.8	Supply and Install Geogrid	CW 3135	m²	100		
C.9	Removal of Trees	E18	each	4		
	ROADWORK - REMOVALS/RENEWALS					
C.10	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m²	2070		
C.11	Miscellaneous Concrete Slab Removal	CW 3235-R7				
i)	Sidewalk		m²	266		
ii)	Monolithic Curb and Sidewalk		m²	76		
C.12	Supply of Precast Sidewalk Blocks	CW 3235-R7	m²	10		
C.13	Removal of Precast Sidewalk Blocks	CW 3235-R7	m²	50		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - NEW CONSTRUCTION					
C.14	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R13				
i)	Construction of Monolithic Concrete Bull-noses	SD-227C	m²	22		
C.15	Concrete Pavements for Early Opening	CW 3310-R13				
i)	Construction of 200 mm Concrete Pavement for Early Opening 72hr (Plain-Dowelled)		m²	945		
ii)	Construction of 200 mm Concrete Pavement for Early Opening 24hr (Plain-Dowelled)		m²	1020		
C.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R13				
i)	Construction of Barrier (180mm ht, Dowelled)	SD-205	m	60		
ii)	Construction of Barrier (180mm ht, Separate)	SD-203A	m	100		
iii)	Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	45		
iv)	Construction of Modified Barrier (180mm ht, Separate)	SD-203B, Contract	m	205		
v)	Construction of Lip Curb (75mm ht, Integral)	Drawings SD-202A	m	85		
vi)	Construction of Curb Ramp (10mm ht, Monolithic)	SD-229C	m	50		
C.17	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	95		
C.18	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar	SD-213B,	each	20		
C.19	Supply and Installation of Dowel Assemblies	E12 CW 3310-R13	m	590		

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
C.20	100mm Concrete Sidewalk	CW 3325-R3	m²	300		
C.21	Interlocking Paving Stones	CW 3335-R1	m²	430		
C.22	Lean Concrete Base	CW 3335-R1	m²	125		
C.23	Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	165		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.24	Catch Basin	CW 2130-R11				
i)	SD-024		each	2		
C.25	Drainage Connection Pipe	CW 2130-R11	m	25		
C.26	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	4		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
C.27	Connecting to Existing Manhole	CW 2130-R11				
i)	250mm Catch Basin Lead		each	1		
C.28	Connecting to Existing Sewer	CW 2130-R11				
i)	250mm (PVC) of connecting pipe					
a)	Connecting to 300mm (Concrete) Sewer		each	1		
C.29	Removal of Existing Catch Basins	CW 2130-R11	each	2		

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	ADJUSTMENTS	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u> </u>	<u></u>		7
	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6		
C.31	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	0.3		
C.32	Lifter Rings	CW 3210-R7				
i)	51mm		each	3		
C.33	Adjustment of Valve Boxes	CW 3210-R7	each	3		
C.34	Valve Box Extensions	CW 3210-R7	each	1		
C.35	Adjustment of Curb Stop Boxes	CW 3210-R7	each	4		
C.36	Curb Stop Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
C.37	Sodding	CW 3510-R9				
i)	width < 600mm		m²	110		
ii)	width > or = 600mm		m²	1015		
	MISCELLANEOUS					
C.38	Chain Link Fence	CW 3550-R2,				
i)	Salvage 1.22m Height	E25	m	20		
ii)	Reinstall 1.22m Height		m	20		
С	Roundabout Construction (Lakewo	od @ Beaverhill)		Subtotal:	

	1	(OLL BO)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part	Summary					
Α	Pavement Rehabilitation - Lakewood Boulevard to Lagimodiere			<u>liere</u>	Subtotal:	
B1	Multi-Use Pathway Construction- Island Shore to De La Seigneurie Subtotal:					
B2	Multi-Use Pathway Construction- De La Seigneurie to Lagimodiere			<u>modiere</u>	Subtotal:	
С	Roundabout Construction (Lakewood @ Beaverhill)				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						
(in words)						

(Seal)

Template Version: C420081212 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	ГНАТ	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per	and firmly bound unto THE CITY OF WINNIPE cent (10%) of the Total Bid Price set out in the the Principal and Surety bind themselves, their he ntly and severally, firmly by these presents.	Bid hereinafter
WHEREAS the Principal has submitted a B	id to the Obligee for	
BID OPPORTUNITY NO. 136-2009		
	Bishop Grandin E/B-Lakewood to Lagimodiere: P Pathway Construction; Part C-Roundabout Constr	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is no accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect	a Contract with ul performance
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	, ,
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 136-2009 The Province of Manitoba/City of Winnipeg Bishop Grandin E/B-Lakewood to Lagimodiere: Part A-Pavement Rehabilitation; Part B-Multi-Use Pathway Construction; Part C-Roundabout Construction (Lakewood at Beaverhill) in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1	
RE: BID SECURITY – BID OPPORTUNITY NO. 136-2009	
The Province of Manitoba/City of Winnipeg Bishop Grandin E/B-Lakewood to Lagimodiere: Pavement Rehabilitation; Part B-Multi-Use Pathway Construction; Part C-Roundabout Construction (Lakewood at Beaverhill)	Part A-
Pursuant to the request of and for the account of our customer,	
(Name of Bidder)	,
(Address of Bidder) WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exc in the aggregate	eeding
Canadian d	ollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon demand for payment made upon us by you. It is understood that we are obligated under this S Letter of Credit for the payment of monies only and we hereby agree that we shall honour your dem payment without inquiring whether you have a right as between yourself and our customer to mak demand and without recognizing any claim of our customer or objection by the customer to payment	Standby and for te such
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts draw it by you or by formal notice in writing given to us by you if you desire such reduction or are willing the made.	
Partial drawings are permitted.	
We engage with you that all demands for payment made within the terms and currency of this S Letter of Credit will be duly honoured if presented to us at:	tandby
(Address)	
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured	by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 12, 2009

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)		
Per:	(Authorized Circles Office)	
	(Authorized Signing Officer)	
Per:	(Authorized Signing Officer)	