### FORM A: BID (See B8)

1.	Contract Title	2009 WATERMAIN RENE	WALS	
		CONTRACT NO. 5		
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business unde	the above name.	
3.	Contact Person	The Bidder hereby authorithe Bidder for purposes of	zes the following contact per the Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Offer		to perform the Work in according to perform the Work in according to the period of the	

5.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
6.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
7.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
8.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
9.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
10.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

# 11. Signatures The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_\_ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

SEAL

## FORM B: PRICES

# (See B9) 2009 WATERMAIN RENEWALS - CONTRACT NO. 5

A. 1       Watermain Renewal       CW 2110       m       10         a) 200mm       i) trenchless installation, Class B sand bedding, Class 5 backfill       m       110.0         bit renchless installation, Class B sand bedding, Class 5 backfill       m       110.0         b) 150mm       i) trenchless installation, Class B sand bedding, Class 5 backfill       m       200.0         bit renchless installation, Class B sand bedding, Class 5 backfill       m       200.0         a) 3D-007       each       4         A. 2       Hydrant Assembly       CW 2110       a         a) SD-007       each       4         A. 3       Watermain Valve       CW 2110       a         a) 200mm       each       1       each       2         b) 150mm       each       1       each       1         a) 200mm X 200mm X 200mm       each       1       each       1         i) 200mm - 45° bend       each       1       each       1         i) 150mm - 45° bend       each       1       each       1         ii) 150mm - 45° bend       each       1       each       1         c) Reducers       each       1       each       1         i) 19mm       eac	UNIT P	PRICES					
REF.     QUANTITY     PRICE       A. Harold Avenue East - Leola St to President's     C       A. Harold Avenue East - Leola St to President's       Ct       A. 1     Watermain Renewal       a) 200mm     CW 2110       bedding, Class 3 backfill     m       b) If trenchless installation, Class B sand     m       bedding, Class 5 backfill     m       b) 150mm     m       i) Irrenchless installation, Class B sand     m       bedding, Class 5 backfill     m       i) Irrenchless installation, Class B sand     m       bedding, Class 5 backfill     m       a) SD-007     each       A. 3     Watermain Valve       a) 200mm     each       a) SD-007     each       b) 150mm     each       a) 200mm X 200mm X 200mm     each       i) 200mm X 200mm X 200mm     each       i) 200mm X 50mm X 150mm     each       i) 200mm - 45° bend     each       ii) 150mm - 45° bend     each       iii) 150mm - 12.5° bend     each       iii) 150mm - 12.5° bend     each       iii) 200mm     each       ii) 200mm     Existing Copper Water       c) Reducers     i       ii) 100mm     each       ii) 200mm 150mm     each	ITEM	DESCRIPTION		UNIT			AMOUNT
Ct       A. 1       Watermain Renewal       CW 2110       n         a)       200mm       m       15.0         bedding, Class 3 backfill       m       15.0         i) trenchless installation, Class B sand       m       110.0         bedding, Class 5 backfill       m       110.0         i) trenchless installation, Class B sand       m       20.00         bedding, Class 5 backfill       m       200.0         i) trenchless installation, Class B sand       m       200.0         bedding, Class 5 backfill       m       200.0         ii) trenchless installation, Class B sand       m       200.0         a) 200m       each       4         A. 2       Hydrant Assembly       CW 2110       a         a) 200mm       each       4         A. 3       Watermain Valve       CW 2110       a         a) Tees       i       i       i       i         i) 200mm X 200mm X 200mm       each       4       i         i) 150mm - 45° bend       each       1       each       1         ii) 150mm - 11.25° bend       each       1       each       1         c) Reducers       i       each       1       ea			REF.	••••	QUANTITY	PRICE	
a) 200mm i) trenchless installation, Class B sand bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill i) trenchless installation, Class B sand bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill A. 2 Hydrant Assembly a) SD-007 (a) SD-007 (b) 150mm A. 2 Hydrant Assembly b) 150mm i) trenchless installation, Class B sand bedding, Class 5 backfill A. 3 Watermain Valve CW 2110 a) 200mm 200mm i) 200mm X 200mm i) 200mm X 200mm X 150mm ii) 150mm - 45° bend ii) 150mm - 45° bend ii) 150mm - 11.25° bend c) 200mm Th 22.5° bend ii) 150mm - 11.25° bend c) Reducers a) 19mm A. 5 Corporation Stops a) 19mm A. 6 Connecting texisting Copper Water Services to New Watermains a) 19mm A. 6 Connection Statisting Copper Water Services to New Watermains a) 19mm A. 6 Connecting Statisting Copper Water Services to New Watermains a) 19mm A. 6 Connecting Statisting Copper Water Services to New Watermains a) 19mm A. 6 On Metallic Watermains b) 19 Comm cach 27 A. 8 10.9 Kilogram Sacrificial Zinc Anodes CW 2110 b) CW 2110 cach 27 A. 9 Conturbuty Bonding CW 2110 b) CW 2110 cach 27 A. 10 Partial Slab Patches E4	A. Har Ct	old Avenue East - Leola St to President's					
i)trenchless installation, Class B sand bedding, Class 3 backfillm15.0ii)trenchless installation, Class B sand bedding, Class 5 backfillm110.0i)trenchless installation, Class B sand bedding, Class 3 backfillm25.0ii)trenchless installation, Class B sand bedding, Class 5 backfillm200.0ii)trenchless installation, Class B sand bedding, Class 5 backfillm200.0A. 2Hydrant AssemblyCW 2110each4A. 3Watermain ValveCW 2110each4a)SD-007each44A. 4FittingsCW 2110each4a)Teeseach11i)200mm X 200mm X 200mmeach1ii)150mm X 150mm X 150mmeach1j)200mr - 45° bendeach1iii)150mm - 22.5° bendeach1iv)150mm - 11.25° bendeach1iv)150mm 11.25° bendeach1ii)200mr-150mmeach1A. 5Corporation Stopseach1a)19mmeach21ii)150mmeach2ii)200mreach2ii)150mmeach2ii)150mmeach1cReducersiiiiiiiiiiia)19mmeach2iii)150mmeach2iii)	A. 1	Watermain Renewal	CW 2110				
bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill i) trenchless installation, Class B sand bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill A. 2 Hydrant Assembly CW 2110 a) SD-007 A. 3 Watermain Valve CW 2110 a) SD-007 A. 4 Fittings CW 2110 a) Tees i) 200mm X 200mm Liftings CW 2110 a) Tees i) 200mm X 200mm Liftings CW 2110 cw 210 c	a)	200mm					
i) trenchless installation, Class B sand bedding, Class 5 backfill i) trenchless installation, Class B sand bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill iii) trenchless installation, Class B sand bedding, Class 5 backfill class 5 backfill iii) toom a) SD-007 A. 4 Fittings CW 2110 a) Tees b) 150mm X 200mm X 200mm iii) 150mm X 150mm bends (SD-004) i) 200mm X 150mm X 150mm b) Bends (SD-004) i) 200mm - 45' bend iii) 150mm - 45' bend iii) 150mm - 45' bend clarge Diameter Water Services a) 19mm A. 5 Corporation Stops a) 19mm A. 5 Corporation Stops a) 19mm A. 5 Corporation Stops a) 19mm A. 5 Corporation Stops a) 19mm A. 6 Connecting te Existing Watermains and Large Diameter Water Services a) 1150mm iii) 50mm A. 5 Connecting te Existing Copper Water Services to New Watermains a) 19mm A. 6 10.9 Kilogram Sacrificial Zinc Anodes a) 19mm A. 7 Connecting Existing Copper Water Services to New Watermains a) 19mm A. 8 10.9 Kilogram Sacrificial Zinc Anodes b) Final Slab Patches CW 2110 class A. 7 CW 2110 class A. 7 CW 2110 class A. 7 Connecting te Xisting Copper Water Services to New Watermains a) 19mm CW 2110 class A. 7 CW 2110 class	i)			m	15.0		
b) 150mm i) trenchless installation, Class B sand bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill iii) tawa 10 200mm 4102 b) 150mm X 150mm X 150mm ii) 150mm - 45° bend iii) 150mm - 45° bend iii) 150mm - 45° bend iii) 150mm - 11.25° bend c) Reducers i) 200mm 11.25° bend c) Reducers i) 200mm 11.25° bend c) Reducers i) 200mm 11.25° bend c) Reducers i) 200mm - 11.25° bend c) Reducers j) Reducers j) Reducers j) Reducers j) Reducers j) Reducers j) Reducers j) Reducers j) Reducers	ii)	trenchless installation, Class B sand		m	110.0		
bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill A. 2 Hydrant Assembly a) SD-007 b) SD-007 CW 2110 c 200mm b) SD-007 c 200mm b) SD-007 c 200mm b) SD-007 c 200mm c b) 150mm CW 2110 c c CW 2110 c c c CW 2110 c c c c c c c c c c c c c	b)						
ii)trenchless installation, Class B sand bedding, Class 5 backfillm200.0a)SD-007each4A. 3Watermain ValveCW 2110each2b)150mmCW 2110each2b)150mmCW 2110each4a)TeesCW 2110each4i)200mm X 200mm X 200mmeach1eacha)TeesCW 2110each2b)Bends (SD-004)each1eachi)200mm - 45° bendeach44ii)150mm - 45° bendeach4ii)150mm - 45° bendeach1c)Reducerseach1i)200mm - 45° bendeach1c)Reducerseach1i)200mm - 150mmeach1c)Reducerseach1i)200mm - 150mmeach1A. 5Corporation Stopseach2a)Inline Connecting to Existing Watermains and Large Diameter Water ServicesCW 2110eachi)150mmeach2each2i)150mmeach2ii)200mmfor the servicesiia)1nline Connection - No Plug Existing Services to New Watermainseach2a)150mmeach2ii)200mmieach2ii)150mmeach<	i)			m	25.0		
A. 2Hydran't Assembly a)CW 2110 eacheach4a)SD-007each4A. 3Watermain ValveCW 2110each2a)200mmeach4b)150mmeach4A. 4FittingsCW 2110each1a)TeesCW 2110each1a)Teeseach11ii)150mm X 150mm X 150mmeach2b)Bends (SD-004)each4ii)150mm - 45° bendeach4iii)150mm - 45° bendeach1iii)150mm - 45° bendeach1iii)150mm - 45° bendeach1iii)150mm - 45° bendeach1iii)150mm - 11.25° bendeach1iii)200mm-150mmeach1iii)200mm-150mmeach1iii)200mm-150mmeach1iii)200mmeach2iii)200mmeach2iii)200mmeach2iii)200mmeach2iii)150mmeach2iii)200mmeach2iii)150mmeach2iii)150mmeach2iii)150mmeach2iii)150mmeach2iii)150mmeach2iii)150mmeach2 </td <td>ii)</td> <td>trenchless installation, Class B sand</td> <td></td> <td>m</td> <td>200.0</td> <td></td> <td></td>	ii)	trenchless installation, Class B sand		m	200.0		
a)SD-007each4A. 3Watermain ValveCW 2110each2a)200mmeach2each4A. 4FittingsCW 2110each4a)TeescW 2110each4i)200mm X 200mm X 200mmeach1ii)150mm X 150mm X 150mmeach2b)Bends (SD-004)each4ii)150mm 45° bendeach4iii)150mm - 45° bendeach1iii)150mm - 22.5° bendeach1c)Reducerseach1i)200mm-150mmeach1A. 5Corporation Stopseach1a)19mmeach2A. 6Connecting to Existing Watermains and Large Diameter Water ServicesCW 2110eacha)150mmeach2A. 7Connecting Existing Copper Water Services to New WatermainsCW 2110eacha)19mmeach2A. 810.9 Kilogram Sacrificial Zinc AnodesCW 2110eacha)0 M Metallic Watermainseach4A. 9Continutity BondingCW 2110eacha)Partial Slab PatchesE4each4	A. 2		CW 2110				
A. 3Watermain ValveCW 2110each2a)200mmeach2each4A. 4FittingsCW 2110each4a)TeesCW 2110each1i)200mm X 200mm X 200mmeach2b)Bends (SD-004)each2i)200mm - 45° bendeach4iii)150mm - 45° bendeach4iii)150mm - 45° bendeach1iii)150mm - 11.25° bendeach1c)Reducerseach1i)200mm-150mmeach1A. 5Corporation Stopseach1a)19mmeach2i)200mmExisting Watermains and Large Diameter Water ServicesCW 2110a)150mmeach2a)10mmeach2a)10mmeach2a)19mmeach2a)19mmeach2a)19mmeach2a)19mmeach2a)19mmeach2a)19mmeach27A. 7Connecting Existing Copper Water Services to New Watermains a)19meacha)0.0Metallic Watermains Aeach4a)0.0Metallic Watermains Aeach4a)0.0Metallic Watermains Aeach4a)0.0Metalli			0	each	4		
a)200mmeach2b)150mmFetseach4a)Teeseach1i)200mm X 200mm X 200mmeach1ii)150mm X 150mm X 150mmeach2b)Bends (SD-004)each4ii)150mm - 45° bendeach4iii)150mm - 45° bendeach4iii)150mm - 22.5° bendeach1iii)150mm - 11.25° bendeach1c)Reducerseach1i)200mm-150mmeach1A. 5Corporation Stopseach2a)19mmeach27A. 6Connecting to Existing Watermains and Large Diameter Water ServicesCW 2110i)200mmeach2ii)150mmeach2A. 7Connecting Existing Copper Water Services to New WatermainsCW 2110eacha)19mmeach2a)19mmeach2a)19mmeach2A. 7Connecting Existing Copper Water Services to New Watermains a)CW 2110eacha)0.0Ketalli Zinc AnodesCW 2110eacha)0.0Metallic Watermains a)each4a)0.0Metallic Watermains a)each4a)0.0Metallic Watermains a)each4a)0.0Metallic Watermains a)each4	,		CW 2110	odon	·		
b)150mmeach4A. 4FittingsCW 2110-a)Teesi)200mm X 200mm X 200mmeach1ii)150mm X 150mm X 150mmeach2b)Bends (SD-004)each4ii)150mm - 45° bendeach4iii)150mm - 22.5° bendeach1iii)150mm - 11.25° bendeach1c)Reducersi)200mm - 150mmeach1A. 5Corporation Stopsa)19mmeach2i)200mmExisting Watermains and Large Diameter Water ServicesCW 2110-a)10mmeach2ii)200mmeach2a)10mmeach2ii)150mmeach2iii)150mmeach2ii)150mmeach2ii)200mmeach2iii)150mmeach2iii)150mmeach2iii)150mmeach2iii)10mmeach2iii)10iiiieach2iiii10.9 Kilogram Sacrificial Zinc AnodesCW 2110each4iiii9On Metallic Watermainseach4iiii10.9 Kilogram Sacrificial Zinc AnodesE4iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii			0112110	each	2		
A. 4 Fittings a) Tees i) 200mm X 200mm X 200mm ii) 150mm X 150mm X 150mm b) Bends (SD-004) i) 200mm - 45° bend ii) 150mm - 45° bend iii) 150mm - 45° bend iii) 150mm - 45° bend iii) 150mm - 11.25° bend c) Reducers i) 200mm-150mm A. 5 Corporation Stops a) 19mm A. 5 Corporation Stops a) 19mm A. 5 Corporation Stops a) 19mm i) 200mm i) 200m	,						
a) TeesCN 2.10i) 200mm X 200mm X 200mmeach1ii) 150mm X 150mm X 150mmeach2b) Bends (SD-004)each4ii) 150mm - 45° bendeach4iii) 150mm - 45° bendeach4iii) 150mm - 11.25° bendeach1c) Reducerseach1j) 200mm - 150mmeach1A. 5Corporation Stopseach1a) 19mmeach27A. 6Connecting to Existing Watermains and Large Diameter Water ServicesCW 2110eachi) 200mmeach2ii) 150mmeach2a) 19mmeach2A. 7Connecting Existing Copper Water Services to New WatermainsCW 2110 each2a) 19mmeach2a) 19mmeach2A. 810.9 Kilogram Sacrificial Zinc Anodes a) On Metallic WatermainsCW 2110 each2A. 9Continutity BondingCW 2110 each2A. 10Partial Slab PatchesE4	,		CW/ 2110	Cacil	-		
i)200mm X 200mm X 200mmeach1ii)150mm X 150mm X 150mmeach2b)Bends (SD-004)each4ii)200mm - 45° bendeach4iii)150mm - 45° bendeach4iii)150mm - 22.5° bendeach1iv)150mm - 11.25° bendeach1c)Reducerseach1j)200mm 150mmeach1A. 5Corporation Stopseach2a)19mmeach2i)200mmeach27A. 6Connecting to Existing Watermains and Large Diameter Water Services a)CW 2110eachii)150mmeach2ii)200mmeach2ii)150mmeach2A. 7Connecting Existing Copper Water Services to New Watermains a)CW 2110eacha)19mmeach27A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110each4A. 9Continuity BondingCW 2110each4A. 9Continuity BondingCW 2110each4A. 10Partial Slab PatchesE4ii			0112110				
ii)150mm X 150mm X 150mmeach2b)Bends (SD-004)each4ii)150mm - 45° bendeach4iii)150mm - 45° bendeach4iii)150mm - 22.5° bendeach1iv)150mm - 11.25° bendeach1c)Reducerseach1i)200mm-150mmeach1A. 5Corporation Stopseach2a)19mmeach2i)200mmeach2ii)200mmeach2ii)150mmeach2A. 6Connecting to Existing Watermains and Large Diameter Water ServicesCW 2110eacha)Inline Connection - No Plug Existingeach2ii)150mmeach2A. 7Connecting Existing Copper Water Services to New Watermains a)CW 2110eacha)19mmeach27A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110each4A. 9Continutity BondingCW 2110each4A. 9Continutity BondingCW 2110each4A. 9Continutity BondingCW 2110each4A. 10Partial Slab PatchesE4iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	,			each	1		
b) Bends (SD-004) i) 200mm - 45° bend ii) 150mm - 45° bend iii) 150mm - 45° bend iii) 150mm - 22.5° bend c) Reducers i) 200mm - 11.25° bend c) Reducers i) 200mm - 150mm A. 5 Corporation Stops a) 19mm A. 5 Corporation Stops a) 19mm A. 6 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 200mm ii) 150mm A. 7 Connecting Existing Copper Water Services to New Watermains a) 19mm A. 7 Connecting Existing Copper Water Services to New Watermains a) 19mm A. 8 10.9 Kilogram Sacrificial Zinc Anodes a) On Metallic Watermains b) Substitute Termines c) CW 2110 c) CW 210 c) CW 2110 c) CW 210 c) CW 21	,						
i)200mm - 45° bendeach4ii)150mm - 45° bendeach4iii)150mm - 22.5° bendeach1iv)150mm - 11.25° bendeach1c)Reducerseach1i)200mm-150mmeach1A. 5Corporation Stopseach1a)19mmeach27A. 6Connecting to Existing Watermains and Large Diameter Water ServicesCW 2110eacha)Inline Connection - No Plug Existingeach2ii)150mmeach2A. 7Connecting Existing Copper Water Services to New WatermainsCW 2110eacha)19mmeach2A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110each4A. 9Continuity BondingCW 2110each27A. 10Partial Slab PatchesE4iii)iiii	,			each	2		
ii)150mm - 45° bendeach4iii)150mm - 22.5° bendeach1iv)150mm - 11.25° bendeach1c)Reducerseach1i)200mm-150mmeach1A. 5Corporation Stopseach27a)19mmeach27A. 6Connecting to Existing Watermains and Large Diameter Water ServicesCW 2110eachi)200mmeach2ii)150mmeach2ii)150mmeach2A. 7Connecting Existing Copper Water Services to New Watermains a)CW 2110eacha)19mmeach2A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110each4A. 9Continutity BondingCW 2110each4A. 9Partial Slab PatchesE44				aaab	4		
iii)150mm - 22.5° bendeach1iv)150mm - 11.25° bendeach1c)Reducerseach1i)200mm - 150mmeach1A. 5Corporation Stopseach2a)19mmeach27A. 6Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug ExistingCW 2110Image: Connecting Existing Copper Water Services to New Watermains a)i)150mmeach2A. 7Connecting Existing Copper Water Services to New Watermains a)CW 2110Image: CW 2110a)19mmeach2A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110Image: CW 2110a)On Metallic Watermains Services to New Watermains Services to New Watermains ACW 2110Image: CW 2110a)0n Metallic Watermains AEach27A. 810.9 Kilogram Sacrificial Zinc Anodes ACW 2110Image: CW 2110a)0n Metallic Watermains AEach27A. 10Partial Slab PatchesE4Image: CW 2110	,						
iv150mm - 11.25° bendeach1c)Reducers200mm-150mmeach1i)200mm-150mmeach1A. 5Corporation Stopseach27a)19mmeach27A. 6Connecting to Existing Watermains and Large Diameter Water ServicesCW 2110eacha)Inline Connection - No Plug Existingeach2ii)200mmeach2iii)150mmeach2A. 7Connecting Existing Copper Water Services to New Watermains a)CW 2110eacha)19mmeach2A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110each4A. 9Continutity BondingCW 2110each4A. 9Continutity BondingCW 2110each27	,						
c)Reducersi)200mm-150mmA. 5Corporation Stopsa)19mmA. 6Connecting to Existing Watermains and Large Diameter Water Servicesa)Inline Connection - No Plug Existingi)200mmii)200mmiii)150mmceach200mmeachiii)150mma)19mma)19mmiii)150mma)19mma)19mma)19mma)19mma)19mma)19mma)19mma)19mmb)CW 2110a)19mmb)Eacha)19mmb)CW 2110c27 <td< td=""><td>,</td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	,						
i)200mm-150mmA. 5Corporation Stops a)each1a)19mmeach27A. 6Connecting to Existing Watermains and Large Diameter Water Services a)CW 2110each27a)Inline Connection - No Plug Existingeach2ii)200mmeach2iii)150mmeach2A. 7Connecting Existing Copper Water Services to New Watermains a)CW 2110each2A. 7Connecting Existing Copper Water Services to New Watermains a)CW 2110each27A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110each4A. 9Continuity BondingCW 2110each27A. 10Partial Slab PatchesE4iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	,			each	I		
A. 5Corporation Stops a)each27a)19mmEach27A. 6Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug ExistingCW 2110eacha)200mmeach2ii)200mmeach2iii)150mmeach2A. 7Connecting Existing Copper Water Services to New Watermains a)CW 2110each2A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110each4A. 9Continuity BondingCW 2110each4A. 10Partial Slab PatchesE41	,			aaah	4		
a)19mmeach27A. 6Connecting to Existing Watermains and Large Diameter Water Services a)CW 2110aii)200mmeach2iii)200mmeach2iii)150mmeach2A. 7Connecting Existing Copper Water Services to New Watermains a)CW 2110each2A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110each4A. 9Continutity BondingCW 2110each4	,			each	1		
A. 6Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing i) 200mmCW 2110each2a)200mmeach2ii)200mmeach2A. 7Connecting Existing Copper Water Services to New Watermains a)CW 2110each2A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110each4A. 9Continutity BondingCW 2110each27A. 10Partial Slab PatchesE4Image: CW 2110Image: CW 2110					07		
Large Diameter Water Services Inline Connection - No Plug Existingeach2i)200mmeach2ii)150mmeach2A. 7Connecting Existing Copper Water Services to New Watermains a)CW 2110-A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110-a)On Metallic Watermains eacheach4A. 9Continutity BondingCW 2110eachA. 10Partial Slab PatchesE4-	,		014/04/40	each	27		
ii)150mmeach2A. 7Connecting Existing Copper Water Services to New Watermains a)CW 2110each27A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110each27A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110each4A. 9Continutity BondingCW 2110each27A. 10Partial Slab PatchesE4Image: Continutity BondingImage: Continutity Bonding		Large Diameter Water Services	CW 2110				
ii)150mmeach2A. 7Connecting Existing Copper Water Services to New Watermains a)CW 2110each27A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110each27A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110each4A. 9Continutity BondingCW 2110each27A. 10Partial Slab PatchesE4Image: Continutity BondingImage: Continutity Bonding	í)	200mm		each	2		
A. 7Connecting Existing Copper Water Services to New Watermains a)CW 2110 eacheach 27A. 810.9 Kilogram Sacrificial Zinc Anodes on Metallic WatermainsCW 2110 eacheach 4A. 9Continutity Bonding Partial Slab PatchesCW 2110 E4each	,						
a)19mmeach27A. 810.9 Kilogram Sacrificial Zinc Anodes a)CW 2110each4A. 9On Metallic WatermainsCW 2110each27A. 9Continutity BondingCW 2110each27A. 10Partial Slab PatchesE4Image: Continutity BondingImage: Continue Back27	A. 7	Connecting Existing Copper Water	CW 2110				
a)On Metallic Watermainseach4A. 9Continuity BondingCW 2110each27A. 10Partial Slab PatchesE4	a)			each	27		
a)On Metallic Watermainseach4A. 9Continuity BondingCW 2110each27A. 10Partial Slab PatchesE4	A. 8	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
A. 10 Partial Slab Patches E4	a)	On Metallic Watermains		each	4		
A. 10 Partial Slab Patches E4	A. 9	Continutity Bonding	CW 2110	each	27		
	A. 10		E4				
	a)	150mm reinforced concrete pavement		m²	15.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
A. 11	Miscellaneous Concrete Slab Renewal	CW 3235						
a)	Sidewalk (SD-228A)							
i)	Less than 5m <sup>2</sup>		m²	65.0				
A. 12	Concrete Curb Renewal	CW 3240						
a)	Lip curb (SD-202A)							
i)	Less than 3 m		m	25.0				
b)	Modified Barrier Curb (SD-203B)							
i)	Less than 3 m		m	10.0				
c)	Ramp curb							
i)	Less than 3 m		m	10.0				
	Part A - Subtotal							

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
B. President's Court - Harold Ave E to N. Leg of President's Ct									
B. 1	Watermain Renewal	CW 2110							
a)	150mm								
i)	trenchless installation, Class B sand		m	50.0					
ii)	bedding, Class 3 backfill trenchless installation, Class B sand		m	115.0					
B. 2	bedding, Class 5 backfill Hydrant Assembly	CW 2110							
	SD-007	0112110	each	2					
ш, В. З	Watermain Valve	CW 2110	ouon	_					
a)	150mm		each	1					
В. 4	Fittings	CW 2110							
a)	Bends (SD-004)								
i)	150mm - 45° bend		each	2					
B. 5	Corporation Stops								
a)	19mm		each	19					
B. 6	Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing	CW 2110							
	150mm		each	1					
", B. 7	Connecting Existing Copper Water	CW 2110	each	I					
	Services to New Watermains	0							
a)	19mm		each	19					
B. 8	Continutity Bonding	CW 2110	each	19					
B. 9	Partial Slab Patches	E4							
a)	150mm reinforced concrete pavement		m <sup>2</sup>	15.0					
	Miscellaneous Concrete Slab Renewal	CW 3235							
a)	Sidewalk (SD-228A)		0						
,	Less than 5m <sup>2</sup>	014/00/40	m²	15.0					
B. 11	Concrete Curb Renewal	CW 3240							
a)	Lip curb (SD-202A) Less than 3 m		m	20.0					
	Modified Barrier Curb (SD-203B)		m	20.0					
	Less than 3 m		m	10.0					
,	Ramp curb			10.0					
	Less than 3 m		m	10.0					
					3 Sub-total				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.		QUANTITY	PRICE	
0 0	h Olassi Tasat Ave ta Okalasa Ave					
C. ROC	h Street - Trent Ave to Chelsea Ave			<u> </u>		
C. 1	Watermain Renewal	CW 2110				
	250mm	0002110				
	trenchless installation, Class B sand		m	265.0		
''	bedding, Class 3 backfill			200.0		
ii)	trenchless installation, Class B sand		m	155.0		
	bedding, Class 5 backfill					
,	150mm			05.0		
I)	trenchless installation, Class B sand bedding, Class 3 backfill		m	85.0		
ii)	trenchless installation, Class B sand		m	35.0		
,	bedding, Class 5 backfill					
C. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	5		
C. 3	Watermain Valve	CW 2110				
a)	250mm		each	5		
b)	150mm		each	7		
C. 4	Fittings	CW 2110				
a)	Tees					
i)	200mm X 150mm X 200mm		each	1		
ii)	150mm X 150mm X 150mm		each	1		
b)	Bends (SD-004)					
i)	250mm - 45° bend		each	4		
ii)	150mm - 45° bend		each	14		
iii)	150mm - 22.5° bend		each	1		
c)	Crosses					
i)	250mmX250mmX150mmX150mm		each	3		
d)	Reducers					
i)	250mm - 150mm		each	1		
C. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand		m	55		
<b>•</b> •	bedding, Class 3 backfill	014/04/40				
C. 6	Corporation Stops	CW 2110				
a)	19mm		each	13		
b)	50mm	01410440	each	1		
C. 7	Curb Stops	CW 2110	6 7 - I-			
a)	19mm	01410440	each	6		
C. 8	Curb Stop Boxes	CW 2110	a			
a)	19mm		each	6		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 9	Connecting to Existing Watermains and	CW 2110				
2)	Large Diameter Water Services Inline Connection - No Plug Existing					
-	250mm		each	1		
,	150mm		each	7		
b)	Perpendicular Connection		each	<i>'</i>		
,	150mm		each	1		
C. 10	Connecting Existing Copper Water	CW 2110	caon			
0.10	Services to New Watermains	0112110				
a)	19mm		each	7		
b)	50mm		each	1		
C. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	8		
C. 12	Continutity Bonding	CW 2110	each	14		
C. 13	Maintaining Curb Stop Excavations	CW 2110	each /	5		
0 44		<b>F</b> 4	day			
-	Partial Slab Patches	E4	2	20.0		
a)	150mm reinforced concrete pavement Miscellaneous Concrete Slab Renewal	CW 3235	m²	20.0		
	Sidewalk (SD-228A)	CVV 3235				
a)	Less than 5m <sup>2</sup>		2	30.0		
,	5 sq. m to 20 sq. m		m² m²	10.0		
	Concrete Curb Renewal	CW 3240	m	10.0		
a)	Lip curb (SD-202A)	010 3240				
· ·	Less than 3 m		m	10.0		
,	Modified Barrier Curb (SD-203B)			10.0		
· ·	Less than 3 m		m	20.0		
	Ramp curb					
	Less than 3 m		m	10.0		
C. 17	Construction of Asphaltic Concrete	CW 3410	tonne	5.0		
	Overlays Type 1A					
	1	1		Part (	C Sub-total	

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	1					
D. Wat	t Street - Bronx Ave to Kimberley Ave					
D. 1	Watermain Renewal	CW 2110				
	250mm	0002110				
,	trenchless installation, Class B sand		m	35.0		
''	bedding, Class 3 backfill			33.0		
b)	200mm					
i)	trenchless installation, Class B sand		m	105.0		
	bedding, Class 3 backfill					
,	150mm					
i)	trenchless installation, Class B sand		m	5.0		
D. 2	bedding, Class 3 backfill Hydrant Assembly	CW 2110				
	SD-007	CW 2110	each	2		
a) D. 3	Watermain Valve	CW 2110	each	2		
D. 3 a)	250mm	CW 2110	each	2		
,	200mm		each	2		
D. 4	Fittings	CW 2110	Cach	2		
a)	Tees	0112110				
,	200mm X 150mm X 200mm		each	1		
,	Bends (SD-004)		Caon			
	250mm - 45° bend		each	4		
,	200mm - 45° bend		each	2		
· ·	Crosses		ouon	-		
,	250mmX250mmX200mmX200mm		each	1		
D. 5	Corporation Stops	CW 2110	00.011			
a)	19mm		each	1		
b)	25mm		each	2		
c)	50mm		each	2		
D. 6	Connecting to Existing Watermains and	CW 2110				
	Large Diameter Water Services					
a)	Inline Connection - No Plug Existing					
· ·	250mm		each	2		
· ·	200mm		each	2		
	Perpendicular Connection					
i)	150mm		each	1		
D. 7	Connecting Existing Copper Water	CW 2110				
	Services to New Watermains		aaab			
a)	19mm		each	1		
b)	25mm		each	2 2		
c)	50mm	CW 2110	each	2		
D. 8	10.9 Kilogram Sacrificial Zinc Anodes	0002110	aaab	2		
a)	On Metallic Watermains		each	3		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
D. 9	Continutity Bonding	CW 2110	each	5				
D. 10	Maintaining Curb Stop Excavations	CW 2110	each /	1				
			day					
D. 11	Partial Slab Patches	E4						
a)	150mm reinforced concrete pavement		m <sup>2</sup>	20.0				
b)	200mm reinforced concrete pavement		m <sup>2</sup>	20.0				
D. 12	Miscellaneous Concrete Slab Renewal	CW 3235						
a)	Sidewalk (SD-228A)							
i)	Less than 5m <sup>2</sup>		m²	20.0				
D. 13	Concrete Curb Renewal	CW 3240						
a)	Lip curb (SD-202A)							
i)	Less than 3 m		m	20.0				
b)	Modified Barrier Curb (SD-203B)							
i)	Less than 3 m		m	10.0				
c)	Ramp curb							
i)	Less than 3 m		m	10.0				
D. 14	Construction of Asphaltic Concrete	CW 3410	tonne	5.0				
	Overlays Type 1A							
	Part D - Subtotal							

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.		QUANTITY	PRICE	
E. Yal	e Avenue East - Day St to Kanata St					
E. 1	Watermain Renewal	CW 2110				
a)	300mm					
i) b)	trenchless installation, Class B sand bedding, Class 3 backfill 150mm		m	40.0		
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	60.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	125.0		
E. 2	Hydrant Assembly	CW 2110				
,	SD-007		each	3		
E. 3	Watermain Valve	CW 2110				
a)	300mm		each	1		
b)	150mm		each	5		
E. 4	Fittings	CW 2110				
a)	Tees					
i)	150mm X 150mm X 150mm		each	2		
b)	Bends (SD-004)					
i)	300mm - 45° bend		each	4		
ii)	150mm - 45° bend		each	4		
iii)	150mm - 22.5° bend		each	1		
iv)	150mm - 11.25° bend		each	1		
c)	Bends (SD-005)					
i)	150mm - 45° bend		each	4		
d)	Crosses					
i)	300mmX300mmX150mmX150mm		each	1		
ii)	200mmX200mmX150mmX150mm		each	1		
E. 5	Water Services	CW 2110				
a)	150mm					
	trenchless installation, Class B sand bedding, Class 3 backfill		m	35		
	19mm					
	trenchless installation, Class B sand bedding, Class 3 backfill		m	35		
E. 6	Corporation Stops	CW 2110				
a)	19mm		each	9		
b)	25mm		each	1		
E. 7	Curb Stops	CW 2110				
a)	19mm		each	2		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	2		
E. 9 a)	Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing	CW 2110				
,	300mm		each	2		
,	150mm		each	4		
,	Watermain Insulation	CW 2110				
a)	In a trench (SD - 018)					
-	100mm		m	4.0		
E. 11	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	9		
b)	25mm		each	1		
E. 12	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	3		
E. 13	Continutity Bonding	CW 2110	each	10		
E. 14	Maintaining Curb Stop Excavations	CW 2110	each / day	1		
E. 15	Partial Slab Patches	E4				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	30.0		
E. 16 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235				
i)	Less than 5m <sup>2</sup>		m <sup>2</sup>	15.0		
E. 17 a)	Concrete Curb Renewal Lip curb (SD-202A)	CW 3240				
i) b)	Less than 3 m Modified Barrier Curb (SD-203B)		m	10.0		
i)	Less than 3 m		m	30.0		
c)	Ramp curb					
i)	Less than 3 m		m	10.0		
E. 18	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
	·	•		Part E	E - Subtotal	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. Kan Ave Ea	ata Street - Yale Ave East to Ravelston					
F. 1	Watermain Renewal	CW 2110				
,	200mm					
i)	trenchless installation, Class B sand		m	90.0		
F. 2	bedding, Class 3 backfill Watermain Valve	CW 2110				
a)	200mm	0002110	each	1.0		
а) F. 3	Fittings	CW 2110	each	1.0		
	Bends (SD-004)	0002110				
	200mm - 45° bend		each	2.0		
F. 4	Corporation Stops	CW 2110	each	2.0		
a)	19mm	0002110	each	5		
а) F. 5	Connecting to Existing Watermains and	CW 2110	each	5		
. 0	Large Diameter Water Services	0002110				
a)	Inline Connection - No Plug Existing					
i)	200mm		each	2.0		
F. 6	Connecting Existing Copper Water	CW 2110				
	Services to New Watermains					
a)	19mm		each	5.0		
F. 7	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1		
F. 8	Continutity Bonding	CW 2110	each	5		
F. 9	Maintaining Curb Stop Excavations	CW 2110	each /	1		
F. 10	Partial Slab Patches	E4	day			
	150mm reinforced concrete pavement	⊑4	2	20.0		
a) F. 11	Miscellaneous Concrete Slab Renewal	CW 3235	m²	20.0		
	Sidewalk (SD-228A)	000 3233				
	Less than 5m <sup>2</sup>		m <sup>2</sup>	10.0		
,	Concrete Curb Renewal	CW 3240	m	10.0		
	Lip curb (SD-202A)	011 3240				
	Less than 3 m		m	15.0		
	Modified Barrier Curb (SD-203B)			10.0		
	Less than 3 m		m	15.0		
,	Ramp curb			10.0		
	Less than 3 m		m	10.0		
,	Construction of Asphaltic Concrete	CW 3410	tonne	3.0		
	Overlays Type 1A	0.1.0110		0.0		
				Dort C	- Subtotal	
				Part F	- Subtotal	

# FORM B: PRICES

#### (See B9) 2009 WATERMAIN RENEWALS - CONTRACT NO. 5

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
G. Rav Kanata	velston Ave East - Between Day St. and					
	New Hydrant Assembly on Existing	CW 2110		г		
0. 1	Watermain	0112110				
a)	SD-007		each	1		
G. 2	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)		2	5.0		
I)	Less than 5m <sup>2</sup>		m²	5.0		
				Part G	- Subtotal	
	visional Items		-			
H. 1	Cement Stabilized Fill	CW 2030	m <sup>3</sup>	10.0		
H. 2	Regrading Existing Sewer Service – Up to	CW 2130				
a)	1.5 Metres Long 100mm - Class 3 Backfill		each	1.0		
a) b)	150mm - Class 3 Backfill		each	1.0		
c)	250mm - Class 3 Backfill		each	1.0		
-с, Н. З	Drainage Connection Pipe		each	1.0		
i. 5 a)	250mm	CW 2130	m	3.0		
а) Н. 4	Remove and Replace Exisiting Catch Basin		each	1.0		
1. 4	(SD-024)	010 2130	each	1.0		
H. 5	Remove and Replace Exisiting Catch Pit	CW 2130	each	1.0		
	(SD-023)					
H. 6	Sewer Inspection	CW 2145				
a)	250mm to 900mm		m	50.0		
H. 7	Regrading Existing Interlocking Paving	CW 3330	m²	20.0		
H. 8	Stone Installations Sodding	CW 3510	m²	50.0		
1. 0	Codding	0110				
				Part H	- Subtotal	
ΓΟΤΔΙ	BID PRICE (GST extra)	(in figures)\$				
		(in lightes)¢				
in wor	rds)					

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 311-2009

#### 2009 WATERMAIN RENEWALS CONTRACT NO. 5

as more fully set out in the Bid Opportunity.

day of

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

20

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

SIGNED AND SEALED in the presence of: (Witness as to Principal if no seal)	(Name of Principal) Per: Per:	
	(Name of Surety) By:	(Seal)

\_\_\_\_\_ of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_\_ , compared for

BID OPPORTUNITY NO. 311-2009

#### 2009 WATERMAIN RENEWALS CONTRACT NO. 5

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_\_\_.

(Name of Surety)

By: \_\_\_\_\_ (Seal)

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

#### RE: BID SECURITY - BID OPPORTUNITY NO. 311-2009

#### 2009 WATERMAIN RENEWALS CONTRACT NO. 5

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 29, 2009.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)