FORM A: BID (See B8)

1.	Contract Title	ALEXANDER BANNAT CONTRACT 5	YNE COMBINED SEWER REI	LIEF			
2.	Bidder						
		Name of Bidder					
		Street					
		City	Province	Postal Code			
		Facsimile Number					
	(Mailing address if different)	Street or P.O. Box					
		City	Province	Postal Code			
		The Bidder is:					
	(Choose one)	a sole proprietor					
		a partnership					
		a corporation					
		carrying on business ur	nder the above name.				
3.	Contact Person	The Bidder hereby authorizes the following contact person to the Bidder for purposes of the Bid.					
		Contact Person	Title				
		Telephone Number	Facsimile Number				
4.	Definitions	All capitalized terms ascribed to them in the	used in the Contract shall ha General Conditions.	ave the meanings			
5.	Offer		ers to perform the Work in ac Bid Price, in Canadian funds, s o.				

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form
•	2.4 2004,	of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
4.4	T'	This offers also the transfer of the transfer
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed to	this
		day of , 20	·
		Signature of Bidder or Bidder's Authorized Official or Officials	
		(Print here name and official capacity of individual whose signature appears about	ove)
		(Print here name and official capacity of individual whose signature appears about	ove)

SEAL

(see B:9)

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 5

UNIT P	RICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
Α.	STORM RELIEF SEWERS/COMBINED SEWERS					
A.1	Storm Relief Sewers/Combined Sewers	CW2130				
) 000 070 HI DOD 000 05 BV0					
	a) 300mm C76-III RCP or SDR 35 PVC					
	i) Trenchless installation, Class B			20		
	Type 3 Bedding Class 3 Backfill		m	32		
	b) 300mm C76-V RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	20		
	c) 375mm C76-IV RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	64		
	ii) Trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	106		
	d) 375mm C76-V RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	34		
	iii) Trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	144		
	e) 450mm C76-IV RCP or SDR 35 PVC					
	(CS Renewal)					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	10		
	ii) Trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	35		
	f) 450mm C76-V RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	99		
	ii) Trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	113		
	g) 525mm C76-V RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	7		
	h) 600mm C76-V RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	101		

(see B:9)

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 5

	RICES			ADDDOV	,	
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i) 750mm C76-IV RCP i) Trenchless installation, Class B Type 3 Bedding Class 1 Backfill		m	288		
	j) 900mm C76-IV RCP i) Trenchless installation, Class B Type 3 Bedding Class 1 Backfill		m	558		
A.2	Overflow Structure	CW 2160, E6	l.s.	1		
A.3	New Manholes	CW2130				
	a) SD-010 i) 1200mm (MH.13, 17, 19, 20, 21, 26) ii) 1500mm x 1.83 base (MH.2, 3, 7) iii) 1650mm x 1.83 base (MH.1, 9, 15, 23, 25) iv) 1800mm x 1.83 base (MH.11) v) 2100mm x 1.83 base (MH.5)		vert. m vert. m vert. m vert. m	28 22 33 6.7 7.4		
۹.4	New Manholes on Existing Sewers	CW2130				
	a) SD-010 i) 1200 mm (MH.27, 28, 29) ii) 1200 mm C/W OF (MH.16) iii) 1800mm x 1.83 base C/W OF (MH.4,6,8, 10,12,18) iv) 2100mm x 1.83 base C/W OF (MH.14, 22) v) 2400mm x 1.83 base C/W OF (MH.24)		vert. m l.s. l.s. l.s. l.s.	12 1 6 2 1		
۹.5	Catch Basins/Catch Pits	CW2130				
	a) SD-024 1800mm deep (AP-008,009,010,011) a) SD-025 1800mm deep a) SD-024 1200mm deep (AP-008,009,010,011) c) SD-023 460mm deep		unit unit unit unit	6 1 1 1		
۹.6	Sewer Services	CW2130				
	 a) 150mm i) trenchless installation, Class B Type 3 Bedding Class 3 Backfill b) 250mm i) trenchless installation, Class B Type 3 Bedding Class 3 Backfill 		m	10 65		

(see B:9)

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 5

	RICES	,		T .=== = : :	, ,	
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
7	Replacing Existing Manhole Frame & Cover	CW2130				
	a) AP-004 - Manhole Frame b) AP-005 - Manhole Cover (Solid)		unit unit	1 1		
	c) AP-006 - Manhole Cover (Grated)		unit	1		
A.8	Replace Existing Flat Top Reducer	CW2130	unit	1		
A.9	Replace Existing Manhole Risers a) Pre-cast concrete risers	CW2130	vt.m.	1		
A.10	Patching Existing Manholes/Catchbasins	CW2130	vt.m.	5		
A.11	Replacing Existing Manhole or Catch Basin Rungs	CW2130	unit	10		
۸.12	Replacing Existing Catch Basin Hoods	CW2130	unit	5		
A.13	Adjustment of Existing Catch Basins and Manholes	CW3210	unit	6		
A.14	Installation of MH/CB Cast Iron Lifter Ring Inserts	CW3210				
	a) 50mm		unit	22		
\.15	Connecting Existing Sewer Service to New Sewer	CW2130				
	a) 150mm		unit	4		
A.16	Connecting to Existing Sewer	CW2130				
	a) 900mm to 1950mm SRS b) 450mm to 450mm CS		unit unit	1 2		
A.17	Connecting to Existing Catch Basin	CW2130				
	a) 250mm		unit	3		
A.18	Plugging Existing Sewers and Sewer Services Smaller than 300mm	CW2130				
	a) 150mm		unit	2		
	b) 200mm c) 250mm		unit unit	2 2		

(see B:9)

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 5

UNIT P	RICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
A.19	Abandoning Existing Sewers With	CW2130				
	Cement Stabilized Flowable Fill					
	a) 375mm(Rupert & Main St.)		m3	1		
A.20	Cement Stabilized Fill	CW2130	m3	25		
A.21	Abandoning Existing Sewer Services					
	Under Pavement	CW2130				
1	a) 200mm		unit	6		
	b) 250mm		unit	4		
A.22	Abandon Existing Catch Basins	CW2130	unit	5		
A.23	Abandon Existing Manhole	CW2130	unit	1		
A.24	Remove Existing Flush Tank Manhole	CW2130	unit	1		
A.25	Concrete Pipe - Three					
	Edge Bearing Test	CW2130				
	a) 300mm C76-III		unit	1		
	b) 300mm C76-V		unit	1		
	c) 375mm C76-IV		unit	1		
	d) 375mm C76-V		unit	1		
	e) 450mm C76-IV		unit	1		
	f) 450mm C76-V		unit	1		
	g) 525mm C76-V		unit	1		
	h) 600mm C76-V		unit	1		
	i) 750mm C76-IV		unit	1		
	j) 900mm C76-IV		unit	1		
A.26	Sewer Inspection (New Sewers)	CW2130 CW2145				
	a) 300mm	GVV2143	lin.m.	52		
	b) 375mm		lin.m.	360		
	c) 450mm		lin.m.	270		
	d) 525mm		lin.m.	7		
	e) 600mm		lin.m.	101		
	f) 750mm		lin.m.	288		
	g) 900mm		lin.m.	558		
A.27	Sewer Inspection (Existing Sewers)	CW2130				
	a) 250/300mm (Post-Construction)	CW2145	lin.m.	200		
	b) 375mm (Post-Construction)		lin.m.	25		
	c) 450mm (Post-Construction)		lin.m.	250		
	d) 1500mm CS		lin.m.	10		

(see B:9)

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 5

UNIT P	RICES			JNIT PRICES			
ITEM				APPROX.			
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT	
A.28	Pavement (Removal)	CW2130					
	a) Concrete						
	i) 150mm Pavement		m2	355			
	ii) 200mm Pavement		m2	835			
	iii) 100mm Sidewalk		m2	30			
A.29	Reinforced Concrete Pavement	CW2130					
	a) 150mm Pavement		m2	285			
	b) 150mm Pavement						
	for early opening (24 hour)		m2	35			
	c) 200mm Pavement		m2	270			
	d) 200mm Pavement						
	for early opening (24 hour)		m2	275			
	e) 200mm Pavement						
	for early opening (72 hour)		m2	325			
	f) 150mm temporary pavement		m2	335			
A.30	Concrete Curb Installation	CW2130					
		CW3310					
	a) barrier/modified barrier		lin.m.	70			
	b) lip/modified lip		lin.m.	35			
	c) ramp		lin.m.	5			
A.31	Concrete Curb Renewal	CW2130					
71.01	Consider Carb Nonewar	CW3310					
	a) barrier/modified barrier		lin.m.	25			
	b) lip/modified lip		lin.m.	10			
	c) ramp		lin.m.	5			
A.32	100mm Concrete Sidewalk	CW3235	m2	30			
A.33	Asphaltic Concrete Planing	CW3450					
	a) planing 0-50mm depth		m2	1100			
A.34	Hot Mix Asphaltic Concrete						
	Pavement Type 1A	CW2130					
	a) patching		tonne	125			
	b) overlay		tonne	200			
A.35	Miscellaneous Pavement Restorations	CW3150					
	a) Limestone		tonne	50			
	b) Cold Mix		tonne	20			

The City of Winnipeg Bid Opportunity No. 499-2009

FORM B: PRICES

(see B:9)

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 5

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Miscellaneous Boulevard Sodding	CW3510	m2	50		
TOTAL	TOTAL BID PRICE (GST extra) (in figures)					
(in word						

(Seal)

Template Version: C020081212 - Main C

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

BID BOND				
KNOW ALL MEN BY THESE PRESENTS	ГНАТ			
(hereinafter called the "Principal") and				
called the "Obligee") in the sum of ten per	and firmly bound unto THE CITY OF WINNIPEG cent (10%) of the Total Bid Price set out in the Bine Principal and Surety bind themselves, their heir ntly and severally, firmly by these presents.	d hereinafter		
WHEREAS the Principal has submitted a B	id to the Obligee for			
BID OPPORTUNITY NO. 499-2009				
ALEXANDER BANNATYNE COMBINED S	EWER RELIEF CONTRACT 5			
as more fully set out in the Bid Opportunity.				
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect.	Contract with		
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the			
day of	, 20			
SIGNED AND SEALED in the presence of: (Witness as to Principal if no seal)	(Name of Principal) Per: Per:	(Seal)		

(Name of Surety)

(Attorney-in-Fact)

Ву:

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 499-2009 ALEXANDER BANNATYNE COMBINED SEWER RELIEF CONTRACT 5 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Materi 185 Ki	ity of Winnipeg rate Finance Department als Management Division ng Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 499-2009
	ALEXANDER BANNATYNE COMBINED SEWER RELIEF CONTRACT 5
Pursua	ant to the request of and for the account of our customer,
(Name o	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 22, 2009.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	(Name of bank or financial institution)			
Per:				
	(Authorized Signing Officer)			
Per:				
	(Authorized Signing Officer)			