FORM A: BID (See B8)

1.	Contract Title		Local Improvements – Desaut It Alley, Guay/Morier Alley, Hai Alley	
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact peof the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms us ascribed to them in the 0	sed in the Contract shall ha General Conditions.	ve the meanings
5.	Offer		rs to perform the Work in action of the control of	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

2.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

SEAL

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	RUE DESAUTELS / RUE DESCHAMBAULT	ALLEY				
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R11, E11	m³	855		
A.2	Sub-Grade Compaction	CW 3110-R11	m²	1245		
A.3	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - Limestone		tonne	910		
A.4	Supplying and Placing Base Course Material	CW 3110-R11	m³	100		
A.5	Grading of Boulevards	CW 3110-R11	m²	75		
A.6	Separation Geotextile Fabric	CW 3130-R2	m²	1245		
A.7	Supply and Install Geogrid	CW 3135	m²	100		
A.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	85		
	ROADWORKS - RENEWALS					
A.9	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m²	20		
A.10	Slab Replacement	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m²	25		
A.11	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	10		
A.12	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10		
A.13	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
A.14	Supply of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
A.15	Removal of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
A.16	Concrete Curb Removal	CW 3240-R7				
i)	Barrier (Separate)		m	25		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.17	Concrete Curb Installation	CW 3240-R7				
i)	Barrier (150mm ht, Separate)	SD-203A	m	5		
ii)	Modified Barrier (180mm ht, Dowelled)	SD-203B	m	20		
A.18	Concrete Curb Renewal	CW 3240-R7				
i)	Curb Ramp (15mm ht, Integral)	SD-229C,D	m	5		
A.19	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
A.20	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	10		
	ROADWORKS - NEW CONSTRUCTION					
A.21	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R13				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	990		
	LANDSCAPING					
A.22	Sodding	CW 3510-R9				
i)	width < 600mm		m²	25		
ii)	width > or = 600mm		m²	50		
Α	RUE DESAUTELS / RUE DESCHAMBAULT	ALLEY			Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	RUE DES MEURONS WEST ALLEY					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R11, E11	m³	205		
B.2	Sub-Grade Compaction	CW 3110-R11	m²	310		
B.3	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - Limestone		tonne	220		
B.4	Supplying and Placing Base Course Material	CW 3110-R11	m³	25		
B.5	Grading of Boulevards	CW 3110-R11	m²	75		
B.6	Separation Geotextile Fabric	CW 3130-R2	m²	310		
B.7	Supply and Install Geogrid	CW 3135	m²	50		
B.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	25		
	ROADWORKS - RENEWALS					
B.9	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m²	35		
B.10	Slab Replacement	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m²	5		
B.11	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	5		
B.12	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10		
B.13	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
B.14	Supply of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
B.15	Removal of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
B.16	Concrete Curb Removal	CW 3240-R7				
i)	Barrier (Separate)		m	10		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
B.17	Concrete Curb Installation	CW 3240-R7				
i)	Modified Barrier (180mm ht, Dowelled)	SD-203B	m	10		
B.18	Concrete Curb Renewal	CW 3240-R7				
i)	Curb Ramp (15mm ht, Integral)	SD-229C,D	m	5		
B.19	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
B.20	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
	ROADWORKS - NEW CONSTRUCTION					
B.21	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R13				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	245		
	LANDSCAPING					
B.22	Sodding	CW 3510-R9				
i)	width < 600mm		m²	25		
ii)	width > or = 600mm		m²	50		
В	RUE DES MEURONS WEST ALLEY	I			Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	GUAY AVE. / MORIER AVE. ALLEY					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R11, E11	m³	650		
C.2	Sub-Grade Compaction	CW 3110-R11	m²	1140		
C.3	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - Limestone		tonne	675		
C.4	Supplying and Placing Base Course Material	CW 3110-R11	m³	100		
C.5	Grading of Boulevards	CW 3110-R11	m²	100		
C.6	Separation Geotextile Fabric	CW 3130-R2	m²	1140		
C.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	130		
	ROADWORKS - RENEWALS					
C.8	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m²	35		
C.9	Slab Replacement	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m²	15		
C.10	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	10		
C.11	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	15		
C.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
C.13	Supply of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
C.14	Removal of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
C.15	Concrete Curb Renewal	CW 3240-R7				
i)	Lip Curb (75mm ht, Integral)	SD-202B	m	15		
ii)	Curb Ramp (15mm ht, Integral)	SD-229C,D	m	5		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
C.16	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
C.17	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
	ROADWORKS - NEW CONSTRUCTION					
C.18	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R13				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	890		
	LANDSCAPING					
C.19	Sodding	CW 3510-R9				
i)	width < 600mm		m²	50		
ii)	width > or = 600mm		m²	50		
С	GUAY AVE. / MORIER AVE. ALLEY				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	HANDYSIDE AVE. / BANK AVE. ALLEY					
D.1	Excavation	CW 3110-R11, E11	m³	540		
D.2	Sub-Grade Compaction	CW 3110-R11	m²	950		
D.3	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - Limestone		tonne	660		
D.4	Supplying and Placing Base Course Material	CW 3110-R11	m³	75		
D.5	Grading of Boulevards	CW 3110-R11	m²	75		
D.6	Separation Geotextile Fabric	CW 3130-R2	m²	950		
D.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	80		
	ROADWORKS - RENEWALS					
D.8	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m²	30		
D.9	Slab Replacement	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m²	10		
D.10	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	5		
D.11	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	15		
D.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
D.13	Supply of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
D.14	Removal of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
D.15	Concrete Curb Removal	CW 3240-R7				
i)	Barrier (Separate)		m	10		
D.16	Concrete Curb Installation	CW 3240-R7				
i)	Lip Curb (75mm ht, Integral)	SD-202A	m	10		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
D.17	Concrete Curb Renewal	CW 3240-R7				
i)	Lip Curb (75mm ht, Integral)	SD-202B	m	15		
ii)	Curb Ramp (15mm ht, Integral)	SD-229C,D	m	5		
D.18	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
D.19	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
	ROADWORKS - NEW CONSTRUCTION					
D.20	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R13				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	720		
	LANDSCAPING					
D.21	Sodding	CW 3510-R9				
i)	width < 600mm		m²	50		
ii)	width > or = 600mm		m²	25		
D	HANDYSIDE AVE. / BANK AVE. ALLEY				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	EGERTON AVE. WEST ALLEY					
E.1	Excavation	CW 3110-R11, E11	m³	230		
E.2	Sub-Grade Compaction	CW 3110-R11	m²	410		
E.3	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - Limestone		tonne	285		
E.4	Supplying and Placing Base Course Material	CW 3110-R11	m³	35		
E.5	Grading of Boulevards	CW 3110-R11	m²	25		
E.6	Separation Geotextile Fabric	CW 3130-R2	m²	410		
E.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	35		
	ROADWORKS - RENEWALS					
E.8	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m²	15		
E.9	Slab Replacement	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m²	10		
E.10	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	5		
E.11	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10		
E.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
E.13	Supply of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
E.14	Removal of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
E.15	Concrete Curb Renewal	CW 3240-R7				
i)	Modified Barrier (180mm ht, Dowelled)	SD-203B	m	5		
ii)	Curb Ramp (15mm ht, Integral)	SD-229C,D	m	5		
E.16	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
E.17	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
	ROADWORKS - NEW CONSTRUCTION					
E.18	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R13				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	320		
	LANDSCAPING					
E.19	Sodding	CW 3510-R9				
i)	width < 600mm		m²	25		
E	EGERTON AVE. WEST ALLEY				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	DRAINAGE AND UNDERGROUND WORKS					
F.1	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS New Manhole on Existing Sewer	CW 2130-R11				
i)	SD-010					
	a) 1200mm diameter base		vert. m	8.5		
F.2	Catch Basin	CW 2130-R11				
i)	SD-025		each	5		
F.3	Land Drainage Sewer	CW 2130-R11				
i)	250mm					
	Trenchless installation, Class B sand bedding, Class 2 backfill		m	420		
F.4	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-006 - Standard Grated Cover for Standard Frame		each	3		
F.5	Connecting to Existing Manhole	CW 2130-R11				
i)	250mm Catch Basin Lead		each	1		
F.6	Connecting to Existing Sewer	CW 2130-R11				
i)	250mm (PVC) of connecting pipe					
a)	Connecting to 300mm (Concrete) Sewer		each	1		
F.7	Installation of Subdrains	CW 3120-R3, E11	m	65		
F.8	Sewer Inspection	CW 2145-R3				
i)	250mm		m	420		
	ADJUSTMENTS					
F.9	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	0.5		
F.10	Lifter Rings	CW 3210-R7				
i)	51mm		each	9		
F	DRAINAGE AND UNDERGROUND WORKS	1	1		Subtotal:	

The City of Winnipeg
Bid Opportunity No. 594-2009
Template Version: C420081212 - RW

FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	RUE DESAUTELS / RUE DESCHAMBAULT ALLEY					
В	RUE DES MEURONS WEST ALLEY					
С	GUAY AVE. / MORIER AVE. ALLEY					
D	HANDYSIDE AVE. / BANK AVE. ALLEY				Subtotal:	
E	EGERTON AVE. WEST ALLEY				Subtotal:	
F	DRAINAGE AND UNDERGROUND WORKS				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						
(in words)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 594-2009

City of Winnipeg – 2009 Local Improvements – Desautels/Deschambault Alley, Des Muerons West Alley, Guay/Morier Alley, Handyside/Bank Alley and Egerton West Alley

as more fully set out in the Bid Opportunity.

KNOW ALL MEN BY THESE PRESENTS THAT

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
(witness as to Principal if no seal)	Per:	
	(Name of Surety)	
	By: (Attorney-in-Fact)	(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 594-2009 City of Winnipeg – 2009 Local Improvements – Desautels/Deschambault Alley, Des Muerons West Alley, Guay/Morier Alley, Handyside/Bank Alley and Egerton West Alley in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety)

(Attorney-in-Fact)

(Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 594-2009
City of Winnipeg – 2009 Local Improvements – Desautels/Deschambault Alley, Des Muerons West Alley, Guay/Morier Alley, Handyside/Bank Alley and Egerton West Alley
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 19, 2009

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)