FORM A: BID (See B7)

1.	Contract Title		OBA/CITY OF WINNIPEG 200 ROGRAM, DAY STREET, HA RIOUS LOCATIONS	
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	norizes the following contact of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms uascribed to them in the	ised in the Contract shall h General Conditions.	nave the meanings
5.	Offer		ers to perform the Work in a bid Price, in Canadian funds, o.	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond) an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		Standby Letter of Credit and Undertaking) a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
		
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty five (45) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

SEAL

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	DAY STREET from Larche Avenue to Gunr	Road - Rehabi	litation			
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R11	m³	25		
A.2	Supplying and Placing Base Course Material	CW 3110-R11, E11	m³	25		
A.3	Grading of Boulevards	CW 3110-R11	m²	600		
A.4	Ditch Grading	CW 3110-R11	m²	2180		
	ROADWORKS - REMOVAL/RENEWALS					
A.5	Slab Replacement	CW 3230-R6				
i)	200 mm Concrete Pavement (Reinforced)		m²	250		
A.6	Partial Slab Patches	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m²	5		
ii)	200 mm Concrete Pavement (Type B)		m²	240		
iii)	200 mm Concrete Pavement (Type C)		m²	15		
iv)	200 mm Concrete Pavement (Type D)		m²	55		
A.7	Slab Replacement - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Reinforced)		m²	300		
A.8	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m²	5		
ii)	200 mm Concrete Pavement (Type B)		m²	235		
iii)	200 mm Concrete Pavement (Type C)		m²	15		
iv)	200 mm Concrete Pavement (Type D)		m²	50		
A.9	Slab Replacement - Early Opening (72 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Reinforced)		m²	250		

(SEE B8)

ITEM	1 DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.10	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m²	5		
ii)	200 mm Concrete Pavement (Type B)		m²	235		
iii)	200 mm Concrete Pavement (Type C)		m²	15		
iv)	200 mm Concrete Pavement (Type D)		m²	50		
A.11	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	1750		
A.12	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	680		
ii)	25 M Deformed Tie Bar		each	1460		
A.13	Concrete Curb Removal	CW 3240-R7				
i)	Barrier (Separate)		m	65		
A.14	Concrete Curb Installation	CW 3240-R7				
i)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	65		
A.15	Concrete Curb Renewal	CW 3240-R7				
i)	Barrier (150mm ht, Dowelled)	SD-205,				
	a) Less than 3 m	SD-206A	m	15		
	b) 3 m to 30 m		m	110		
	c) Greater than 30 m		m	415		
ii)	Barrier (150mm ht, Separate)	SD-203A				
	a) Less than 3 m		m	110		
	b) 3 m to 30 m		m	125		
A.16	Supply and Installation of Dowel Assemblies	CW 3310-R13	m	35		
A.17	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
	a) Type IA		tonne	1550		
ii)	Tie-ins and Approaches					
	a) Type IA		tonne	35		

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.18	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	235		
	JOINT AND CRACK SEALING					
A.19	Reflective Crack Maintenance	CW 3250-R7	m	1700		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.20	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	7		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	7		
A.21	Removal of Existing Catch Pit	CW 2130-R11	each	6		
A.22	Abandoning Existing Drainage Inlets	CW 2130-R11	each	2		
A.23	Corrugated Steel Pipe - Supply	CW 3610-R3				
i)	(250mm, 16 gauge)		m	12		
ii)	(900mm, 16 gauge)		m	27		
ii)	(1800mm, 14 gauge)		m	20		
A.24	Corrugated Steel Pipe - Install	CW 3610-R3				
i)	(900mm, 16 gauge)		m	27		
ii)	(1800mm, 14 gauge)		m	20		
A.25	Removal of Existing Culverts	E12				
i)	250mm		m	9		
ii)	900mm		m	27		
iii)	1800mm		m	20		
A.26	Installation of Trench Drain System	E13	each	4		
A.27	Supply and Placing Concrete Pavement for Trench Drain System	E13	m³	22		

(SEE B8)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	<u> </u>	REF.		QUANTITY		
	ADJUSTMENTS					
A.28	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
A.29	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	1		
A.30	Lifter Rings	CW 3210-R7				
i)	38mm		each	1		
ii)	51mm		each	3		
iii)	64mm		each	2		
iv)	76mm		each	1		
	LANDSCAPING					
A.31	Sodding	CW 3510-R9				
i)	width > or = 600mm		m²	600		
	MISCELLANEOUS					
A.32	Existing Manhole and Catch Basin Repairs	CW 2130-R11				
i)	Replacing Existing Catch Basin Hoods, Pins or Wall Hooks		each	1		
Α	DAY STREET from Larche Avenue to Gunn	Road - Rehab	ilitation		Subtotal:	

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	BRONX PLACE from Kildonan Drive to He		ay - Reha			
	EARTH AND BASE WORKS					
3.1	Grading of Boulevards	CW 3110-R11	m²	600		
	ROADWORKS - REMOVAL/RENEWALS					
3.2	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m²	150		
3.3	Slab Replacement	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m²	400		
3.4	Partial Slab Patches	CW 3230-R6				
i)	150 mm Concrete Pavement (Type A)		m²	10		
ii)	150 mm Concrete Pavement (Type B)		m²	40		
iii)	150 mm Concrete Pavement (Type C)		m²	10		
iv)	150 mm Concrete Pavement (Type D)		m²	110		
3.5	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	140		
3.6	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	275		
3.7	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	20		
b)	5 sq.m. to 20 sq.m.		m²	60		
3.8	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
3.9	Supply of Precast Sidewalk Blocks	CW 3235-R7	m²	3		
3.10	Removal of Precast Sidewalk Blocks	CW 3235-R7	m²	3		
3.11	Concrete Curb Removal	CW 3240-R7				
i)	Barrier (Separate)		m	40		
3.12	Concrete Curb Installation	CW 3240-R7				
i)	Modified Barrier (125mm ht, Dowelled)	SD-203B	m	40		

(SEE B8)

ITEN	l	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.13		Concrete Curb Renewal	CW 3240-R7				
i)		Barrier (125mm ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m	05 200/1	m	5		
	b)	3 m to 30 m		m	45		
	c)	Greater than 30 m		m	390		
ii)		Modified Barrier (125mm ht, Dowelled)	SD-203B	m	15		
iii)		Curb Ramp (10mm ht, Integral)	SD-229C,D	m	15		
B.14		Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)		Main Line Paving					
	a)	Type IA		tonne	520		
ii)		Tie-ins and Approaches					
	a)	Type IA		tonne	10		
B.15		Planing of Pavement	CW 3450-R5				
i)		0 - 50 mm Depth (Asphalt)		m²	30		
B.16		Moisture Barrier/Stress Absorption Geotextile Fabric	E10	m²	1860		
		ROADWORKS - NEW CONSTRUCTION					
B.17		Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R13				
i)		Construction of 150 mm Concrete Pavement (Reinforced)		m²	150		
		JOINT AND CRACK SEALING					
B.18		Reflective Crack Maintenance	CW 3250-R7	m	520		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.19		Catch Basin	CW 2130-R11				
i)		SD-024		each	1		
B.20		Catch Pit	CW 2130-R11				
i)		SD-023		each	3		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.21	Drainage Connection Pipe	CW 2130-R11	m	6		
B.22	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
B.23	Removal of Existing Catch Basins	CW 2130-R11	each	1		
B.24	Abandoning Existing Drainage Inlets	CW 2130-R11	each	4		
B.25	Installation of Subdrains	CW 3120-R3	m	48		
	ADJUSTMENTS					
B.26	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
B.27	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	2		
B.28	Lifter Rings	CW 3210-R7				
i)	38mm		each	1		
ii)	51mm		each	2		
iii)	64mm		each	2		
iv)	76mm		each	1		
B.29	Adjustment of Valve Boxes	CW 3210-R7	each	2		
B.30	Valve Box Extensions	CW 3210-R7	each	1		
B.31	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
B.32	Curb Stop Extensions	CW 3210-R7	each	2		
	LANDSCAPING					
B.33	Sodding	CW 3510-R9				
i)	width < 600mm		m²	15		
ii)	width > or = 600mm		m²	570		
В	BRONX PLACE from Kildonan Drive to Hel	nderson Highwa	ay - Reha	abilitation	Subtotal:	

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	HARBISON AVENUE WEST from Brazier S		treet -	SOMITIT		
	Reconstruction EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R11	m³	1000		
C.2	Sub-Grade Compaction	CW 3110-R11	m²	2815		
C.3	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - Limestone		tonne	1100		
C.4	Supplying and Placing Base Course Material	CW 3110-R11, E11	m³	215		
C.5	Grading of Boulevards	CW 3110-R11	m²	500		
C.6	Separation Geotextile Fabric	CW 3130-R2	m²	2815		
C.7	Supply and Install Geogrid	CW 3135	m²	1000		
	ROADWORKS - REMOVAL/RENEWALS					
C.8	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m²	2415		
C.9	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	20		
C.10	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	25		
C.11	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	50		
b)	Greater than 20 sq.m.		m²	940		
C.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m²	20		
C.13	Supply of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
C.14	Removal of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
C.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.16	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	18		
C.17	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	150		
	ROADWORKS - NEW CONSTRUCTION					
C.18	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R13				
i)	Construction of 150 mm Concrete Pavement (Reinforced, Slip Form Paving)		m²	2355		
C.19	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R13				
i)	Construction of Barrier (180mm ht, Integral, Slip Form Paving)	SD-204	m	600		
ii)	Construction of Modified Barrier (150mm ht, Dowelled)	SD-203B	m	17		
iii)	Construction of Curb Ramp (10mm ht, Integral)	SD-229C	m	26		
	JOINT AND CRACK SEALING					
C.20	Reflective Crack Maintenance	CW 3250-R7	m	40		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.21	Catch Basin	CW 2130-R11				
i)	SD-024		each	8		
C.22	Sewer Service	CW 2130-R11				
i)	250mm PVC					
	a) in a Trench, Class B Bedding with sand, Class 2 Backfill		m	35		
C.23	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	4		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.24	Connecting to Existing Sewer	CW 2130-R11				
i)	250mm PVC of connecting pipe					
a)	Connecting to 300mm (Concrete) Combined Sewer		each	4		
b)	Connecting to 375mm (Concrete) Storm Relief Sewer		each	4		
C.25	Abandoning Existing Catch Basins	CW 2130-R11	each	6		
C.26	Installation of Subdrains	CW 3120-R3	m	90		
	ADJUSTMENTS					
C.27	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
C.28	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	1.3		
C.29	Lifter Rings	CW 3210-R7				
i)	51mm		each	4		
C.30	Adjustment of Valve Boxes	CW 3210-R7	each	1		
C.31	Valve Box Extensions	CW 3210-R7	each	1		
C.32	Adjustment of Curb Stop Boxes	CW 3210-R7	each	66		
C.33	Curb Stop Extensions	CW 3210-R7	each	42		
	LANDSCAPING					
C.34	Sodding	CW 3510-R9				
i)	width < 600mm		m²	450		
ii)	width > or = 600mm		m²	50		
С	HARBISON AVENUE WEST from Brazier Street Reconstruction	treet to Roch S	treet -		Subtotal:	

(SEE B8)

	N I	-	$\overline{}$		\sim	-
U	IVI	11	ч	КΙ	ι,	FS

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	LESLIE AVENUE from Glenwood Crescent	•	- Recon	l e		
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R11	m³	610		
0.2	Sub-Grade Compaction	CW 3110-R11	m²	1665		
0.3	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - Limestone		tonne	925		
D.4	Supplying and Placing Base Course Material	CW 3110-R11, E11	m³	125		
D.5	Grading of Boulevards	CW 3110-R11	m²	1275		
D.6	Boulevard Excavation	CW 3110-R11	m³	15		
D.7	Separation Geotextile Fabric	CW 3130-R2	m²	1665		
	ROADWORKS - REMOVAL/RENEWALS					
0.8	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m²	1410		
D.9	Slab Replacement	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m²	23		
D.10	Partial Slab Patches	CW 3230-R6				
i)	150 mm Concrete Pavement (Type B)		m²	5		
D.11	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	35		
D.12	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	90		
D.13	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	25		
b)	5 sq.m. to 20 sq.m.		m²	20		
c)	Greater than 20 sq.m.		m²	100		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.14	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m²	3		
D.15	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	10		
D.16	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	75		
	ROADWORKS - NEW CONSTRUCTION					
D.17	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R13				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	140		
ii)	Construction of 150 mm Concrete Pavement (Reinforced, Slip Form Paving)		m²	1250		
D.18	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R13				
i)	Construction of Barrier (180mm ht, Integral, Slip Form Paving)	SD-204	m	245		
ii)	Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	60		
iii	Construction of Lip Curb (75mm ht, Integral)	SD-202A	m	10		
iv)	Construction of Curb Ramp (10mm ht, Integral)	SD-229C	m	38		
	JOINT AND CRACK SEALING					
D.19	Reflective Crack Maintenance	CW 3250-R7	m	20		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
0.20	Catch Basin	CW 2130-R11				
i)	SD-024		each	2		
0.21	Sewer Service	CW 2130-R11				
i)	250mm PVC					
	a) in a Trench, Class B Bedding with sand, Class 2 Backfill		m	7		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.22	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	3		
D.23	Connecting to Existing Sewer	CW 2130-R11				
i)	250mm PVC of connecting pipe					
a)	Connecting to 300mm (Concrete) Combined Sewer		each	2		
D.24	Abandoning Existing Catch Basins	CW 2130-R11	each	2		
D.25	Abandoning Existing Drainage Inlets	CW 2130-R11	each	2		
D.26	Installation of Subdrains	CW 3120-R3	m	24		
	ADJUSTMENTS					
D.27	Lifter Rings	CW 3210-R7				
i)	51mm		each	1		
D.28	Adjustment of Valve Boxes	CW 3210-R7	each	3		
D.29	Valve Box Extensions	CW 3210-R7	each	1		
D.30	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
D.31	Curb Stop Extensions	CW 3210-R7	each	5		
	LANDSCAPING					
D.32	Sodding	CW 3510-R9				
i)	width < 600mm		m²	25		
ii)	width > or = 600mm		m²	1250		
D	LESLIE AVENUE from Glenwood Crescent	to Silvia Street	- Recon	struction	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	MARTIN AVENUE WEST from Glenwood C Reconstruction	rescent to Beat	rice Stre	eet -		
	EARTH AND BASE WORKS					
.1	Excavation	CW 3110-R11	m³	230		
.2	Sub-Grade Compaction	CW 3110-R11	m²	650		
.3	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - Limestone		tonne	425		
.4	Supplying and Placing Base Course Material	CW 3110-R11, E11	m³	50		
.5	Grading of Boulevards	CW 3110-R11	m²	775		
.6	Separation Geotextile Fabric	CW 3130-R2	m²	650		
	ROADWORKS - RENEWALS					
.7	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m²	540		
.8	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	35		
.9	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	5		
.10	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
а	Less than 5 sq.m.		m²	15		
b	5 sq.m. to 20 sq.m.		m²	10		
С	Greater than 20 sq.m.		m²	85		
.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m²	10		
.12	Supply of Precast Sidewalk Blocks	CW 3235-R7	m²	2		
.13	Removal of Precast Sidewalk Blocks	CW 3235-R7	m²	2		
.14	Concrete Curb Removal	CW 3240-R7				
i)	Barrier (Separate)		m	5		
.15	Concrete Curb Installation	CW 3240-R7				
i)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	5		

(SEE B8)

ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.16		Concrete Curb Renewal	CW 3240-R7				
i)		Barrier (180mm ht, Dowelled)	SD-205, SD-206A				
	a)	3 m to 30 m		m	30		
ii)		Curb Ramp (10mm ht, Integral)	SD-229C,D	m	4		
E.17		Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)		Tie-ins and Approaches					
	a)	Type IA		tonne	10		
E.18		Planing of Pavement	CW 3450-R5				
i)		0 - 50 mm Depth (Asphalt)		m²	55		
		ROADWORKS - NEW CONSTRUCTION					
E.19		Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R13				
i)		Construction of 150 mm Concrete Pavement (Reinforced, Slip Form Paving)		m²	540		
E.20		Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R13				
i)		Construction of Barrier (180mm ht, Integral, Slip Form Paving)	SD-204	m	145		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.21		Catch Basin	CW 2130-R11				
i)		SD-024		each	2		
E.22		Sewer Service	CW 2130-R11				
i)		250mm PVC					
		a) in a Trench, Class B Bedding with sand, Class 2 Backfill		m	7		
E.23		Connecting to Existing Sewer	CW 2130-R11				
i)		250mm (PVC) of connecting pipe					
	a)	Connecting to 375mm (Concrete) Combined Sewer		each	2		
E.24		Removal of Existing Catch Basins	CW 2130-R11	each	2		
E.25		Abandoning Existing Drainage Inlets	CW 2130-R11	each	2		
E.26		Installation of Subdrains	CW 3120-R3	m	24		

(SEE B8)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
E.27	Adjustment of Valve Boxes	CW 3210-R7	each	1		
E.28	Valve Box Extensions	CW 3210-R7	each	1		
E.29	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
E.30	Curb Stop Extensions	CW 3210-R7	each	5		
	LANDSCAPING					
E.31	Sodding	CW 3510-R9				
i)	width < 600mm		m²	25		
ii)	width > or = 600mm		m²	750		
E	MARTIN AVENUE WEST from Glenwood C. Reconstruction	rescent to Beat	rice Stre	eet -	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	STANIER STREET from Dearborn Avenue	to Gordon Aver	ue - Red	construction		
	EARTH AND BASE WORKS					
F.1	Excavation	CW 3110-R11	m³	285		
2	Sub-Grade Compaction	CW 3110-R11	m²	800		
3	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - Limestone		tonne	500		
4	Supplying and Placing Base Course Material	CW 3110-R11, E11	m³	60		
.5	Grading of Boulevards	CW 3110-R11	m²	250		
6	Separation Geotextile Fabric	CW 3130-R2	m²	800		
	ROADWORKS - RENEWALS					
7.7	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m²	670		
.8	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	20		
9	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	25		
.10	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
а	Less than 5 sq.m.		m²	15		
b	5 sq.m. to 20 sq.m.		m²	30		
С	Greater than 20 sq.m.		m²	265		
F.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m²	5		
.12	Supply of Precast Sidewalk Blocks	CW 3235-R7	m²	1		
.13	Removal of Precast Sidewalk Blocks	CW 3235-R7	m²	1		
.14	Concrete Curb Renewal	CW 3240-R7				
i)	Curb and Gutter (150mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200				
a	Less than 3 m		m	5		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	2		
F.16	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	10		
F.17	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	70		
	ROADWORKS - NEW CONSTRUCTION					
F.18	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R13				
i)	Construction of 150 mm Concrete Pavement (Reinforced, Slip Form Paving)		m²	670		
F.19	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R13				
i)	Construction of Barrier (180mm ht, Integral, Slip Form Paving)	SD-204	m	170		
ii)	Construction of Modified Barrier (150mm ht, Dowelled)	SD-203B	m	7		
iii)	Construction of Curb Ramp (10mm ht, Integral)	SD-229C	m	13		
F.20	100mm Concrete Sidewalk	CW 3325-R3	m²	70		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
F.21	Catch Basin	CW 2130-R11				
i)	SD-024		each	2		
F.22	Sewer Service	CW 2130-R11				
i)	250mm PVC					
	a) in a Trench, Class B Bedding with sand, Class 2 Backfill		m	8		
F.23	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
F 0.4		REF.		QUANTITY		1
F.24	Connecting to Existing Sewer	CW 2130-R11				
i)	250mm PVC of connecting pipe					
a)	Connecting to 300mm (Concrete) Combined Sewer		each	2		
F.25	Abandoning Existing Catch Basins	CW 2130-R11	each	2		
F.26	Installation of Subdrains	CW 3120-R3	m	24		
	ADJUSTMENTS					
F.27	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	0.3		
F.28	Lifter Rings	CW 3210-R7				
i)	51mm		each	1		
F.29	Adjustment of Valve Boxes	CW 3210-R7	each	1		
F.30	Valve Box Extensions	CW 3210-R7	each	1		
F.31	Adjustment of Curb Stop Boxes	CW 3210-R7	each	15		
F.32	Curb Stop Extensions	CW 3210-R7	each	10		
	LANDSCAPING					
F.33	Sodding	CW 3510-R9				
i)	width < 600mm		m²	30		
ii)	width > or = 600mm		m²	220		
F	STANIER STREET from Dearborn Avenue	to Gordon Aver	nue - Red	construction	Subtotal:	

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	WIEBE'S DRIVE from Algoquin Avenue to	Bonner Avenue	- Rehab	ilitation		
	EARTH AND BASE WORKS					
G.1	Excavation	CW 3110-R11	m³	100		
G.2	Sub-Grade Compaction	CW 3110-R11	m²	330		
G.3	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - Limestone		tonne	165		
G.4	Supplying and Placing Base Course Material	CW 3110-R11, E11	m³	25		
G.5	Grading of Boulevards	CW 3110-R11	m²	520		
G.6	Separation Geotextile Fabric	CW 3130-R2	m²	330		
	ROADWORKS - RENEWALS					
G.7	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m²	360		
G.8	Slab Replacement	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m²	355		
G.9	Partial Slab Patches	CW 3230-R6				
i)	150 mm Concrete Pavement (Type A)		m²	15		
ii)	150 mm Concrete Pavement (Type B)		m²	60		
iii)	150 mm Concrete Pavement (Type C)		m²	20		
iv)	150 mm Concrete Pavement (Type D)		m²	40		
G.10	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	300		
G.11	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	350		
G.12	Concrete Curb Removal	CW 3240-R7				
i)	Barrier (Separate)		m	25		
ii)	Mountable Curb		m	485		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.13	Concrete Curb Installation	CW 3240-R7				
i)	Barrier (150mm ht, Dowelled)	SD-205	m	425		
ii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	85		
iii)	Lip Curb (40mm ht, Integral)	SD-202B	m	35		
G.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	15		
G.15	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	560		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	20		
	ROADWORKS - NEW CONSTRUCTION					
G.16	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R13				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	360		
	JOINT AND CRACK SEALING					
G.17	Reflective Crack Maintenance	CW 3250-R7	m	700		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
G.18	Catch Pit	CW 2130-R11				
i)	SD-023		each	5		
G.19	Drainage Connection Pipe	CW 2130-R11	m	18		
G.20	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	3		
iii)	AP-011 - Mountable Curb and Gutter Inlet		each	1		
G.21	Connecting to Existing Catch Basin	CW 2130-R11				
i)	250mm PVC Drainage Connection Pipe		each	5		
G.22	Abandoning Existing Catch Pit	CW 2130-R11	each	2		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
G.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
G.24	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	1		
G.25	Lifter Rings	CW 3210-R7				
i)	38mm		each	1		
ii)	51mm		each	2		
iii)	64mm		each	1		
iv)	76mm		each	1		
G.26	Adjustment of Valve Boxes	CW 3210-R7	each	2		
G.27	Replacing Existing Flat Top Reducer	CW 2130-R11	each	1		
	LANDSCAPING					
G.28	Sodding	CW 3510-R9				
i)	width > or = 600mm		m²	520		
	MISCELLANEOUS					
G.29	Existing Manhole and Catch Basin Repairs	CW 2130-R11				
i)	Replacing Existing Catch Basin Hoods, Pins or Wall Hooks		each	1		
G	WIEBE'S DRIVE from Algoquin Avenue to	Bonner Avenue	- Rehab	oilitation	Subtotal:	

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Н	WYNTEN CRESCENT from Grey Street to 0	Grey Street - Re	habilitat	ion		
	EARTH AND BASE WORKS					
H.1	Supplying and Placing Base Course Material	CW 3110-R11, E11	m³	5		
H.2	Grading of Boulevards	CW 3110-R11	m²	375		
	ROADWORKS - RENEWALS					
H.3	Slab Replacement	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m²	425		
H.4	Partial Slab Patches	CW 3230-R6				
i)	150 mm Concrete Pavement (Type A)		m²	10		
ii)	150 mm Concrete Pavement (Type B)		m²	25		
H.5	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	145		
H.6	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	110		
H.7	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a	Less than 5 sq.m.		m²	10		
b	5 sq.m. to 20 sq.m.		m²	30		
c)	Greater than 20 sq.m.		m²	65		
H.8	Concrete Curb Removal	CW 3240-R7				
i)	Barrier (Separate)		m	45		
H.9	Concrete Curb Installation	CW 3240-R7				
i)	Modified Barrier (125mm ht, Dowelled)	SD-203B	m	45		
H.10	Concrete Curb Renewal	CW 3240-R7				
i)	Barrier (125mm ht, Dowelled)	SD-205, SD-206A				
a	Less than 3 m	3D-200A	m	10		
b	3 m to 30 m		m	40		
c)	Greater than 30 m		m	35		

(SEE B8)

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)		Barrier (125mm ht, Separate)	SD-203A				
	a)	Less than 3 m		m	5		
	b)	3 m to 30 m		m	95		
iii)		Curb Ramp (10mm ht, Integral)	SD-229C,D	m	20		
H.11		Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
H.12		Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)		Main Line Paving					
	a)	Type IA		tonne	170		
ii)		Tie-ins and Approaches					
	a)	Type IA		tonne	15		
H.13		Planing of Pavement	CW 3450-R5				
i)		0 - 50 mm Depth (Asphalt)		m²	270		
		JOINT AND CRACK SEALING					
H.14		Reflective Crack Maintenance	CW 3250-R7	m	200		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
H.15		Catch Pit	CW 2130-R11				
i)		SD-023		each	2		
H.16		Drainage Connection Pipe	CW 2130-R11	m	4		
H.17		Replacing Standard Frames & Covers	CW 2130-R11				
i)		AP-004 - Standard Frame for Manhole and Catch Basin		each	3		
ii)		AP-005 - Standard Solid Cover for Standard Frame		each	3		
iii)		AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
iv)		AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
H.18		Connecting to Existing Catch Basin	CW 2130-R11				
i)		250mm PVC Drainage Connection Pipe		each	2		
H.19		Abandoning Existing Drainage Inlets	CW 2130-R11	each	2		
H.20		Installation of Subdrains	CW 3120-R3	m	24		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
H.21	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	0.3		
H.22	Lifter Rings	CW 3210-R7				
i)	51mm		each	2		
ii)	76mm		each	1		
H.23	Adjustment of Valve Boxes	CW 3210-R7	each	1		
H.24	Valve Box Extensions	CW 3210-R7	each	1		
H.25	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
H.26	Curb Stop Extensions	CW 3210-R7	each	1		
H.27	Replacing Existing Flat Top Reducer	CW 2130-R11	each	2		
	LANDSCAPING					
H.28	Sodding	CW 3510-R9				
i)	width < 600mm		m²	10		
ii)	width > or = 600mm		m²	365		
	MISCELLANEOUS					
H.29	Existing Manhole and Catch Basin Repairs	CW 2130-R11				
i)	Replacing Existing Catch Basin Hoods, Pins or Wall Hooks		each	2		
Н	WYNTEN CRESCENT from Grey Street to 0	Grey Street - Re	habilitat	ion	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
	SUMMARY						
Α	DAY STREET from Larche Avenue to Gunn	Subtotal:					
В	BRONX PLACE from Kildonan Drive to Hen	derson Highwa	ıy - Reha	abilitation	Subtotal:		
С	HARBISON AVENUE WEST from Brazier St	reet to Roch St	reet - Re	econstruction	Subtotal:		
D	LESLIE AVENUE from Glenwood Crescent	to Silvia Street	- Recon	struction	Subtotal:		
E	MARTIN AVENUE WEST from Glenwood Crescent to Beatrice Street - Reconstruction Subtotal:						
F	STANIER STREET from Dearborn Avenue t	o Gordon Aven	ue - Rec	construction	Subtotal:		
G	WIEBE'S DRIVE from Algoquin Avenue to Bonner Avenue - Rehabilitation Subtotal:						
Н	WYNTEN CRESCENT from Grey Street to Grey Street - Rehabilitation Subtotal:						
TOTAL BID PRICE (GST extra) (in figures)							
(in words)							

(Seal)

Template Version: C420081212 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS 1	ГНАТ	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per	and firmly bound unto THE CITY OF WINNIPEG cent (10%) of the Total Bid Price set out in the Bine Principal and Surety bind themselves, their heir ntly and severally, firmly by these presents.	id hereinafter
WHEREAS the Principal has submitted a B	id to the Obligee for	
BID OPPORTUNITY NO. 67-2009		
PROVINCE OF MANITOBA/CITY OF WINN DAY STREET, HARBISON AVENUE WES	NIPEG 2009 RESIDENTIAL STREET RENEWAL P T AND OTHER VARIOUS LOCATIONS	ROGRAM,
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	digation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	(Capl)
(Witness as to Principal if no seal)	Per:	(Seal)

(Name of Surety)

(Attorney-in-Fact)

Ву:

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for **BID OPPORTUNITY NO. 67-2009** PROVINCE OF MANITOBA/CITY OF WINNIPEG 2009 RESIDENTIAL STREET RENEWAL PROGRAM, DAY STREET, HARBISON AVENUE WEST AND OTHER VARIOUS LOCATIONS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) (Seal)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 67-2009
PROVINCE OF MANITOBA/CITY OF WINNIPEG 2009 RESIDENTIAL STREET RENEWAL PROGRAM, DAY STREET, HARBISON AVENUE WEST AND OTHER VARIOUS LOCATIONS
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 30th 2009.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)