FORM A: BID (See B8)

1.	Contract Title	2009 WASTEWATER SEWER REPAIRS AND REPLACEMEN	RENEWALS BY EXTERNAL P NTS – CONTRACT NO. 24	OINT
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	e above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the	the following contact person to Bid.	o represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera	the Contract shall have the al Conditions.	meanings
5.	Offer		perform the Work in accordance, in Canadian funds, set out c	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

(SEE B9)

2009 SEWER REPAIRS AND RENEWALS - CONTRACT NO. 24

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>A</u>	Dowker Avenue - 1st	MH W of Lyo	n Street	to MH at Ly	on Street	
A. 1 a)	Sewer Repair - Up to 3.0 metres Long (SD-022A) 200mm	CW 2130				
í)	Class 3 backfill		each	2		
A. 2 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	1		
A. 3 a)	Sewer Inspection 200mm	CW 2145	m	53.8		
A. 4 a)	Sewer Service Inspection 150mm	CW 2145	m	10.0		
A. 5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
	Dowker Avenue - S-MA60017651				Subtotal A:	
<u>B</u>	Lyon Street - 1st MH S	S of Point Roa	ad to M⊦	I at Waterfo	rd Avenue	
B. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a) i)	375mm Class 3 backfill		each	1		
В. 2 а)	Connecting New Sewer Service to Existing Sewer Service 100mm	CW 2130	each	1		
B. 3 a)	Sewer Inspection 375mm	CW 2145	m	88.7		
B. 4 a)	Sewer Service Inspection 100mm	CW 2145	m	10.0		

Subtotal B:

(SEE B9)

2009 SEWER REPAIRS AND RENEWALS - CONTRACT NO. 24

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>C</u>	North Drive - 1st MH V	V of Wicklow	Street to	MH at Wick	dow Street	
C. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a) i)	200mm Class 5 backfill		each	2		
C. 2 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	2		
C. 3 a)	Sewer Inspection 200mm	CW 2145	m	93.5		
C. 4 a)	Sewer Service Inspection 150mm	CW 2145	m	6.0		
	North Drive - S-MA60013046				Subtotal C:	
<u>D</u>	North Drive - 1st MH W	/ of Riverside	Drive to	MH at Rive	rside Drive	
D. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a) i)	200mm Class 3 backfill		each	1		
D. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022A)	CW 2130				
a) i)	200mm Class 3 backfill		m	14.0		
D. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	2		
D. 4 a)	Sewer Inspection 200mm	CW 2145	m	76.2		
I		CW 2145				

(SEE B9)

2009 SEWER REPAIRS AND RENEWALS - CONTRACT NO. 24

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D. 6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
D. 7 a)	Concrete Curb Renewal Barrier curb and gutter (SD-201)	E7	m	5.0		
	North Drive - S-MA60013105				Subtotal D:	
Ē	North Drive - 1st N	IH E of Lyon S	Street to	MH at Lyor	n street	
E. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a) i)	200mm Class 5 backfill		each	1		
E. 2 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	1		
E. 3 a)	Sewer Inspection 200mm	CW 2145	m	91.1		
E. 4 a)	Sewer Service Inspection 150mm	CW 2145	m	19.0		
	North Drive - S-MA60013208				Subtotal E:	
<u></u>	Oakenwald Avenue - MH	at Ruttan Bay	v (W Leg) to MH at W	/icklow Stre	et
F. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a) i)	250mm Class 3 backfill		each	1		
F. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022A)	CW 2130				
a) i)	250mm Class 3 backfill		m	3.00		
F. 3 a)	Sewer Inspection 250mm	CW 2145	m	103.7		

(SEE B9)

2009 SEWER REPAIRS AND RENEWALS - CONTRACT NO. 24

UNITE	RICES		1			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. 4	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
	Oakenwald Avenue - S-MA60017517				Subtotal F:	
<u>G</u>	Riley Street - 2nd MH N of	Dowker Aver	nue to 1s	st MH N of D	owker Aven	iue
G. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a) i)	200mm Class 3 backfill		each	1		
G. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022A)	CW 2130				
a) i)	200mm Class 3 backfill		m	4.0		
G. 3 a)	Sewer Inspection 200mm	CW 2145	m	64.4		
G. 4	Replacing Existing Manhole Rungs	CW 2130	each	9.0		
G. 5	Repair Grout in Existing Manholes	CW 2130	vert. m	3.0		
G. 6	Repair Benching in Existing Manholes	CW 2130	each	1.0		
G. 7	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
	Riley Street - S-MA60017596			:	Subtotal G:	
<u>H</u>	Riveria Crescent - 5th MH	N of Riveria	Drive to	4th MH N of	f Riveria Dri	ve
H. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a) i)	250mm Class 3 backfill		each	1		
H. 2	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm	I	each	1		

(SEE B9)

2009 SEWER REPAIRS AND RENEWALS - CONTRACT NO. 24

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H. 3 a)	Sewer Inspection 250mm	CW 2145	m	112		
H. 4 a)	Water Services 19mm	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
H. 5 a)	Sewer Service Inspection 150mm	CW 2145	m	2.0		
H. 6 a)	Partial Slab Patches 150mm reinforced concrete pavement	E5	m²	6.0		
H. 7	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
	Riveria Crescent - S-MA60018293				Subtotal H:	
Ī	Somerset Avenue - 2nd M	H E of Rivers	ide Driv	e to MH at F	Riverside Dr	ive
<u>I</u> I. 1	Somerset Avenue - 2nd M Sewer Repair - Up to 3.0 metres Long (SD-022A)	H E of Rivers	ide Driv	e to MH at F	Riverside Dr	ive
	Sewer Repair - Up to 3.0 metres Long (SD-022A) 200mm				Riverside Dr	ive
l. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)		each	e to MH at F	Riverside Dr	ive
l. 1 a)	Sewer Repair - Up to 3.0 metres Long (SD-022A) 200mm				Riverside Dr	ive
I. 1 a) i)	Sewer Repair - Up to 3.0 metres Long (SD-022A) 200mm Class 3 backfill Sewer Repair - In Addition to First 3.0 metres (SD-022A) 200mm	CW 2130			Riverside Dr	ive
I. 1 a) i) I. 2 a)	Sewer Repair - Up to 3.0 metres Long (SD-022A) 200mm Class 3 backfill Sewer Repair - In Addition to First 3.0 metres (SD-022A) 200mm	CW 2130	each	2	Riverside Dr	ive
I. 1 a) i) I. 2 a) i) I. 3	Sewer Repair - Up to 3.0 metres Long (SD-022A) 200mm Class 3 backfill Sewer Repair - In Addition to First 3.0 metres (SD-022A) 200mm Class 3 backfill Connecting New Sewer Service to Existing Sewer Service	CW 2130 CW 2130	each m	2 6.4	Riverside Dr	ive

(SEE B9)

2009 SEWER REPAIRS AND RENEWALS - CONTRACT NO. 24

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I. 6	Temporary Asphaltic Concrete Patches	CW 3410	m²	20.0		
	Somerset Avenue - S-MA60013146, S-	MA60013206			Subtotal I:	
<u>1</u>	Windemere Avenue - MH at P	embina High	way to 1	st MH E of I	Pembina Hig	hway
J. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a) i)	300mm Class 3 backfill		each	1		
J. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022A)	CW 2130				
a) i)	300mm Class 3 backfill		m	17.3		
J. 3 a)	Connecting New Sewer Service to Existing Sewer Service 100mm	CW 2130	each	2		
J. 4 a)	Sewer Inspection 300mm	CW 2145	m	79		
J. 5 a)	Sewer Service Inspection 100mm	CW 2145	m	25.0		
J. 6 a)	Partial Slab Patches 150mm reinforced concrete pavement	E5	m²	6.0		
J. 7 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E6	m²	5.0		
J. 8	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
J. 9 a)	Concrete Curb Renewal Barrier curb (SD-204)	E7	m	6.0		
J. 10 a)	Surfacing Material Limestone	CW 3150-R4	tonne	2.0		

(SEE B9)

2009 SEWER REPAIRS AND RENEWALS - CONTRACT NO. 24

JNII P	RICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Windemere Avenue - S-MA70036674				Subtotal J:	
<u>K</u>	Windemere Avenue - 2nd MH V	V of Riversid	e Drive t	to 1st MH W	of Riverside	e Drive
K. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a) i)	300mm Class 3 backfill		each	1		
K. 2 a)	Connecting New Sewer Service to Existing Sewer Service 100mm	CW 2130	each	1		
K. 3 a)	Sewer Inspection 300mm	CW 2145	m	91.6		
K. 4 a)	Sewer Service Inspection 100mm	CW 2145	m	7.0		
K. 5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
	Windemere Avenue - S-MA60013061			:	Subtotal K:	
L	Manchester Boulevard S	- 2nd MH W c	of Point I	Road to MH	at Point Roa	ad
L. 1 a) i)	Wastewater Sewers 250mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	160.0		
L. 2 a) i)	Manhole SD-010 1200mm diameter base	CW 2130	vert. m	11.0		
L. 3 a) i)	Sewer Services 150mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	112.0		
L. 4	Connecting New Sewer Service to Existing Sewer Service	CW 2130				

(SEE B9)

2009 SEWER REPAIRS AND RENEWALS - CONTRACT NO. 24

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	150mm		each	7	TRICE	
L. 5 a)	Connecting to Existing Manhole 250mm	CW 2130	each	1		
L. 6	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW 2130				
a)	150mm		each	7		
b)	200mm		each	4		
L. 7	Abandoning Existing Manholes	CW 2130	each	2		
L. 8 L. a)	Sewer Inspection 250mm	CW 2145	m	160.0		
L. 9	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
M	Manchester Boulevard S - 2nd	MH W of Wild	wood S	street to MH	l at Wildwoo	d Street
M. 1 a) i)	Wastewater Sewers 250mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	174.0		
M. 2 a)	Manhole SD-010	CW 2130				
i)	1200mm diameter base		vert. m	14.5		
M. 3 a) i)	Sewer Services 150mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	155.0		
M. 4	Connecting New Sewer Service to Existing Sewer Service	CW 2130		11		
a)	150mm		each	11		

(SEE B9)

2009 SEWER REPAIRS AND RENEWALS - CONTRACT NO. 24

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
				QUANTIT	FRICE	
M. 6	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW 2130				
a)	150mm		each	11		
b)	200mm		each	4		
M. 7	Abandoning Existing Manholes	CW 2130	each	1		
M. 8	Sewer Inspection	CW 2145				
a)	250mm		m	174.0		
M. 9	Partial Slab Patches	E5				
a)	150mm reinforced concrete pavement		m²	10.0		
M. 10	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
	Manahastar Daulayard S. S. MA70002	E44 @ MA70	00505		Subtatal M.	
	Manchester Boulevard S - S-MA70002	511, 5-IVIA700	JUZ3Z3		Subtotal M:	
N	Oakenwald Avenue - 1st MH E	E of Woodgro	ove Stree	et to MH at V	Noodgrove	Street
<u>N</u> . 1	Oakenwald Avenue - 1st MH E Wastewater Sewers	E of Woodgro CW 2130	ove Stree	et to MH at V	Woodgrove S	Street
			ove Stree	et to MH at V	Noodgrove S	Street
N. 1	Wastewater Sewers 250mm		m	et to MH at V 13.0	Woodgrove S	Street
N. 1 a)	Wastewater Sewers 250mm trenchless installation, Class B sand bedding, Class 3 backfill				Noodgrove S	Street
N. 1 a) i)	Wastewater Sewers 250mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand		m	13.0	Noodgrove S	Street
N. 1 a) i)	Wastewater Sewers 250mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill	CW 2130	m	13.0	Woodgrove S	Street
N. 1 a) i) N. 2	Wastewater Sewers 250mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill Manhole SD-010	CW 2130	m	13.0	Noodgrove :	Street
N. 1 a) i) ii) N. 2 a)	Wastewater Sewers 250mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill Manhole SD-010	CW 2130	m	13.0 69.5	Noodgrove S	Street
N. 1 a) i) ii) N. 2 a) i)	Wastewater Sewers 250mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill Manhole SD-010 1200mm diameter base	CW 2130 CW 2130	m	13.0 69.5	Noodgrove S	Street
N. 1 a) i) N. 2 a) i) N. 3	Wastewater Sewers 250mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill Manhole SD-010 1200mm diameter base Sewer Services	CW 2130 CW 2130	m	13.0 69.5	Noodgrove S	Street
N. 1 a) i) ii) N. 2 a) i) N. 3 a)	Wastewater Sewers 250mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill Manhole SD-010 1200mm diameter base Sewer Services 150mm trenchless installation, Class B sand bedding, Class 5 backfill Sewer Repair - Up to 3.0 metres Long	CW 2130 CW 2130	m m vert. m	13.0 69.5 11.0	Noodgrove :	Street
N. 1 a) i) ii) N. 2 a) i) N. 3 a) i)	Wastewater Sewers 250mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill Manhole SD-010 1200mm diameter base Sewer Services 150mm trenchless installation, Class B sand bedding, Class 5 backfill	CW 2130 CW 2130 CW 2130	m m vert. m	13.0 69.5 11.0	Noodgrove S	Street

(SEE B9)

2009 SEWER REPAIRS AND RENEWALS - CONTRACT NO. 24

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.		QUANTITY	PRICE	
N. 5 a)	Sewer Repair - In Addition to First 3.0 metres (SD-022A) 200mm	CW 2130				
i)	Class 3 backfill		m	23.00		
N. 6 a)	Connecting to Existing Manhole 250mm	CW 2130	each	1		
N. 7 a)	Connecting New Sewer Service to Existing Sewer Service 100mm	CW 2130	each	10		
N. 8	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW 2130				
a) b)	150mm 200mm		each each	9 2		
N. 9 a) b)	Sewer Inspection 200mm 250mm	CW 2145	m m	183.8 92.7		
N. 10 a)	Partial Slab Patches 150mm reinforced concrete pavement	E5	m²	64.0		
N. 11	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	16.0		
	Oakenwald Avenue - S-MA60017487, S-MA60017488, S-MA60013061					
<u>0</u>	Ryan Street - MH at M	iriam Street t	o 2nd M	H N of Miria	m Avenue	
O. 1 a) i)	Wastewater Sewers 250mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	262.0		
O. 2 a) i)	Manhole SD-010	CW 2130	vert. m	13.5		

(SEE B9)

2009 SEWER REPAIRS AND RENEWALS - CONTRACT NO. 24

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
O. 3 a) i)	Sewer Services 150mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	61.0		
O. 4 a)	Connecting to Existing Manhole 250mm	CW 2130	each	1		
O. 5	Connecting to Existing Wastewater Lift Station	CW 2130	each	1		
O. 6 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	5		
	Plugging Existing Sewers and Sewer Services Smaller Than 300mm 150mm 250mm	CW 2130	each each	5 8		
O. 8	Abandoning Existing Manholes	CW 2130	each	4		
O. 9 a)	Sewer Inspection 250mm	CW 2145	m	262		
O. 10 a)	Partial Slab Patches 150mm reinforced concrete pavement	E5	m²	10.0		
O. 11	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
	Ryan Ave - S-MA60013198				Subtotal O:	
<u>P</u>	Waterford Avenue - 1s	t MH E of Lyo	on Stree	t to MH at L	yon Street	
P. 1 a) i)	Wastewater Sewers 250mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	66.0		
P. 2 a)	Manhole SD-010	CW 2130				

(SEE B9)

2009 SEWER REPAIRS AND RENEWALS - CONTRACT NO. 24

UNIT PRICES

		8050		APPROX.	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
i) ii)	1200mm diameter base 1500mm diameter base with Drop Structure		vert. m vert. m	3.0 6.3		
P. 3	Sewer Services	CW 2130				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	36.0		
P. 4 a)	Connecting to Existing Manhole 250mm	CW 2130	each	2		
P. 5	Connecting New Sewer Service to					
a)	Existing Sewer Service 150mm	CW 2130	each	5		
		0101 04 00	Cuon	0		
P. 6	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW 2130				
a)	100mm		each	5		
b)	200mm		each	2		
P. 7	Sewer Inspection	CW 2145		<u> </u>		
a)	250mm		m	66.0		
P. 8	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m²	50.0		
P. 9	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	18.0		
	Waterford Avenue - S-MA60013198				Subtotal P:	
<u>Q</u>	Windermere Avenue - 1st N	IH W of River	side Dri	ve to MH at	Riverside D	rive
Q. 1	Wastewater Sewers	CW 2130				
a)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	101.0		
Q. 2	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	5.0		

(SEE B9)

2009 SEWER REPAIRS AND RENEWALS - CONTRACT NO. 24

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Q. 3 a)	New Manhole on Existing Sewer SD-010	CW 2130				
i)	1200mm diameter base		vert. m	5.5		
Q. 4	Sewer Services	CW 2130				
a) i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill		m	76.0		
Q. 5 a)	Connecting to Existing Manhole 300mm	CW 2130	each	1		
Q. 6 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	8		
Q. 7	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW 2130				
a)	150mm		each	8		
Q. 8	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	7.0		
Q. 9 a)	Sewer Inspection 300mm	CW 2145	m	101.0		
Q. 10	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		

Windermere Avenue - S-MA60013090

Subtotal Q:

<u>R</u>	Provisional Items					
R. 1 a) b)	Temporary Pavement Restoration 150mm concrete pavement 200mm concrete pavement	CW2130	m² m²	91.0 132.0		
i)	Sidewalk		m²	10.0		
R. 2	Cement Stabilized Fill	CW2030	m³	20.0		
R. 3	Water Services	CW 2110				

(SEE B9)

2009 SEWER REPAIRS AND RENEWALS - CONTRACT NO. 24

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a) i)	19mm trenchless installation, Class B sand bedding, Class 3 backfill		m	20.0		
R. 4 a) i)	Sewer Services 150mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	80.0		
R. 5 a)	Remove and Replace Existing Catch Basin SD-024	CW 2130	each	1		
b)	SD-025		each	1		
R. 6	Patching Existing Manholes	CW 2130	vert. m	4.0		
R. 7	Sodding	CW 3510	m²	10.0		
	Provisional Items				Subtotal R:	

TOTAL BID PRICE (GST extra)

(in figures)\$

(in words)_____

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 703-2009

2009 WASTEWATER SEWER RENEWALS BY EXTERNAL POINT REPAIRS AND REPLACEMENTS – CONTRACT NO. 24

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per: Per:	
	(Name of Surety)	
	By:(Attorney-in-Fact)	(Seal)

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20____ for

BID OPPORTUNITY NO. 703-2009

2009 WASTEWATER SEWER RENEWALS BY EXTERNAL POINT REPAIRS AND REPLACEMENTS – CONTRACT NO. 24

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20_____.

(Name of Surety)

By:

(Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 703-2009

2009 WASTEWATER SEWER RENEWALS BY EXTERNAL POINT REPAIRS AND REPLACEMENTS – CONTRACT NO. 24

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on December 25, 2009

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)