



GENERAL NOTES

1. CHAINAGE IS ALONG CENTRELINE OF PROPOSED RIGHT-OF-WAY OF WAVERLEY STREET.

CONSTRUCTION NOTES

1. ALL PIPE BACKFILL UNDER BOULEVARD TO BE CLASS 4 UNLESS OTHERWISE NOTED.
2. INSTALL PIPE UNDER EXISTING OR FUTURE PAVEMENT USING TRENCHLESS METHODS WITH CLASS 2 BACKFILL OF SHAFTS. WHERE NOT POSSIBLE, OPEN CUT WITH CLASS 2 BACKFILL.
3. USE CLASS 2 BACKFILL WITHIN 3m OF NEW MANHOLE INSTALLATIONS.
4. THE LAST RISER SECTION ON ALL MANHOLES WILL BE A 300mm SECTION JUST BELOW THE FLAT TOP REDUCER FOR THE PURPOSE OF FUTURE ADJUSTMENT OF MANHOLES.



400 FM	FEEDERMAIN	1.5, 2.40	LEGAL DIMENSION	PROPERTY LINE	LOCATION APPROVED UNDERGROUND STRUCTURES	B.M. CITY OF WINNIPEG 82-024 ELEV. 232.259m		ORIGINAL DRAWING REVISION "A" SEALED BY W.T. JACKSON 08.12.17	CITY DRAWING NUMBER 8796 SHEET 1 OF 3
250 WWS	WASTEWATER SEWER	750 WWS	SURVEY BAR	HYDRO	DESIGNED BY WTJ	WARDROP Engineering Inc. CHECKED BY GS DRAWN BY GMD APPROVED BY GS HOR. SCALE: 1 : 500 VERTICAL: 1 : 50 RELEASED FOR CONSTRUCTION DATE 08.12.05			
---	WWS REFERENCE ONLY		MANHOLE	ELEVATION	SUPV. U/G STRUCTURES DATE COMMITTEE				
---	WATERMAIN		HYDRO POLE	ASPHALT	NOTE: LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.				
---	SHAW FIBRE OPTICS		TREE	GRAVEL					
---			SHRUB	FENCE					
---			SIGN	CURB (FUTURE)					
---			CULVERT	CURB					
---				TRENCHLESS					
EXISTING	LEGEND-PLAN	PROPOSED	EXISTING	LEGEND-PLAN	PROPOSED	EXISTING	LEGEND-PLAN	PROPOSED	