FORM A: BID (See B7)

1.	Contract Title	Southwest Rapid Transit Corridor – Stage 1: Transitway Cons Donald/Harkness Reconstruction & Associated Works	struction,
2.	Bidder	Name of Bidder	
		Street	
		City Province	Postal Code
		Facsimile Number	
	(Mailing address if different)	Street or P.O. Box	
		City Province	Postal Code
		The Bidder is:	
	(Choose one)	a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above name.	
3.	Contact Person	The Bidder hereby authorizes the following contact person t the Bidder for purposes of the Bid.	o represent
		Contact Person Title	
		Telephone Number Facsimile Number	
4.	Definitions	All capitalized terms used in the Contract shall have the ascribed to them in the General Conditions.	e meanings
5.	Offer	The Bidder hereby offers to perform the Work in accordan Contract for the Total Bid Price, in Canadian funds, set out Prices, appended hereto.	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

SEAL

LIVUT DOL		FORM B: PRIC (SEE B9)	ES			
UNIT PRI	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
А	Donald Street Reconstruction					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R11	m³	11000.0		
A.2	Sub-Grade Compaction	CW 3110-R11	m²	12500.0		
A.3	Crushed Sub-base Material	CW 3110-R11, E15				
i)	50 mm - Limestone		tonne	5600.0		
ii)	150 mm - Limestone		tonne	17500.0		
A.4	Supplying and Placing Base Course Material	CW 3110-R11, E15	m³	1300.0		
A.5	Grading of Boulevards	CW 3110-R11	m²	1500.0		
A.6	Removal of Existing Concrete Bases	CW 3110-R11				
i)	600mm Diameter or Less		each	3		
ii)	Greater than 600 mm Diameter		each	1		
A.7	Separation Geotextile Fabric	CW 3130-R2	m²	12500.0		
A.8	Supply and Install Geogrid	CW 3135	m²	4000.0		
	ROADWORK - REMOVALS/RENEWALS					
A.9	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m²	11350.0		
ii)	Asphalt Pavement		m²	1750.0		
A.10	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	350		

FORM B: PRICES										
LINIT DDI	(SEE B9) UNIT PRICES									
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT				
A.11	Drilled Tie Bars	CW 3230-R6								
i)	20 M Deformed Tie Bar		each	175						
A.12	Miscellaneous Concrete Slab Removal	CW 3235-R7								
i)	Median Slab		m²	550.0						
ii)	Sidewalk		m²	2050.0						
A.13	Concrete Curb Removal	CW 3240-R7								
i)	Barrier (Separate)		m	2220.0						
ii)	Curb and Gutter		m	30.0						
iii)	Curb Ramp		m	100.0						
A.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	15.0						
A.15	Construction of Asphaltic Concrete Overlay	CW 3410-R8								
i)	Tie-ins and Approaches									
a)	Type IA		tonne	750.0						
A.16	Construction of Asphalt Patches	CW 3410-R8	m²	200.0						
A.17	Planing of Pavement	CW 3450-R5								
i)	0 - 50 mm Depth (Asphalt)		m²	800.0						
ii)	50 - 100 mm Depth (Asphalt)		m²	250.0						

		FORM B: PRIC (SEE B9)	ES			
UNIT PRI		· , ,		455567	LINUT BRIGE	41401 INIT
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - NEW CONSTRUCTION					
A.18	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R13				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	8300.0		
ii)	Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m²	1150.0		
iii)	Construction of Concrete Median Slabs	SD-227A	m²	375.0		
iv)	Construction of Monolithic Curb and Sidewalk	SD-228B	m²	1225.0		
A.19	Construction of Partial Concrete Safety Median	E14	m²	75.0		
A.20	Concrete Pavements for Early Opening	CW 3310-R13				
i)	Construction of 230 mm Concrete Pavement for Early Opening 24 hour (Plain- Dowelled)		m²	1000.0		
ii)	Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Plain-Dowelled)		m²	350.0		
A.21	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R13				
i)	Construction of Barrier (180mm ht, Separate)	SD-203A	m	735.0		
ii)	Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	200.0		
iii)	Construction of Curb Ramp (10mm ht, Integral)	SD-229C	m	90.0		
iv)	Construction of Safety Curb (330mm ht)	SD-206B	m	215.0		
A.22	Supply and Installation of Dowel Assemblies	CW 3310-R13	m	2000.0		
A.23	100mm Concrete Sidewalk	CW 3325-R3	m²	1000.0		
A.24	Concrete Sidewalk with Directional Tile	E38	m²	2500.0		
	JOINT AND CRACK SEALING					
A.25	Reflective Crack Maintenance	CW 3250-R7	m	150.0		

	FORM B: PRICES (SEE B9)								
UNIT PRI	CES DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS								
A.26	Removal of Existing Catch Basins	CW 2130-R11	each	10					
A.27	Removal of Existing Catch Pit	CW 2130-R11	each	4					
A.28	Abandoning Existing Drainage Inlets	CW 2130-R11	each	1					
A.29	Installation of Subdrains	CW 3120-R3	m	300.0					
A.30	Replacing Standard Frames & Covers	CW 2130-R11							
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	7					
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	7					
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2					
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2					
	ADJUSTMENTS								
A.31	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5					
A.32	Replacing Existing Risers	CW 2130-R11							
i)	Pre-cast Concrete Risers		vert. m	2.0					
A.33	Lifter Rings	CW 3210-R7							
i)	38mm		each	2					
ii)	51mm		each	12					
A.34	Adjustment of Valve Boxes	CW 3210-R7	each	7					
A.35	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2					
A.36	Curb Stop Extensions	CW 3210-R7	each	2					

	FORM B: PRICES								
LINUT DDI	(SEE B9)								
UNIT PRI	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT			
11.51	DEGORII TIGIV	REF.	OIVII	QUANTITY	ONTTRIOL	AWOON			
A.37	Type B Relocation of Hydrant with	CW-2110-R10	each	1					
	Connection to existing Main Using Tapping								
A.38	Sleeve and Valve Lowering of Hydrant	CW-2110-R10	each	1					
A.50	Lowering of Frydrant	GW-2110-1010	Gacii	•					
	MISCELLANEOUS								
	MIOGELEANEOGO								
A.39	Supply and Place Structural Concrete	E23, E24	m³	25.0					
A.40	Supply and Place Reinforcing Steel (Plain)	E23 & E24	kg	3000.0					
			_						
A.41	Cast-In-Place Concrete Pile Foundations	E23, E24, & E26							
741	Cast III I lace Consider I lie i culturations	L25, L24, Q L26							
.,									
i)	Bored Excavation		each	1					
ii)	Bored Excavation with Concrete Barrier		each	3					
A.42	Timber Fence	E25	m	125.0					
A.43	Wood Fence Removal	E25	m	40.0					
, 10	Wood Follow Rollieva.			10.0					
		F40		4400.0					
A.44	Relocation of Chain Link Fence	E16	m	1100.0					
A.45	Removal of Chain Link Fence	E16	m	1100.0					
A.46	Temporary Fence - 1200 mm height	E17	m	700.0					
A.47	Tree Removals	E20	each	10					
			0.0011	. •					
۸ 40	Hydro Evenyetion	E07	b ==	15.0					
A.48	Hydro Excavation	E27	hrs	15.0					
	Danield Street Books at the street								
Α	Donald Street Reconstruction				Subtotal:				
1	1				Jubiciai.				

		FORM B: PRIC (SEE B9)	ES			
UNIT PR ITEM	ICES DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Harkness Avenue Reconstruction	IXLI.		QOANTITI		
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R11	m³	1300.0		
B.2	Sub-Grade Compaction	CW 3110-R11	m²	1400.0		
B.3	Crushed Sub-base Material	CW 3110-R11, E15				
i)	50 mm - Limestone		tonne	750.0		
ii)	150 mm - Limestone		tonne	2050.0		
B.4	Supplying and Placing Base Course Material	CW 3110-R11, E15	m³	350.0		
B.5	Grading of Boulevards	CW 3110-R11	m²	590.0		
B.6	Removal of Existing Concrete Bases	CW 3110-R11				
i)	600mm Diameter or Less		each	1		
B.7	Separation Geotextile Fabric	CW 3130-R2	m²	1400.0		
B.8	Supply and Install Geogrid	CW 3135	m²	600.0		
	ROADWORK - REMOVALS/RENEWALS					
B.9	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m²	3400.0		
ii)	Asphalt Pavement		m²	470.0		
B.10	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	100		

	FORM B: PRICES								
		(SEE B9)							
UNIT PRI	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT			
B.11	Drilled Tie Bars	CW 3230-R6		QUANTITY					
5.11	Dilliod Tio Bard	0W 0200 110							
i)	20 M Deformed Tie Bar		each	25					
B.12	Miscellaneous Concrete Slab Removal	CW 3235-R7							
i)	Median Slab		m²	150.0					
ii)	Sidewalk		m²	900.0					
B.13	Concrete Curb Removal	CW 3240-R7							
i)	Barrier (Separate)		m	625.0					
ii)	Curb Ramp		m	30.0					
B.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	10.0					
B.15	Construction of Asphaltic Concrete Overlay	CW 3410-R8							
i)	Tie-ins and Approaches								
a)	Type IA		tonne	60.0					
B.16	Construction of Asphalt Patches	CW 3410-R8	m²	150.0					
	ROADWORK - NEW CONSTRUCTION								
B.17	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R13							
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	3300.0					
ii)	Construction of Concrete Median Slabs	SD-227A	m²	150.0					
iii)	Construction of Monolithic Curb and Sidewalk	SD-228B	m²	500.0					

	FORM B: PRICES									
	(SEE B9)									
UNIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT				
B.18	Concrete Pavements for Early Opening	CW 3310-R13								
i)	Construction of 230 mm Concrete Pavement for Early Opening 24 hour (Plain-Dowelled)		m²	350.0						
ii)	Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Plain-Dowelled)		m²	45.0						
B.19	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R13								
i)	Construction of Barrier (150mm ht, Separate)	SD-203A	m	40.0						
ii)	Construction of Barrier (180mm ht, Separate)	SD-203A	m	275.0						
iii)	Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	20.0						
iv)	Construction of Curb Ramp (10mm ht, Integral)	SD-229C	m	50.0						
B.20	Supply and Installation of Dowel Assemblies	CW 3310-R13	m	830.0						
B.21	100mm Concrete Sidewalk	CW 3325-R3	m²	380.0						
B.22	Concrete Sidewalk with Directional Tile	E38	m²	1500.0						
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS									
B.23	Removal of Existing Catch Basins	CW 2130-R11	each	6						
B.24	Removal of Existing Catch Pit	CW 2130-R11	each	3						

FORM B: PRICES										
	(SEE B9)									
UNIT PRI ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT				
B.25	Replacing Standard Frames & Covers	CW 2130-R11		QUANTITI						
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	4						
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	4						
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2						
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2						
	ADJUSTMENTS									
B.26	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2						
B.27	Replacing Existing Risers	CW 2130-R11								
i)	Pre-cast Concrete Risers		vert. m	1.0						
B.28	Lifter Rings	CW 3210-R7								
i)	51mm		each	4						
B.29	Adjustment of Valve Boxes	CW 3210-R7	each	7						
B.30	Raising of Hydrant	CW-2110-R10	each	2						
	Miscellaneous									
B.31	Tree Removals	E20	each	5						
B.32	Chain Link Fence	CW 3550-R2								
i)	1.83m Height		m	85.0						
В	Harkness Avenue Reconstruction				Subtotal:					

I INIIT DDI	FORM B: PRICES (SEE B9) UNIT PRICES							
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
С	Transitway 12+310 to QEW							
	EARTH AND BASE WORKS							
C.1	Clearing and Grubbing	CW 3010-R4	ha	0.5				
C.2	Excavation	CW 3110-R11	m³	6000.0				
C.3	Sub-Grade Compaction	CW 3110-R11	m²	11750.0				
C.4	Crushed Sub-base Material	CW 3110-R11, E15						
i)	50 mm - Limestone		tonne	4500.0				
ii)	150 mm - Limestone		tonne	13000.0				
C.5	Supplying and Placing Base Course Material	CW 3110-R11, E15	m³	1150.0				
C.6	Grading of Boulevards	CW 3110-R11	m²	3150.0				
C.7	Separation Geotextile Fabric	CW 3130-R2	m²	12000.0				
C.8	Supply and Install Geogrid	CW 3135	m²	3600.0				
	ROADWORK - REMOVALS/RENEWALS							
C.9	Drilled Dowels	CW 3230-R6						
i)	19.1 mm Diameter		each	30				
C.10	Drilled Tie Bars	CW 3230-R6						
i)	20 M Deformed Tie Bar		each	25				
C.11	Concrete Curb Removal	CW 3240-R7						
i)	Barrier (Separate)		m	5.0				
ii)	Curb Ramp		m	10.0				

	FORM B: PRICES							
	(SEE B9)							
UNIT PR		1	1					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT		
0.40	Department of the state of the	REF.	2	QUANTITY				
C.12	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	15.0				
	ROADWORK - NEW CONSTRUCTION							
C.13	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R13						
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	9650.0				
ii)	Construction of Concrete Safety Medians	SD-226B	m²	10.0				
iii)	Construction of Monolithic Curb and Sidewalk	SD-228B	m²	300.0				
C.14	Construction of 230 mm Concrete Pavement (Plain-Dowelled, Tinted)	CW 3310-R13, E21	m²	200.0				
C.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R13						
i)	Construction of Curb Ramp (10mm ht, Integral)	SD-229C	m	15.0				
ii)	Construction of Safety Curb (330mm ht)	SD-206B	m	800.0				
iii)	Slip Formed Concrete Barrier - (Type 1)	E10	m	1200.0				
iv)	Cast in place Concrete Barrier - (Type 2)	E10	m	115.0				
C.16	Supply and Installation of Dowel Assemblies	CW 3310-R13	m	2250.0				
	Miscellaneous							
C.17	Tree Removal	E20	each	15				
С	Transitway 12+310 to QEW	<u> </u>			Subtotal:			

LINUT DO	FORM B: PRICES (SEE B9)							
UNIT PRI ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
D	Lagopoulos Reconstruction							
	EARTH AND BASE WORKS							
D.1	Excavation	CW 3110-R11	m³	1135.0				
D.2	Sub-Grade Compaction	CW 3110-R11	m²	1075.0				
D.3	Crushed Sub-base Material	CW 3110-R11, E15						
i)	50 mm - Limestone		tonne	355.0				
ii)	150 mm - Limestone		tonne	1355.0				
D.4	Supplying and Placing Base Course Material	CW 3110-R11, E15	m³	80.0				
D.5	Grading of Boulevards	CW 3110-R11	m²	160.0				
D.6	Removal of Existing Concrete Bases	CW 3110-R11						
i)	600mm Diameter or Less		each	4				
D.7	Separation Geotextile Fabric	CW 3130-R2	m²	1075.0				
D.8	Supply and Install Geogrid	CW 3135	m²	325.0				
	ROADWORK - REMOVALS/RENEWALS							
D.9	Pavement Removal	CW 3110-R11						
i)	Concrete Pavement		m²	1600.0				
D.10	Drilled Dowels	CW 3230-R6						
i)	19.1 mm Diameter		each	70				
D.11	Drilled Tie Bars	CW 3230-R6						
i)	20 M Deformed Tie Bar		each	10				

		FORM B: PRIC	ES					
UNIT PRI	(SEE B9) UNIT PRICES							
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
D.12	Concrete Curb Removal	CW 3240-R7						
i)	Barrier (Separate)		m	320.0				
	ROADWORK - NEW CONSTRUCTION							
D.13	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R13						
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	1095.0				
ii)	Construction of Concrete Median Slabs	SD-227A	m²	95.0				
iii)	Construction of Concrete Safety Medians	SD-226B	m²	5.0				
D.14	Concrete Pavements for Early Opening	CW 3310-R13						
i) D.15	Construction of 230 mm Concrete Pavement for Early Opening 24 hour (Plain-Dowelled) Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R13	m²	60.0				
i)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	185.0				
ii)	Cast in place Concrete Barrier - (Type 2)	E10	m	115.0				
D.16	Supply and Installation of Dowel Assemblies	CW 3310-R13	m	165.0				
	Miscellaneous							
D.17	Removal of Door Activation Unit	E13	L.S.	100%				
D.18	Installation of Steel Bollards	E12	each	8				
D	Lagopoulos Reconstruction		<u>l</u>		Subtotal:			

FORM B: PRICES							
UNIT P	RIC	CFS	(SEE B9)				
ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Е		Land Drainage Sewer Works					
E.1		Land Drainage Sewers	CW 2130-R11				
i)		375mm					
	a)	trenchless installation, Class B sand bedding, Class 3 backfill		m	335.0		
ii)		450mm					
	a)	trenchless installation, Class B sand bedding, Class 3 backfill		m	235.0		
iii)		600mm					
	a)	trenchless installation, Class B sand bedding, Class 3 backfill		m	25.0		
iv)		750mm					
	a)	open cut, Class B sand bedding, Class 3 backfill		m	2.5		
E.2		Manhole	CW 2130-R11				
i)		SD-010					
	a)	1200mm diameter base		vert. m	48.0		
E.3		Connecting to Existing Manhole	CW 2130-R11				
i)		250mm		each	3		
ii)		375mm		each	2		
iii)		450mm		each	2		

	FORM B: PRICES							
			(SEE B9)					
UNIT PI			0050		455501/	LINUT DDIOE	446UNIT	
ITEM	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
E.4		New Manhole on Existing Sewer	ILI.		QUANTITI			
		5	CW 2130-R11					
:\		CD 044						
i)		SD-011						
	a)	1200mm diameter base		vert. m	7.5			
ii)		Large Diamter						
	a)	2100mm diameter base		vert. m	8.5			
	u,	2 Toomin diameter base		VOI (. 111	0.0			
E.5		Catch Basin	CW 2130-R11,					
			E18					
i)		SD-024		each	32			
ii)		SD-025		each	1			
E.6		Beehive Manhole Covers	E19	each	4			
L.0		Deerlive Mailiole Covers	LIS	Cacii	7			
		0.11.70						
E.7		Catch Pit	CW 2130-R11, E18					
			LIO					
i)		SD-023		each	8			
E.8		Sewer Services						
			CW 2130-R11					
:)		250mm						
i)		25011111						
		trenchless installation, Class B sand		m	280.0			
		bedding, Class 3 backfill						
ii)		300mm						
	a)	trenchless installation, Class B sand		m	80.0			
		bedding, Class 3 backfill			33.3			
:::\		275						
iii)		375mm						
	a)	trenchless installation, Class B sand		m	40.0			
		bedding, Class 3 backfill						

FORM B: PRICES								
LINIT DOW	(SEE B9) UNIT PRICES							
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
E.9	Connecting to Existing Sewer	CW 2130-R11						
i)	250mm PVC to 375mm AC		each	1				
ii)	250mm PVC to 450mm Conc.		each	5				
iii)	250mm PVC to 600mm Conc.		each	1				
iv)	300mm PVC to 525mm Conc.		each	1				
E.10	Grouted Stone Riprap	CW 3615-R2	m³	15.0				
E.11	Abandoning Existing Sewers with Cement- Stabilized Flowable Fill	CW 2130-R11	m ³	5.0				
E.12	Sewer Inspection	CW 2145-R3						
i)	250mm to 900mm		m	997.5				
E	Land Drainage Sewer Works	1	l		Subtotal:			

		FORM B: PRIC	ES			
UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	<u>Landscaping Works</u>					
F.1	Rough Grading for Sodded and Seeded Areas	E28	m²	6600.0		
F.2	Unit Paver Insert for Bus Stop	E39	each	6		
F.3	Supply and Install Detectable Paving	E37				
i)	Yellow Detectable Panels		m²	100.0		
F.4	Supply and Install Benches	E36	each	1		
F.5	Concrete Base for Bus Stop Flag	E26	each	6		
F.6	Chain Link Fence	CW 3550-R2				
i)	1.83m Height		m	350.0		
F.7	Supply and Install Landscape Rock	E35	m ³	600.0		
F.8	Supply and Install Planting Bed	E29	m²	730.0		
F.9	Supply and Install Planting Soil	E32	m ³	5750.0		
F.10	Supply and install weed free soil	E32	m ³	1600.0		

	FORM B: PRICES (SEE B9)							
UNIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
F.11	Supply and Install Plant Material	E30						
a)	Manchurian Ash		each	5				
b)	Glenleven Linden		each	13				
c)	American Elm		each	54				
d)	Amur Maple		each	5				
e)	Spring Snow Crabapple		each	4				
f)	White Spruce		each	16				
g)	Colorado Spruce		each	19				
h)	Chokeberry		each	64				
i)	Pygmy Caragana		each	59				
j)	Wood's Rose		each	42				
k)	Three-lobed Spirea		each	43				
I)	Nannyberry		each	54				
m)	Daylily		each	200				
n)	Chequers Lamium		each	100				
0)	Native Grape		each	65				
p)	Bittersweet		each	20				
F.12	Supply and Install Sod	CW 3510-R9, E33	m²	2000.0				
F.13	Supply and Install Seeded Area	CW 3510-R9, E34	m²	5250.0				
F.14	Extended Two Year Maintenance	E31	yr	2				
F	Landscaping Works				Subtotal:			

		FORM B: PRIC	FS				
		(SEE B9)	_0				
UNIT PRI	CES	(OLL BO)					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
				401111111	I_		
	SUMMARY						
Α	Donald Street Reconstruction				Subtotal:		
В	Harkness Avenue Reconstruction				Subtotal:		
С	Transitway 12+310 to QEW				Subtotal:		
D	Lagopoulos Reconstruction				Subtotal:		
E	Land Drainage Sewer Works				Subtotal:		
F	Landscaping Works				Subtotal:		
TOTAL BI	TOTAL BID PRICE (GST extra) (in figures)						
<i>(</i> : 1.)							
(in words)							

(Seal)

Template Version: C420081212 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

THING WITH DI	THEOLINE CLINE	

KNOW ALL MEN BY THESE PRESENTS	IHAI		
(hereinafter called the "Principal") and			
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten per described, for the payment of which sum t administrators, successors and assigns, joi	rcent (10%) of the Total Bion he Principal and Surety bin	d Price set out in the E d themselves, their hei	Bid hereinafter
WHEREAS the Principal has submitted a B	id to the Obligee for		
BID OPPORTUNITY NO. 97- 2009			
Southwest Rapid Transit Corridor – Stage Associated Works	1: Transitway Construction,	Donald/Harkness Reco	onstruction &
as more fully set out in the Bid Opportunity.			
NOW THEREFORE the condition of this obif said Bid is accepted and the Principal, in the said Obligee and furnishes the required of the Contract, this obligation shall be void	accordance with the terms diperformance security for g	of the Bid, enters into a guaranteeing the faithfu	Contract with performance
IN WITNESS WHEREOF the Principal and	Surety have signed and se	aled this bond the	
day of	, 20	<u> </u>	
SIGNED AND SEALED in the presence of:	(Name of Principal)		
(Witness as to Principal if no seal)	Per:		
	(Name of Surety)		

By:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 97-2009 Southwest Rapid Transit Corridor - Stage 1: Transitway Construction, Donald/Harkness Reconstruction & Associated Works in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ , 20_____ . (Name of Surety)

(Attorney-in-Fact)

(Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1	
RE: BID SECURITY – BID C	DPPORTUNITY NO. 97- 2009
Southwest Rapid Transi Reconstruction & Associated Wo	t Corridor – Stage 1: Transitway Construction, Donald/Harkness orks
Pursuant to the request of and for	or the account of our customer,
(Name of Bidder)	,
(Address of Bidder) WE HEREBY ESTABLISH in you in the aggregate	our favour our irrevocable Standby Letter of Credit for a sum not exceeding
	Canadian dollars.
demand for payment made upon Letter of Credit for the payment payment without inquiring wheth	nay be drawn on by you at any time and from time to time upon written on us by you. It is understood that we are obligated under this Standby of monies only and we hereby agree that we shall honour your demand for ner you have a right as between yourself and our customer to make such g any claim of our customer or objection by the customer to payment by us.
	er of Credit may be reduced from time to time only by amounts drawn upon riting given to us by you if you desire such reduction or are willing that it be
Partial drawings are permitted.	
We engage with you that all de Letter of Credit will be duly hono	emands for payment made within the terms and currency of this Standby oured if presented to us at:
(Address)	

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 14, 2009.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)