

FORM A: BID
(See B8)

1. Contract Title 2010 RESIDENTAL STREET RENEWALS – DE BOURMONT AVENUE,
BERRYDALE AVENUE AND FARNHAM ROAD

2. Bidder _____
Name of Bidder

Street

City Province Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City Province Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent
the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings
ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the
Contract for the Total Bid Price, in Canadian funds, set out on Form B:
Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.		Dated	
_____		_____	_____
_____		_____	_____
_____		_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES

(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>De Bourmont Avenue - From Autumnwood Road to Elizabeth Road</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R12	m ³	2800		
A.2	Sub-Grade Compaction	CW 3110-R12	m ²	4625		
A.3	Crushed Sub-base Material	CW 3110-R12				
	i) 50 mm - Limestone		tonne	3075		
	ii) 100 mm - Limestone		tonne	790		
A.4	Supplying and Placing Base Course Material	CW 3110-R12, E16	m ³	350		
A.5	Grading of Boulevards	CW 3110-R12	m ²	900		
A.6	Separation Geotextile Fabric	CW 3130-R2	m ²	4625		
A.7	Supply and Install Geogrid	CW 3135	m ²	1150		
	ROADWORKS - RENEWALS					
A.8	Pavement Removal	CW 3110-R12				
	i) Concrete Pavement		m ²	4100		
A.9	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
	i) Construction of 200 mm Concrete Pavement (Reinforced) Slip Form Paving		m ²	3040		
	ii) Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced) Slip Form Paving		m ²	265		
	iii) Construction of 150 mm Concrete Pavement (Reinforced)		m ²	1060		
A.10	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	260		
A.11	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	15		
	b) 5 sq.m. to 20 sq.m.		m ²	65		
	c) Greater than 20 sq.m.		m ²	520		
A.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m ²	10		
A.13	Supply of Precast Sidewalk Blocks	CW 3235-R7	m ²	10		
A.14	Removal of Precast Sidewalk Blocks	CW 3235-R7	m ²	10		

FORM B: PRICES

(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.15	Concrete Curb Removal	CW 3240-R8				
i)	Barrier Separate		m	50		
ii)	Modified Barrier (Integral)		m	15		
A.16	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (180mm ht, Separate)	SD-203A	m	485		
ii)	Modified Barrier (180mm ht, Dowelled)	SD-203B	m	310		
A.17	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (180mm ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	20		
ii)	Lip Curb (40mm ht, Integral)	SD-202B	m	40		
iii)	Curb Ramp (10-15mm ht, Monolithic)	SD-229A,B,C	m	120		
A.18	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	105		
A.19	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	570		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.20	Catch Pit	CW 2130-R11				
i)	SD-023		each	21		
A.21	Remove and Replace Existing Catch Basin	CW 2130-R11				
i)	SD-025		each	2		
A.22	Drainage Connection Pipe	CW 2130-R11	m	125		
A.23	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	15		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	24		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		
A.24	Connecting to Existing Catch Basin	CW 2130-R11				
i)	250mm Drainage Connection Pipe		each	21		
A.25	Removal of Existing Drainage Inlets	CW 2130-R11	each	25		
A.26	Abandoning Existing Drainage Inlets	CW 2130-R11	each	10		

FORM B: PRICES

(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ADJUSTMENTS						
A.27	Lifter Rings	CW 3210-R7				
i)	38mm		each	1		
ii)	51mm		each	2		
A.28	Adjustment of Valve Boxes	CW 3210-R7	each	12		
A.29	Valve Box Extensions	CW 3210-R7	each	2		
A.30	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
A.31	Curb Stop Extensions	CW 3210-R7	each	2		
LANDSCAPING						
A.32	Sodding	CW 3510-R9				
i)	width < 600mm		m ²	450		
ii)	width > or = 600mm		m ²	50		
A	<u>De Bourmont Avenue - From Autumnwood Road to Elizabeth Road</u>				Subtotal:	

FORM B: PRICES

(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>Berrydale Avenue - From St. Mary's Road to St. David Road</u>					
	EARTH AND BASE WORKS					
B.1	Grading of Boulevards	CW 3110-R12	m ²	2275		
	ROADWORKS - RENEWALS					
B.2	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	220		
	b) 5 sq.m. to 20 sq.m.		m ²	150		
	c) Greater than 20 sq.m.		m ²	100		
B.3	Detectable Warning Surface Tiles	E18	each	8		
B.4	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m ²	10		
B.5	Supply of Precast Sidewalk Blocks	CW 3235-R7	m ²	10		
B.6	Removal of Precast Sidewalk Blocks	CW 3235-R7	m ²	10		
B.7	Concrete Curb Renewal	CW 3240-R8				
	i) Barrier (150mm ht, Dowelled) Slip Form Paving	SD-205, SD-206A				
	a) Less than 3 m		m	5		
	b) 3 m to 30 m		m	715		
	c) Greater than 30 m		m	285		
	ii) Modified Barrier (180mm ht, Dowelled)	SD-203B	m	35		
	iii) Curb Ramp (10-15mm ht, Monolithic)	SD-229C,D	m	20		
B.8	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
	i) Main Line Paving					
	a) Type IA		tonne	1170		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	115		
B.9	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	255		
	CRACKING AND SEATING					
B.10	Moisture Barrier/Stress Absorption Geotextile Fabric	E12	m ²	4775		
B.11	Pavement Patching	E13	m ²	400		
B.12	Crack and Seating Pavement	E11	m ²	4775		

FORM B: PRICES

(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.13	Partial Depth Saw-Cutting	E11	m	385		
	JOINT AND CRACK SEALING					
B.14	Reflective Crack Maintenance	CW 3250-R7	m	1235		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.15	Catch Pit	CW 2130-R11				
i)	SD-023		each	5		
B.16	Remove and Replace Existing Catch Basin	CW 2130-R11				
i)	SD-025		each	1		
B.17	Drainage Connection Pipe	CW 2130-R11	m	10		
B.18	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
B.19	Connecting to Existing Catch Basin	CW 2130-R11				
i)	250mm Drainage Connection Pipe		each	5		
B.20	Abandoning Existing Drainage Inlets	CW 2130-R11	each	5		
	ADJUSTMENTS					
B.21	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	13		
B.22	Lifter Rings	CW 3210-R7				
i)	38mm		each	13		
B.23	Adjustment of Valve Boxes	CW 3210-R7	each	2		
B.24	Valve Box Extensions	CW 3210-R7	each	1		
B.25	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
B.26	Curb Stop Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
B.27	Sodding	CW 3510-R9				
i)	width < 600mm		m ²	135		
ii)	width > or = 600mm		m ²	2140		
B	<u>Berrydale Avenue - From St. Mary's Road to St. David Road</u>				Subtotal:	

FORM B: PRICES

(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>Farnham Road - From Beaverhill Boulevard to Cherwell Road</u>					
	EARTH AND BASE WORKS					
C.1	Grading of Boulevards	CW 3110-R12	m ²	985		
	ROADWORKS - RENEWALS					
C.2	Slab Replacement	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m ²	155		
C.3	Partial Slab Patches	CW 3230-R6				
i)	150 mm Concrete Pavement (Type B)		m ²	125		
C.4	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	280		
C.5	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	295		
C.6	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	10		
C.7	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m ²	5		
C.8	Supply of Precast Sidewalk Blocks	CW 3235-R7	m ²	5		
C.9	Removal of Precast Sidewalk Blocks	CW 3235-R7	m ²	5		
C.10	Concrete Curb Removal	CW 3240-R8				
i)	Lip Curb	SD-202C	m	365		
C.11	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (150mm ht, Dowelled) Slip Form Paving	SD-205	m	310		
ii)	Modified Barrier (180mm ht, Dowelled)	SD-203B	m	60		
C.12	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150mm ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5		
ii)	Lip Curb (40mm ht, Integral)	SD-202B	m	5		
iii)	Curb Ramp (10-15mm ht, Monolithic)	SD-229C,D	m	7		
C.13	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	20		

FORM B: PRICES

(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.14	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	400		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	175		
C.15	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	75		
	JOINT AND CRACK SEALING					
C.16	Reflective Crack Maintenance	CW 3250-R7	m	425		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.17	Remove and Replace Existing Catch Pit	CW 2130-R11				
i)	SD-023		each	4		
C.18	Replacing Standard Frames & Covers	CW 2130-R11				
C.19	Connecting to Existing Manhole	CW 2130-R11				
i)	250mm Catch Basin Lead		each	4		
	ADJUSTMENTS					
C.20	Adjustment of Valve Boxes	CW 3210-R7	each	2		
C.21	Valve Box Extensions	CW 3210-R7	each	1		
C.22	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
	LANDSCAPING					
C.23	Sodding	CW 3510-R9				
i)	width > or = 600mm		m ²	985		
C	<u>Farnham Road - From Beaverhill Boulevard to Cherwell Road</u>				Subtotal:	

FORM B: PRICES

(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
------	-------------	------------	------	------------------	------------	--------

SUMMARY

A	<u>De Bourmont Avenue - From Autumnwood Road to Elizabeth Road</u>				Subtotal:	
B	<u>Berrydale Avenue - From St. Mary's Road to St. David Road</u>				Subtotal:	
C	<u>Farnham Road - From Beaverhill Boulevard to Cherwell Road</u>				Subtotal:	

TOTAL BID PRICE (GST extra) (in figures) _____

(in words) _____

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 271-2010

2010 RESIDENTIAL STREET RENEWALS – DE BOURMONT AVENUE, BERRYDALE AVENUE AND FARNHAM ROAD

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 271-2010

2010 RESIDENTAL STREET RENEWALS – DE BOURMONT AVENUE, BERRYDALE AVENUE AND FARNHAM ROAD

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 271-2010

2010 RESIDENTAL STREET RENEWALS – DE BOURMONT AVENUE, BERRYDALE AVENUE AND
FARNHAM ROAD

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 10, 2010

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)