



EXHAUST FAN HORIZ. FLOOR LEVEL INSTALLATION √023 */*



HYDRONIC UNIT HEATER HOOK-UP, TYP. 025

GENERAL NOTES

- PERFORM ALL WORK IN ACCORDANCE WITH ALL APPLICABLE CODES, STANDARDS AND PROVINCIAL
- MECHANICAL ENGINEERING & INSPECTIONS BRANCH REQUIREMENTS. COORDINATE WORKS WITH OTHER SUB-TRADES. REFER TO SPECIFIC DETAILS FOR CUTTING AND
- SEALING PENETRATIONS THROUGH OPENINGS & FIRE SEPARATIONS. REFER TO TECHNICAL SPECIFICATIONS FOR EQUIPMENT AND MATERIAL SPECIFICATIONS AND
- INSTALLATION REQUIREMENTS.
- INSULATE DUCTWORK WHERE INDICATED AND SPECIFIED.
- SUPPORT ALL DUCTWORK TO MEET CODE REQUIREMENTS & ESTABLISHED INDUSTRY TRADE
- PRACTICES, (SMACNA, ASHRAE).
- INVESTIGATE SITE PRIOR TO CONSTRUCTION TO CONFIRM ALL DIMENSIONS AND INSTALLATION REQ'S. PERFORM ALL CUTTING & PATCHING NECESSARY FOR ANY REQUIRED OPENINGS.
- PROVIDE TAB TO ENSURE AIR DISTRIBUTION TO VOLUMES INDICATED.




-SIZE 42, 20¢ THR ROD


-SIZE 48, 200 THR. ROD




EXHAUST FAN HORIZ. SUSPENDED INSTALLATION



KEY PLAN





CONSULTANT DRAWING NO.

LM2.5



THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT

2010 HVAC REPLACEMENT AND ASSOCIATED WORKS WEWPCC GENERAL AREA

DETAILS - SHEET 5 OF 6

SHEET 1 OF 1 CITY DRAWING NUMBER

1-0103A-M0008-005