DRAFT City of Winnipeg Fire Paramedic Station # 27 Date: September 1, 2010 Specification / 2661/ Interior Fit-up List & Cost File: 2261\Equipment List Black - shown on Arch Drawings - In Contract
Yellow - Purchased directly by Fire & Paramedic Services - Not in Contract (NIC) Architect Fire & Paramedic Note: all cost estimates to be confirmed by supplier manufacturer and inserted into this table / plotted to file record binder Supply & Installation of the following equipment is in the base bid tender WFPS - By Owner NIC Base Bid Fit-Out Materials / Equipment Qty. Cost Per Room Location Equipment Cost Contact Person - Winnipeg Excludes GST Not in Contract (NIC) elephone + e.mail **EXTERIOR** Exterior Shed - 20' x 20' x 9' H opane Hook Up /eber Propane Barbeque BBQ ommunication Antenna INTERIOR ephone Distribution Panel and Phone Systems estibule/ Foyer x 8' Bulletin Boards - cork \$500.0 Washroom ccessories- toilet paper dispensors - soap dispensor \$1,000.00 Hadrian Manufacturing - Emperor Lockers Captain's Office 5 Lockers (Black) \$200.0 In Contract \$1,000.00 In Contract nens / 1 Desk / 1 Chair (staff owned computer) FPS MM will supply desk and chair \$2,000 Electrical Room Mech/ Elec Room EMS Corridor 107 Dispatch 26" LCD Flat Screen TV (wall mounted) \$349.89 Samsung Series 4 (LN26B460) In Contract \$1,000.0 ommunication Rack & Equipment (Lockable 6'-0" high rack, otorola radio, back up lighting protection, rack brackets + blank inels, Antenna, pipe mast, cable connections, CSA protection. \$20,000.0 orkstation + Chair \$5,000.0 /FPS to provide 108 Computer Study V Equipment \$600.0 109 Corridor Janitor Room Men's Washroom essories- toilet paper dispensors - soap dispensor /omen's Washroom \$317.15 Quartet Prestige Plus - Magnetic Total Erase Porcelain Board In Contract Lounge / Day Room 96" x 48" Magnetic Porcelain White Board - 72" x 48 Magnetic Fabric Bulletin Boards \$329.9 \$659.98 uartet Prestige Plus - Diamond Mesh Fabric Bulletin Board In Contract amsung Series 7 (LN52B750) In Contract 52" LCD Flat Screen TV (wall mounted) \$1,699.89 uture Ceiling Projection - Electrical Hook up \$3,000.0 Sofa Chairs / Kitchen Table = 10 Chairs Stainless Steel Fridge \$1,699.9 \$3,399.98 Amana - 22 cu.ft French Door Bottom Freezer Drawer BLACK In Contract Kitchen Amana - Tall Tub Dishwasher (ADB1600AB) BLACK In Contract Microwave \$229.99 GE Profile - 2.0 cu.ft. Full Size (PEB2060DMBB) BLACK In Contract \$179.99 Krups - 4 slice toaster (TT 9340) Stainless Steel In Contract Toaster offee Maker \$179.99 Krups - Coffee Machine (KM 8105) Stainless Steel In Contract Gas 6 burner stove \$5,499.99 Viking Profeessional - VGIC366-6B In Contract In Contract ee Valley Pantry Storage Unit - Chrome Wire Mesh \$899.99 L ee Valley Cataloge 2007 / 2008 - Chrome Unit 12K99.50 In Contract 118 - 123 Dorm Rooms (6 Total Rooms 5 Lockers (Black) per dorm room (30 required) \$200.0 \$1,000.00 Hadrian Manufacturing - Emperor Lockers 124 Apparatus Room eel Hose Rack eady Rack - Two Tier Hose Rack ower washer / Map Cabinet & Glass \$400.0 ree Weights / Bench Press / Bike / Running / Orbital uture TV - Cable Hook up for Future TV Exercise Room

\$90,000.00

Maintenance Shop

Turn Out

127

Nasher

lectric Dryer

Orying Rack Extractor - Washer

Total Cost for ITEMS

rew Gear Steel Racking - 9 units of 2 - bolted together

\$1,199.99 Maytag - 4.5 cu.ft. Front Load - (MHWE450WW) WHITE

\$7,205.00 Unimac - PPE Drying Cabinet (AGU64) \$6,875.00 Maytag Commerical MFR 100 PNCTS

Ready Rack - Gear Grid

\$1,099.99

\$53,396.81

latytag - 7.2 cu.ft. Supersize Capacity (YMED500VW) WHITE

In Contract

n Contract

In Contract

n Contract

In Contract



Product Details



Tall Tub Dishwasher

MSRP*: \$499.00		*** *** *** *** ***
Color	Model #	
■ Black	ADB1600AWB	
☐ White	ADB1600AWW	
Traditional Bisque Traditional Bisq	ue ADB1600AWQ	
Universal Silver	ADB1600AWD	
Stainless Steel with Black	ADB1600AWS	

Dimensions

Product Maximum Height: 34 1/2 Inches
Product Minimum Height: 33 7/8 Inches

Features

- SofSound™ I Sound Package
- Twice as Nice™ Silverware Baskets
- Tall Tub Interior
- CleanPlate Wash System
- Delay Start Option
- Heated Dry Option
- Quick Wash Cycle
- Rinse Aid Dispenser with Indicator
- Small Item Clips (2)

- ENERGY STAR® Qualified
- Antimicrobial Component Protection
- High Temperature Wash Option
- Electronic Console
- Soil Sensor
- Heavy Wash Cycle
- Normal Wash Cycle
- Control Lockout

Warranty

Limited One Year Warranty - Parts and Labor. For one (1) year from the original retail purchase date, any part which fails in normal home use will be repaired or replaced free of charge. Refer to the Use and Care for warranty details

Electrical Requirements

1 of 2 27/05/2010 11:15 AM

60Hz. 120V.

*MSRP is Manufacturer's Suggested Retail Price and may not necessarily be the price at which the product is sold in the consumer's area. Dealer alone determines actual price.

2 of 2

PRINT



Product Details

25 cu. ft. French Door Refrigerator

MSRP*: \$2099.00

Color Model #

Black AFI2538AEB

White AFI2538AEW

Stainless Steel AFI2538AES



Dimensions

Height To Top Of Cabinet: 68 3/16 Inches

Height To Top of Door Hinge: 70 1/16 Inches

Depth Closed Excluding Handles: 31 13/16 Inches

Depth Closed Including Handles: 34 3/16 Inches

Shipping Weight: 351 LB

Depth Excluding Doors: 29 1/16 Inches

Width of Cabinet Only: 35 5/8 Inches

Features

- 25.1 Cu. Ft. Total Capacity
- Temperature Controlled Chef's Pantry™ Drawer
- Temp Assure[™] Freshness Controls
- Filter Status Indicator
- SofSound™ Quiet Package
- Two Humidity Controlled Garden Fresh™ Crisper Drawers
- Two EasyGlide™ Shelves
- Gallon Door Storage

- FrontFill™ Water and Ice Dispenser with PUR® Water and Ice Filter
- Temperature Controlled Beverage Chiller™ Compartment
- French Door Refrigerator
- Control Lockout
- FastGrab™ Organizer
- 3 Adjustable SpillsaverTM Glass Shelves
- Bottle Caddy
- Dairy Center

1 of 2 27/05/2010 11:17 AM

EasyFreezer™ Pull-Out Drawer with EasyClose Drawer Track System

EasyFreezer™ Food Organizer

Warranty

Limited One Year Warranty - Parts and Labor. For one (1) year from the original retail purchase date, any part which fails in normal home use will be repaired or replaced free of charge. Refer to the Use and Care for warranty details

Electrical Requirements

15Amps. 60Hz. 120V.

*MSRP is Manufacturer's Suggested Retail Price and may not necessarily be the price at which the product is sold in the consumer's area. Dealer alone determines actual price.

2 of 2 27/05/2010 11:17 AM



SEARCH Find By Keyword



Bulletin Boards

Home > Visual Communication > Bulletin Boards







MSRP: \$109.95 SKU: B443A COLOR: Aluminum





Continue Browsing»

Quartet® Prestige Plus® Diamond Mesh Fabric Bulletin Board

Highly durable, densely woven 3' x 2' magnetic diamond-mesh bulletin board backed by high-density fiberboard effortlessly secures documents with push pins. Delivers quality performance when communication and collaboration is needed in frequent-use offices and conference rooms. Self-healing surface eliminates unsightly pin holes and will not fade or crumble like traditional cork boards, even after years of use. Ideal for high-profile, heavy-use executive offices and conference rooms. High-density backing for maximum pin-holding power, ensuring documents stay securely posted. Fasten photos or important documents without holes using included Quartet® Quick Clips. Patented Easy Mount™ hanging system secures board to wall in multiple places, guaranteeing easy and accurate installation. Sleek polished-aluminum frame complements a wide range of interiors. Available in other sizes and frames. 100% Satisfaction Guaranteed.

- Highly durable, densely woven 3' W x 2' H
 magnetic diamond-mesh bulletin board
 backed by high-density fiberboard effortlessly
 secures documents with push pins
- Delivers quality performance when communication and collaboration is needed in frequent-use offices and conference rooms
- Self-healing surface eliminates unsightly pin holes and will not fade or crumble like traditional cork boards, even after years of use
- High-density backing for maximum pin-holding power, ensuring documents stay securely posted
- Fasten photos or important documents without holes using included Quartet® Quick Clips
- Patented Easy Mount[™] hanging system secures board to wall in multiple places, guaranteeing easy and accurate installation
- Sleek polished-aluminum frame complements a wide range of interiors
- Also available in: 4' x 3', 6' x 4'
- Also available in: Mahogany finish frame, maple finish frame
- 100% Satisfaction Guaranteed

Also Recommended



Check out these related accessories and products.



Quartet® Premium Conference Room Cabinet



Quartet® Prestige Plus® Magnetic Fabric Bulletin Board

Additional Product Details

1 of 2 27/05/2010 10:28 AM

SKU	Description	List Price	Purchase at SureSource
B444A	4' X 3' MESH BOARD/GREY/ALUMINUM	\$175.95	Buy Now
B447A	6' X 4' MESH BOARD/GREY/ALUMINUM	\$425.95	Buy Now

Where To Buy | Contact Us | Site Map | Careers | Corporate Website | Home Copyright© 2010 ACCO Brands. All Rights Reserved. | Legal Notice | Privacy Policy

2 of 2

GE Profile™ 2.0 Cu. Ft. Countertop Microwave Oven



Model# PEB2060DMBB



- 2.0 Cu. Ft. Capacity 1200 Watts (IEC-705 test procedure)
- Sensor cooking controls Automatically adjusts time and power for delicious cooking results
- Optional built-in trim kit Achieve a custom appearance and built-in convenience with a sleek, matching trim kit
- Auto & time defrost Simply enter the weight of the food, and the oven automatically sets the optimal defrosting time and power level or set your desired time for defrosting
- Turntable Rotates food throughout the cooking cycle for even cooking results
- Instant On controls Cooking and reheating happens instantly at the touch of a button
- Electronic touch controls Electronic pads on the control panel are easy to operate with just a touch
- Add 30 seconds Each touch allows you to add 30 seconds of microwave cooking time at any point in the cooking process without reprogramming
- Kitchen timer Oven timer can be set to countdown a specific amount of minutes to help watch the time for you
- Control lockout Provides peace of mind by locking the oven and preventing accidental activation

Have more questions? Please contact 1-800-626-2005

FEATURES	
Control Type	Electronic Touch
Cooking System	Turntable
Cooking Technology	Microwave
Electronic Scrolling Digital Display	Yes
Express Cook	Instant-On; 1-6 minutes
Instant On Controls	Yes
Microwave Watts (IEC-705)	1200
Power Levels	10
Reminder (24 hr)	Yes
Sound Volume Control	4 levels
Time Preference	Control Enhancement (1/9)
Timer (On/Off)	No / Yes
Turntable	Glass
Turntable Size (in.)	16
Variable Scroll Speed	subpad w/ AM/PM
Time Cook	1&11
Microwave Sensor Cooking Controls	Beverage (Instant-On) Chicken/Fish (Instant-On) Popcorn (Instant-On) Potatoes (Instant-On) Reheat (Instant-On) Vegetables (Instant-On)
Control Features	Child Lock Add 30 Seconds (Instant-On) Cooking Complete Reminder Delay Start Demo Mode Display On/Off Auto & Time Defrost Clock with AM/PM Pad Help Pad

GE Profile™ 2.0 Cu. Ft. Countertop Microwave Oven



Model# PEB2060DMBB

APPROXIMATE DIMENSIONS (HxDxW)

• 13 25/32 in x 19 13/32 in x 24 in

CAPACITY

- Total Capacity (cubic feet) 2 cu ft
- Unit Capacity Jumbo-Size

WARRANTY

- Parts Warranty Limited 1-year entire appliance Limited 5-year magnetron tube
- Labor Warranty Limited 1-year entire appliance
- Warranty Notes For models produced on or after January 1, 2006

See written warranty for full details



HOME | ABOUT US | OUR PRODUCTS | RESOURCES | CONTACT US | PRODUCT SPECIFICATIONS AND LITERATURE | REQUEST INFORMATION | NEWS

GearGrid Corp. Home

PRODUCT CATALOG

Wall Mount Lockers

3-Pack/6-Pack Mobile Storage Lockers

Hose and SCBA Storage Systems

Apparatus Storage SCUBA Dive Locker

Multi-Use Storage Solutions

Systems

Mobile and Wall Mount Hose Drying Systems

Mobile Hose

Bottle Storage

Cleaning Centers

Slinger Work

Accessories

DVR Drag Systems

Resources

Product Specifications

Mobile & Wall Mount Hose Drying Systems

GearGrid's mobile hose drying system promotes faster hose drying within a limited amount of space.

Constructed with durable steel tubing and a strong wire grid system, it dries up to 200' of 2-1/2" and 350' of 1-1/2" hose simultaneously (in 50' lengths). The optional hose winder, with removable handle, makes rolling hose a breeze.



(Click to enlarge)

Wall-Mount Drying System



(Click to enlarge)

For a permanent solution, our **wall-mounted hose drying system** can be mounted virtually anywhere. The open wire grid system promotes maximum air movement, providing one of the most economical hose drying options available.

Size - Wall Mount: 312" L x 36" H x 18-1/2" W

Product Specs

Nationwide Toll Free: (888) 643-6694 • (651) 464-4468 • Fax (651) 464-4780 • sales@geargrid.com © 2009, GEARGRID Corp. All rights reserved.

GearGrid: American to the Core

GEARGRID HIHILIFIRE

HOME | ABOUT US | OUR PRODUCTS | RESOURCES | CONTACT US | PRODUCT SPECIFICATIONS AND LITERATURE | REQUEST INFORMATION | NEWS

GearGrid Corp. Home

PRODUCT CATALOG

Wall Mount Lockers

3-Pack/6-Pack Mobile Storage

Lockers

Hose and SCBA Storage Systems

Apparatus Storage SCUBA Dive Locker

Systems Multi-Use Storage

Solutions

Mobile and Wall

Mobile and Wall Mount Hose Drying Systems

Mobile Hose Winders

Bottle Storage Cleaning Centers

Slinger Work Stations

Accessories DVR Drag Systems

Resources Product Specifications GearGrid Mobile and Wall Mount Hose Drying Systems Product Specifications

Size - Mobile: 125" L x 65" H x 36" W (without hose winder)

Casters: Locking casters handle up to 950 lbs each

Size - Wall Mount: 312" L x 36" H x 18-1/2" W

Frame: Heavy-duty 1-1/4" tubing

Finish: Durable powder coat

Colors: See Samples On Resources Page (custom options also available)

Assembly: With simple tools, it's fast and easy

Shipping: Knocked down for ease of handling and reduced shipping cost

Nationwide Toll Free: (888) 643-6694 • (651) 464-4468 • Fax (651) 464-4780 • sales@geargrid.com @ 2009, GEARGRID Corp. All rights reserved.

GearGrid: American to the Core






Evolution Series

Grind More. Hear Less.™



Dimensions



* Add 1/2" when stainless steel sinks are used.

Job Specifications



Food Waste Disposers

Evolution Excel*

For those who enjoy the very best kitchen appliances.

Submittal Sheet

The ultimate in disposer performance. Nothing grinds more with less noise.

- SoundSeal Plus™ technology reduces disposer noise by at least 60% vs. standard disposers.
- MultiGrind Plus™ technology delivers 3 stages of grind vs. 1 stage in standard disposer.
- Features exclusive patented Jam-Sensor Circuit™ that increases motor torque 500% to automatically break through the toughest jams.
- Includes Quiet Collar™ sound reducing sink baffle.

Sample Specification

Food Waste Disposer(s) shall be InSinkErator Model Evolution Excel™ with MultiGrind Plus and SoundSeal Plus technologies, 1.0 HP motor, Auto-Reverse Grind System™, Stainless Steel Grind Chamber and components.

Warranty:

7-Year parts and in-home service.

Specifications

-р	
Type of Feed	Continuous
On/Off Control	Wall Switch
Motor	Single Phase
HP	1.0
Volts	120
Reversing	Auto-Reverse Grind System™ feature
HZ	60
RPM	1725
Amp. (Avg. Load)	10.2
Time Rating	Intermittent
Lubrication	Permanently Lubricated Upper & Lower Bearings
Shipping Weight (Approx.)	25.5 lbs.
Unit Finish	Stainless Steel Light Gray TEN-1706
Overall Height	13-1/2"
SoundSeal Plus Technology	Anti-Vibration Mount™ Anti-Vibration Talipipe Mount™ Quiet Collar™ Sink Baffle Multi-Layer SoundLimiter™ Insulation
MultiGrind Plus Technology	GrindShear Ring™ Tri-Action Lug System™ feature Undercutter Disk™ Jam-Sensor Circuit™
Grind Chamber Capacity	40 oz.
Motor Protection	Manual Reset Overload
Average Water Usage	1/4 Gallon Per Person Per Day
Average Electrical Usage	1/2 KWH Per Month
Drain Connection	1-1/2" Anti-Vibration (Hose Clamp)
Dishwasher Drain Connection	Yes















1-800-558-5700 www.insinkerator.com



The Emerson logo is a trademark and service mark of Emerson Electric Co.

In**Sink**Erator is a division of

^{*} The complete In**Sink**Erator warranty is included in the Care & Use Booklet packed with each unit.

KRUPS Beyond reason.

Coffee Machines - Automatic Drip Coffee Machines

KM 8105





Large LCD Screen Oversized display is angled to provide soft touch access to all programmable functions. Dual auto-on settings for weekday and weekend start times plus adjustable auto-off to keep coffee hot for 1, 2, or 3 hours.

Functional Coffee Drawer magnetic safety lock.

Convenient front access to removable brew basket with soft touch handle and

Descaling Function

Electronic descaling indicator automatically indicates when to descale for optimal brewing performance and maximum machine life.

12 cup capacity

1 of 1 27/05/2010 11:13 AM

TT 9340 - 4-slice Toasters - Krups Canada -

KRUPS

Beyond reason.

Toasters > 4-slice Toasters

TT 9340



Heavy die cast metal and brushed stainless steel housing provides durability and finishing that matches any kitchen decor

Safe to touch side panels during operation due to cool touch body construction

Precise customized toasting with 6 settings; plus intermediate settings for a total of 48 positions of browning control

Dual controls to allow separate toasting setting on each side at the same time. Toast on one side while you defrost on the other!

Extra wide 1.4" self-centering slots to toast all types of bagels and artisan breads

High lift toast lever to remove small slices of bread safely

Includes auto shut off, cancel, reheat, defrost and bagel function

Large pop out crumb tray

Soft-touch easy grip material for all handles and controls

Sturdy feet for secure operation

1 of 1 27/05/2010 11:22 AM



SEARCH Find By Keyword



Whiteboards

Home > Visual Communication > Whiteboards > Prestige Plus Porcelain





ENLARGE IMAGE

MSRP: \$218.95 SKU: P553A COLOR: Aluminum



Continue Browsing»

Quartet® Prestige Plus® Magnetic Total Erase® Porcelain Boards

Communicate with style and efficiency. Ideal for heavy-use environments, the Prestige Plus® Magnetic Total Erase® Porcelain Boards blend exceptional functionality and elegant design. The DuraMax® Porcelain will not scratch or dent with heavy-use. The smooth, easy-to-maintain Total Erase® surface will not stain or ghost, looking new, even after years of use. The steel-backed porcelain creates a magnetic surface, doubling its uses for communication and collaboration needs. A patented "Easy Mount" hanging system allows for quick and secure installation. An attached marker tray conveniently stores markers and accessories. The board comes complete with Quick Clips for posting documents and four Quartet® dry-erase markers. Bold, contoured styling and a variety of frame finishes allow you to customize any meeting room with sophisticated style and high design.

- Depend on top-of-the-line Prestige Plus® porcelain surface for maximum durability in heavy-use environments
- Trust that DuraMax® Porcelain will not scratch or dent for long-lasting durability
- Clearly communicate with Total Erase® surface that will not stain or ghost
- Versatile, magnetic surface doubles as a bulletin board or projection screen
- · Clean and maintain board with ease
- Modern, anodized aluminum frame complements contemporary environments
- Secure board to wall with patented "Easy Mount" hanging system
- Attached marker tray and four assorted Quartet® dry-erase markers included
- Quickly secure documents with provided Quick Clips

Also Recommended



Check out these related accessories and products.



Quartet® Prestige Plus® Magnetic Fabric Bulletin Board



Quartet® IdeaShare™ Interactive Whiteboard

Additional Product Details

SKU	Description	List Price	Purchase at SureSource
P558A	8' X 4' DRY-ERASE BOARD/ ALUMINUM	\$900.95	Buy Now
P557A	6' X 4' DRY-ERASE BOARD/ ALUMINUM	\$744.95	Buy Now
P554A	4' X 3' DRY-ERASE BOARD/ ALUMINUM	\$388.95	Buy Now
P553A	3' X 2' DRY-ERASE BOARD/ ALUMINUM	\$218.95	Buy Now

Where To Buy | Contact Us | Site Map | Careers | Corporate Website | Home Copyright© 2010 ACCO Brands. All Rights Reserved. | Legal Notice | Privacy Policy

1 of 1 27/05/2010 10:23 AM



Product Search

Advice & Ideas

Customer Service

Ads & Promos

Where to Shop Français

WASHERS DRYERS STACK LAUNDRY CUSTOM LAUNDRY OPTIONS



White with Chrome | YMEDE500VW

7.2 cu. ft. SuperSize Capacity Plus Maytag® **Performance Series Front-Load Electric Dryer**

Benefits

Dependable Performance

Steam Refresh Cycles

Fine mist, combined with heat while clothes are tumbling, forms steam to help remove odors and relaxing wrinkles from a few items or an entire load.

NSF® Certified Sanitary Cycle

Allows you to sanitize items you wouldn't normally wash, like pillows or stuffed animals.

NSF is a registered trade-mark of NSF International

GentleBreeze™ Drying System with IntelliDry® Sensor Quickly and efficiently dries clothing in a counterclockwise loop to touch the entire load for more consistent results.

SuperSize Capacity Plus

A 7.2 cu. ft. capacity drum in the YMEDE500V means you can dry more laundry in every load, reducing the number of loads washed

Dependable Durability

Maytag® Commercial Technology

Long-lasting, commercial-grade components for your home. Complete with a commercial-grade belt, metal bearings, a durable metal motor, steel baseframe, die-cast door hinges, steel side panels and suspension system— this drive system brings the proven technology of commercial laundry home.

Direct Feed, Easy-Plumb (DFP) Water Hook-Up Delivers water directly to the dryer for dependable, hassle-free steaming every time.

Smooth Balance $^{\text{TM}}$ Suspension System Minimizes noise and vibration, allowing you to install your laundry off main living spaces or on the second floor.

®Registered trade-mark/™ Trade-mark of Maytag Corporation or its related companies. Used under license by Maytag Limited in Canada

27/05/2010 11:26 AM 1 of 1





Advice & Ideas

Customer Service

Ads & Promos

Where to Shop

Français

WASHERS DRYERS STACK LAUNDRY CUSTOM LAUNDRY OPTIONS



White with Chrome | YMEDE500VW

7.2 cu. ft. SuperSize Capacity Plus Maytag® **Performance Series Front-Load Electric Dryer**

Features

Dependable Performance

- SuperSize Capacity Plus 7.2 cu. ft.
- GentleBreeze™ Drying System
- IntelliDry® Sensors
- Temperature Settings: 5
- Wrinkle Prevent Option: up to 120 minutes
- Cycles: 9
- QuietSeries™ 300 sound package
- DuraCushion™ Dryer Drum
- Steam-Enhanced Dryer Cycles
- NSF Certified Sanitization Cycles

Dependable Durability

- Maytag Commercial Technology (MCT)
- Commercial-Grade, Smooth Balance™ Suspension System
- Commercial-Grade, Durable Metal Motor & Drive System
- Commercial-Grade, Belts & Bearings
- Commercial-Grade, Solid Steel Baseframe
- Commercial-Grade, Steel Side Panels
- Commercial-Grade, Heavy-Duty Die-Cast Door Hinges
- Commercial-Grade, 5-Rib Dryer Belt

Dependable Efficiency

- Estimated time remaining display
- End-of-cycle signal
- Control lock
- (DFP) Direct feed, easy-plumb water hook up

Optional Accessories

- Laundry 1-2-3[™] 10" (25.4 cm) Pedestal: White (MHP1000SQ)
- Laundry 1-2-3™ Tower: White (MVP9000TW)
- Laundry 1-2-3 $^{\text{TM}}$ 15.5" (39.4 cm) Pedestal with Storage Drawer: White (XHP1550VW)
- Laundry 1-2-3™ Work Surface: White (MW29000TW)

®Registered trade-mark/™ Trade-mark of Maytag Corporation or its related companies. Used under license by

27/05/2010 11:26 AM 1 of 1





Advice & Ideas

Customer Service

Ads & Promos

Where to Shop

Français

WASHERS DRYERS STACK LAUNDRY CUSTOM LAUNDRY OPTIONS



7.2 cu. ft. SuperSize Capacity Plus Maytag® **Performance Series Front-Load Electric Dryer**

Dimensions

Dimension	inches (cm) / lbs (kg)
Depth	32 9/16" (82.71 cm)
Width	27" (68.58 cm)
Height	38" (96.52 cm)

Dimensions shown are for planning purposes only. For complete information, see installation instructions packed with product.

White with Chrome | YMEDE500VW

 ${}^{\tiny{f CP}}$ Registered trade-mark/ ${}^{\tiny{TM}}$ Trade-mark of Maytag Corporation or its related companies. Used under license by Maytag Limited in Canada

1 of 1 27/05/2010 11:26 AM



Product Search

Advice & Ideas

Customer Service

Ads & Promos

Where to Shop

Français

WASHERS DRYERS STACK LAUNDRY CUSTOM LAUNDRY OPTIONS



White | MHWE450WW

NEW! 4.5 cu. ft. Maytag® Performance Series Front Load Washer

Benefits

DEPENDABLE PERFORMANCE

NSF® Certified Sanitization Cycles Certified by NSF International, selecting the Sanitize Water Temperature Option raises the temperature to 157°F (69.4°C), eliminating 99.9% of household bacteria. NSF is a registered trade-mark of NSF International

NEW! Fresh Hold™ Option

The industry's first built-in fan is part of Dynamic Venting Technology $^{\text{\tiny{TM}}}$ and helps keep clean laundry from smelling bad, so you can wash tonight and dry tomorrow. Stop worrying about leaving clothes in the washer too long.

NEW! Power Wash Cycle

Extra Cleaning action and a deep rinse power out tough stains and ground-in mud and dirt. The built-in water heater delivers higher wash temperatures to ensure better soil and stain removal.

DEPENDABLE DURABILITY

Maytag® Commercial Technology Long-lasting, commercial-grade components for your home. Complete with a commercial-grade belt, stainless steel wash basket, metal bearings, a durable metal motor, steel baseframe, die-cast

door hinges, steel side panels and a 6-point suspension system—this drive system brings the proven technology of commercial laundry home.

NEW! 10-Year Warranty on Washer Components New Maytag® Performances Series washers include a 10-year warranty on the washer motor and the stainless steel wash basket. See warranty for details.

DEPENDABLE EFFICIENCY


ENERGY STAR® Qualified

The 4000 Series high-efficiency wash system uses 74% less water and 77% less energy than an average conventional top load washer.

®Registered trade-mark/™ Trade-mark of Maytag Corporation or its related companies. Used under license by Maytag Limited in Canada

27/05/2010 11:23 AM 1 of 1





Advice & Ideas

Customer Service

Ads & Promos

Where to Shop

Français

WASHERS DRYERS STACK LAUNDRY CUSTOM LAUNDRY OPTIONS



White | MHWE450WW

NEW! 4.5 cu. ft. Maytag® Performance Series Front Load Washer

Features

Dependable Performance

- Fresh Hold™ Option with Dynamic Venting Technology
- 4.5 cu. ft. Capacity (IEC)
- NSF Certified Sanitization Cycles
- MaxExtract™ Extended Spin Option
- Sensi-Care™ wash system
- IntelliTemp™ Automatic Temperature Control
- Variable speed motor with preselected spin speeds
- QuietSeries™ 300 sound package
- 1,000 Watt Built-In Water Heater
- Estimated time remaining display
- Automatic Wash Cycles: 10
- Spin Speed: 1,300 RPM

Dependable Durability

- Maytag Commercial Technology (MCT)
- 10-Year Warranty on Motor and Wash Basket
- Commercial-Grade, Smooth Balance™ Suspension System
- Commercial-Grade, Durable Metal Motor & Drive System
- Commercial-Grade, Belts & Bearings
- Commercial-Grade, Tilted Stainless Steel Wash Basket
- Commercial-Grade, Solid Steel Baseframe
- Commercial-Grade, Steel Side Panels
- Commercial-Grade, Heavy-Duty Die-Cast Door Hinges
- Commercial-Grade, 8-Rib Washer Belt

Dependable Efficiency

- ENERGY STAR® Qualified
- Clean Washer Cycle with Affresh®
- Delay Start Option-up to 8 hours
- IntelliFill™ Automatic Water Level Sensor
- Sensor-controlled suds detection
- Timed Release Detergent, Bleach and Fabric Softener System
- 3-Tray Dispenser Drawer (Detergent, Bleach and Fabric Softener)

®Registered trade-mark/™ Trade-mark of Maytag Corporation or its related companies. Used under license by Maytag Limited in Canada

1 of 2 27/05/2010 11:24 AM





Advice & Ideas

Customer Service

Ads & Promos

Where to Shop

Français

WASHERS DRYERS STACK LAUNDRY CUSTOM LAUNDRY OPTIONS



NEW! 4.5 cu. ft. Maytag® Performance Series Front Load Washer

Dimensions

Dimension	inches (cm) / lbs (kg)
Depth	32 1/2" (82.55 cm)
Width	27" (68.58 cm)
Height	38" (96.52 cm)

Dimensions shown are for planning purposes only. For complete information, see installation instructions packed with product.

White | MHWE450WW

 ${}^{\tiny{f CP}}$ Registered trade-mark/ ${}^{\tiny{TM}}$ Trade-mark of Maytag Corporation or its related companies. Used under license by Maytag Limited in Canada

1 of 1 27/05/2010 11:24 AM



26" high-definition LCD TV

30000 : 1 contrast ratio Wide Colour Enhancer 2 8 ms response time 1080 24 P real movie









The LN26B460 is the perfect size for your kitchen, spare room or anywhere you need a smaller HDTV that still delivers an amazing picture. The 30000: 1 dynamic contrast ratio creates outstanding clarity and lifelike images. The 8 ms response time produces smooth-motion in action scenes. It also features our classic black bezel with a new twist-the bottom bezel and neck are transparent, creating a more modern look. Enjoy your favourite movies and TV shows in bright, bold colour with this SAMSUNG LCD HTDV.

30000: 1 contrast ratio



Contrast and brightness levels achieve new heights in this LCD TV. Watch movies and shows come to life with enhanced details in very dark or bright scenes. Enjoy a more realistic, sharper picture quality that's sure to catch your eye.

8 ms response time



8ms Response Time

One of the most important features for an LCD panel is the pixel response time. Response time refers to the amount of time it takes a pixel to "refresh" itself to go from being active to being inactive, (ready to be re-activated). The lower the milliseconds, the faster the response time. A very fast 8ms gives you smoothmotion action scenes.

game mode



Wide Colour Enhancer 2



The colours, perfected by nature remain vibrant and pure with SAMSUNG's Wide Colour Enhancer 2 technology. Images are saturated with vivid, natural colour due to the expanded range of colour expressions. By strengthening the reds, greens, and blues, you get more depth and intensity in images that might have previously looked weak, or washed out.

1080 24 P real movie

Watch movies in their original 24 frames-per-second format, the way that they were intended to be seen. Real Movies Support 24 fps sources through the HDMI outlet.

SRS TruSurround HD

SAMSUNG TVs are equipped with the best that technology can offer in sound quality. Our 2 speakers always deliver an enhanced, virtual surround-sound listening experience that brings your HDTV experience to another level.

eco friendly

SAMSUNG LCD series are ENERGYSTAR® efficient and have been designed to lower your power consumption by 20%. SAMSUNG Eco TV packaging material is recyclable, mercury free, and contains no toxic or volatile compounds.

3 HDMI



2 of 5 27/05/2010 2:33 PM



Video	Screen Size	26"
	Resolution	1366 x 768
	Dynamic Contrast Ratio	30000:1
	Response Time	8 ms
	LCD 120Hz	CCFL
	Sound Effect System	SRS TruSurround HD & Dolby Digital
Audio	Sound Output(RMS)	5 W x 2
	Stereo Type	Down Firing
	HDMI	1
	composite (AV)	1
	S-Video	No
Input & Output(Side)	Headphone	No
	WISELINK (USB)	No
	WISELINK (Multi Memory Slot)	No
	WISELINK (etc.)	No
	HDMI	2
	composite (AV)	Common Use for Component Y
	S-Video	No
Input & Output(Back)	PC input (D-sub)	1
iliput & Output(Dack)	Component(Y/Pb/Pr)	2
	RF input	1
	Headphone	No
	Optical sound out	1
Input & Output(Wireless)	Bluetooth	No
Cabinet	Color	Rose Black
Cabinet	Swivel (left/right)	Yes (20 / 20)
	Picture-in-Picture	No
Feature	Sleep timer	Yes
	Clock & on/off timer	Yes
	Still Picture	No
	Auto Channel Search	Yes
i cature	Auto Power Off	Yes
	OSD language	English / French / Spanish
	Auto Volume Leveller	Yes

4 of 5 27/05/2010 2:33 PM



52" LCD HDTV

Touch of Colour™

Auto Motion Plus™ 240 Hz

Wide Colour Enhancer 3

Content Library Flash











Imagine light, colour and glass coming together in an original expression of beauty. The award-winning SAMSUNG series 7 750 Touch of Colour™ LCD features amazing picture quality with 1080p resolution, a 150000:1 dynamic contrast ratio, plus Auto Motion Plus™ 240 Hz which delivers action scenes that are more realistic than ever before. Add SAMSUNG's exclusive Medi@2.0 networking suite and an ENERGY STAR® 3.0 rating and take your entertainment experience - and your décor - to the next level.

Touch of Colour™



The beauty of nature lies in ever-changing form, colour, and light. New materials offer a never-seen-before TV that captures the essence of natural beauty through natural light and subtle tones which constantly appear to change with the viewing angle. In addition, since spray paint is not used, we've been able to eliminate the emission of Volatile Organic Compounds, making your TV 90% recyclable.

Wide Colour Enhancer 3



Next to actually being there, the best way to experience true to life colours is with our Wide Color Enhancer 3. It covers all the colours in the RGB spectrum, and brings out deeper shades of the most natural colours like magenta, cyan and yellow.

USB 2.0 Movie



Auto Motion Plus™ 240 Hz



There's a big difference between seeing the game and seeing every split second of it. That's where Auto Motion Plus™ 240 Hz technology comes in. All the action in every frame is analyzed and then adjusted so nothing goes by in a blur. The smoothest, sharpest images are always available, even when images are moving at the highest speeds.

Content Library Flash




Suppose you feel like playing a game of chess or cooking instead of watching TV. SAMSUNG LCD series 7 TV's Content Library Flash feature lets you do just that. Enjoy hours of built-in entertainment features and then personalize it by adding content that's available online. And downloading is easy. There's so much you can do with our LCD series 7 TVs.

Full HD 1080p



2 of 5 27/05/2010 11:32 AM



	Screen Size	52"
Video	Resolution	1920 x 1080
	Dynamic Contrast Ratio	150000:1
Video	Viewing Angle	178° / 178°
	Response Time	2 ms
	LCD 120Hz	240 Hz
	Sound Effect System	10 W x 2
Audio	Sound Output(RMS)	SRS TruSurround HD & Dolby Digital
	Stereo Type	Down Firing
	Picture-in-Picture	1 tuner PIP
	Sleep timer	Yes
	Clock & on/off timer	Yes
	Still Picture	No
	Auto Channel Search	Yes
	Auto Power Off	Yes
	OSD language	English / French / Spanish
	Anynet+ (HDMI-CEC)	Yes
Feature	Game mode	Yes
	Internet@TV	Yes
	InfoLink	No
	DLNA Wireless	Yes (Support)
	Content Library (Flash)	Yes (1GB)
	USB2.0	Yes (USB2.0 Movie)
	BD Wise	Yes
	Wireless LAN Adaptor Support	Yes
	Smart Content Manager	Yes
	HDMI	1
	composite (AV)	1
Input & Output(Side)	S-Video	No
	Headphone	No
	WISELINK (USB)	2
	HDMI	3
	composite (AV)	common use for component Y
	S-Video	No

4 of 5 27/05/2010 11:32 AM

Fire Service Industry



35 lb Washer-Extractor 60 lb Washer-Extractor 100 lb Washer-Extractor 150 lb Washer-Extractor PPE Drying Cabinet



Commercial Laundry System *for the Fire Service Industry*

The Right Equipment for Your Gear

You depend on PPE gear to keep you safe. Why trust its care to anything less than an expert? For years, firefighters have relied on UniMac's expertise in manufacturing durable, easy-to-operate equipment, like

our UW model washer-extractor, to clean turnout gear and station items. We've strengthened that commitment to the fire industry with the introduction of

> our PPE Drying Cabinet. The cabinet gently dries bunker gear, returning it to service quickly.

UniMac's PPE cleaning experts provide a turn-key solution to your laundry needs. There are specific requirements for how laundry equipment should handle PPE gear. First, extraction speeds should fall within 400-600 RPM. Our washer-extractors meet this requirement.

Second, several turnout gear manufacturers advise against tumble drying of their protective clothing. UniMac's PPE Drying Cabinet eliminates that concern.

We know your gear is expensive, and our complete system can provide a longer life to that critical equipment. Put your trust in UniMac's expert solutions.

he cleaning of your turnout gear is an essential component of operating a fire department. It is widely reported that the proper cleaning of your gear will lengthen its useful life. It is also reported that removing carcinogenic hydrocarbons from the gear protects firefighters. When you combine these issues with NFPA 1851 procedures for proper in-house cleaning of turnout gear, your department can't afford to be without a washer and dryer.

The most difficult part of your decision is determining which laundry equipment will be your best tools to complete the job. While UniMac makes more than 100 different machines, the models listed here are our choices for easy and reliable cleaning of turnout gear. Don't be fooled by inexpensive models that don't offer the critical features needed for protecting your gear.

Five-Year Limited Parts Warranty on Washer

A five-year limited parts warranty is issued on the frame, basket, shaft, bearings and seals if failure or breakage should occur during normal operation due to defects in material or workmanship that would prohibit its further use. A three-year warranty also is issued to the original purchaser on most other parts. Labor not included.

A one-year warranty is issued to the original purchaser on the PPE Drying Cabinet. Labor not included.

UniMac Checklist for the Right Washer

- Heavy-duty Gamma A-frame for long life with the industry's best warranty.
- Heavy-duty, oversized bearings with the industry's best warranty.
- Easy-to-use push-button start 39 programmable cycles.
- Flexible wash cycles that can be changed in future years as requirements change.
- ✓ Precise, automated detergent dispensing below water level and never directly on turnout gear.
- Soak cycle capable of easily removing heavy soils with minimal mechanical action, reducing wear on protective gear.
- Washer only tumbles at proper water level, preventing unnecessary abrasion of the gear.
- Out-of-balance load protection with use of out-of-balance safety switch.

Drying Cabinet Features



The programmable control is designed with five factory preset programs ranging from 1.5 hours to 3 hours in length. It is easy to use by selecting one of the cycles and pressing "Start."

Additional time can be added as required.

Special Options

- Boot Rack holds two pairs of boots
- Glove Rack holds four pairs of gloves




UniMac Checklist for the Right Dryer

- ✓ No tumble drying prevents excessive wear and tear.
- ✓ Maximum heat setting of 110°F.
- ☑ Easy-to-use push-button start five programmable cycles.
- ☑ Removable hangers for easier handling.
- ☑ Two independent heating and fan systems.
- Highly-valued add-on accessories.
- Short drying times.

Drying From the Inside Out

The PPE Drying Cabinet forces heated air through the hangers and the insides of the turnout gear. Air also is forced through the cabinet's side panel allowing it to move upward and around the outside of the gear.

- Dual-sided airflow allows for fast, efficient drying of both the inside and outside of the gear.
- · Recirculated air conserves energy.



Specifications

	UW35 2-spd	UW60 2-spd	UW100 PV: 7-spd	UW150 PV: 7-spd
Control Options	Р	Р	Р	Р
Capacity - Ib (kg)	35 (16)	60 (27)	100 (45)	150 (68)
Cylinder Diameter - in (mm)	26 1/4" (667)	32" (813)	36" (914)	43" (1093)
Cylinder Depth - in (mm)	18 3/8" (467)	20" (508)	27" (686)	27 13/16" (706)
Cylinder Volume - cu. ft. (liters)	5.76 (163)	9.31 (264)	15.9 (450)	23.38 (662)
Height - in (mm)	55 1/2" (1410)	641/2" (1638)	68 1/2" (1740)	79" (2007)
Width - in (mm)	32 1/2" (826)	36 5/8" (930)	41 1/2" (1054)	50" (1270)
Depth - in (mm)	38 1/4" (972)	45" (1143)	541/2"(1384)	63" (1600)
Door Opening Size - in (mm)	14 3/8" (364)	17 1/2" (445)	17 1/2" (445)	24 3/4" (629)
Door Bottom To Floor - in (mm)	23 3/4" (603)	28 1/4" (718)	29" (737)	32" (813)
Motor Size - HP (kW)	1.8 (1.3)	3 (2.2)	7.5 (5.6)	10 (7.5)
Gentle Speed - RPM	N/A	N/A	26	23
Wash Speed - RPM	50	44	40	36
Distribution Spd - RPM	N/A	N/A	70	61
Medium Speed - RPM (G-Force)	N/A	N/A	325 (54)	262 (42)
High 1 Extract - RPM (G-Force)	504 (95)	465 (98)	456 (106)	417 (106)
High 2 Extract - RPM (G-Force)	N/A	N/A	524 (140)	512 (160)
High 3 Extract - RPM (G-Force)	N/A	N/A	766 (300)	701 (300)
Drain Diameter - in (mm)	2 3/8" (60)	3" (76)	(2 ea.) 3" (76)	(2 ea.) 3" (76)
Water Inlet Connection - in (mm)	3/4" (19)	3/4" (19)	3/4" (19)	(2 ea) 1" (25)/ (2 ea) 3/4"(19)
Net Weight - Ib (kg)	750 (341)	1136 (515)	1770 (805)	2970 (1347)
Agency Approvals*	ETL, ETLc	ETL, ETLc	ETL, ETLc, CE	ETL, ETLc, CE

^{*}Agency approvals may vary depending on configuration.

For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications subject to change without notice. Features and certifications may vary by model. The quality management system of Alliance Laundry Systems' Ripon facility has been registered to ISO 9001:2000.

[©]Copyright 2008 Alliance Laundry Systems LLC



	PPE Drying Cabinet
Capacity	5 full sets of Turnout Gear
Electric Heating	12 kW
Electric Connection • Circuit Breaker	208 V - 50/60 Hz 1 - Ph • 60 amp breaker 208 V - 50/60 Hz 3 - Ph • 35 amp breaker 240 V - 50/60 Hz 1 - Ph • 70 amp breaker 240 V - 50/60 Hz 3 - Ph
	• 40 amp breaker
Exhaust Diameter - in (mm)	6" (153)
Outlet Airflow - cfm (m3/h)	300 (510)
Width - in (mm)	55 1/8" (1400)
Depth - in (mm)	30 13/16" (783)
Height - in (mm)	Outer: 81 1/2" (2070) Inner: 73 5/8" (1870)
Net Weight - Ib (kg)	430 (195)
Shipping Weight - lb (kg)	780 (354)
Agency Approvals	CSA*

Washer Capabilities

UW35	three full sets of gear
UW60	four full sets of gear
UW100	six full sets of gear
UW150	10 full sets of gear

PPE Dryer Capabilities

AGU44	five full sets of gear
AGU45	five full sets of gear
AGU64	five full sets of gear
AGU65	five full sets of gear



www.uniwash.com

Alliance Laundry Systems Shepard Street, Ripon, WI 54971 Telephone: 1-800-587-5458

