

Template Version: C420110107 - RW

Template Version: C420110107 - RW

6. Bid Security

In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No. _____ Dated _____

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>ANDERSON PARK PARKING LOT IMPROVEMENT & ASSOCIATED WORKS</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R14	m ³	1700		
A.2	Sub-Grade Compaction	CW 3110-R14	m ²	2845		
A.3	Crushed Sub-base Material	CW 3110-R14				
i)	100 mm		tonne	2520		
A.4	Supplying and Placing Base Course Material	CW 3110-R14	m ³	235		
A.5	Grading of Boulevards	CW 3110-R14	m ²	1650		
A.6	Ditch Excavation	CW 3110-R14	m ³	400		
A.7	Removal of Existing Concrete Bases	CW 3110-R14				
i)	600 mm Diameter or Less		each	20		
A.8	Separation Geotextile Fabric	CW 3130-R3	m ²	2845		
	PARKING LOT - NEW CONSTRUCTION					
A.9	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	5		
b)	5 sq.m. to 20 sq.m.		m ²	20		
A.10	Miscellaneous Concrete Slab Removal	CW 3235-R8				
i)	100 mm Sidewalk		m ²	12		
A.11	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m ²	70		
A.12	100 mm Concrete Sidewalk	CW 3325-R3	m ²	150		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.13	Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	550		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.14	Catch Basin	CW 2130-R12				
i)	SD-025, 1200 mm deep		each	1		
ii)	SD-025, 1800 mm deep		each	2		
A.15	Manhole	CW 2130-R12				
i)	SD-010 (1200mm diameter base)		vert.m	5.5		
A.16	Land Drainage Sewer	CW 2130-R12				
i)	300 mm, PVC					
a)	Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		m	85		
b)	Trenchless Installation, Class B Sand Bedding, Class 4 Backfill		m	65		
A.17	Sewer Service	CW 2130-R12				
i)	250mm,PVC					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	30		
A.18	Connecting to Existing Manhole	CW 2130-R12				
i)	250mm (PVC) Connecting Pipe		each	1		
ii)	300mm (PVC) Land Drainage Sewer		each	1		
A.19	Sewer Inspection	CW 2145-R3				
i)	300mm, PVC Land Drainage Sewer		m	150		
A.20	Manhole Inspection	CW 2145-R3				
i)	SD-010 (1200mm diameter base)		each	1		
A.21	Installation of Subdrains	CW 3120-R4	m	24		
A.22	Installation of Subdrains(Ditch)	CW 3120-R4 SE-11-17	m	160		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
LANDSCAPING						
A.23	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	100		
ii)	width > or = 600 mm		m ²	2500		
A.24	Seeding	CW 3520-R7	m ²	200		
MISCELLANEOUS						
A.25	Supply of Bollards	E11	each	65		
A.26	Installation of Bollards	E12	each	110		
A.27	Salvaging Existing Bollards	E10	each	50		
A.28	Installation of 3.0m Chain Gate	E13	LS	1		
A.29	Line Painting	E7	LS	1		
A.30	Tree Removal (50mm to 100mm Diameter)		each	28		
A.31	Supply and Install Disabled Parking Space Sign	E15	each	5		
A	<i>ANDERSON PARK PARKING LOT IMPROVEMENT & ASSOCIATED WORKS</i>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>MARJ EDEY PARKING LOT RENEWAL</u>					
	EARTH AND BASE WORKS					
B.1	Clearing and Grubbing	CW 3010-R4	ha	0.03		
B.2	Excavation	CW 3110-R14	m ³	1925		
B.3	Sub-Grade Compaction	CW 3110-R14	m ²	6450		
B.4	Crushed Sub-base Material	CW 3110-R14				
i)	100 mm		tonne	5700		
B.5	Supplying and Placing Base Course Material	CW 3110-R14	m ³	630		
B.6	Grading of Boulevards	CW 3110-R14	m ²	600		
B.7	Ditch Grading	CW 3110-R14	m ²	500		
B.8	Separation Geotextile Fabric	CW 3130-R3	m ²	6450		
	PARKING LOT - NEW CONSTRUCTION					
B.9	Pavement Removal	CW 3110-R14				
i)	Asphalt Pavement		m ²	7500		
B.10	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
i)	Construction of Monolithic Concrete Median Slabs	SD-226A	m ²	200		
B.11	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Reinforced Concrete Pavement)	SD-200, E9	m	90		
B.12	100 mm Concrete Sidewalk	CW 3325-R3	m ²	200		
B.13	Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	1400		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B.14	Corrugated Steel Pipe - Supply	CW 3610-R3				
i)	(450 mm,1.6mm gauge)		m	15		
B.15	Corrugated Steel Pipe - Install	CW 3610-R3				
i)	(450 mm,1.6mm gauge)		m	15		
LANDSCAPING						
B.16	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	800		
MISCELLANEOUS						
B.17	Chain Link Fence	CW 3550-R2				
i)	1.83m Height		m	2		
B.18	Supply of Bollards	E11	each	10		
B.19	Installation of Bollards	E12	each	20		
B.20	Salvaging Existing Bollards	E10	each	10		
B.21	Speed Bump	E19	each	2		
B.22	Supply and Installation of Precast Concrete Curbs	E17	each	5		
B.23	Salvage and Re-Installation of Precast Concrete Curbs	E8	each	30		
B.24	Install Curb Inlet Frame and Concrete Spillway	E16	each	1		
B.25	Line Painting	E7	LS	1		
B.26	Supply and Install Disabled Parking Space Sign	E15	each	8		
B.27	Supply and Install Parking Lot Lighting	E18	LS	1		
B.28	Supply and Install Wood Chips	E20	m ³	10		
B	<u>MARJ EDEY PARKING LOT RENEWAL</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>ANDERSON PARK PARKING LOT IMPROVEMENT & ASSOCIATED WORKS</u>				Subtotal:	
B	<u>MARJ EDEY PARKING LOT RENEWAL</u>				Subtotal:	
TOTAL BID PRICE (GST extra)					(in figures)	_____
(in words)					_____	

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 111-2011

MARJ EDEY PARK AND ANDERSON PARK - PARKING LOT IMPROVEMENTS AND ASSOCIATED WORKS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 111-2011

MARJ EDEY PARK AND ANDERSON PARK - PARKING LOT IMPROVEMENTS AND ASSOCIATED WORKS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 111-2011

MARJ EDEY PARK AND ANDERSON PARK - PARKING LOT IMPROVEMENTS AND
ASSOCIATED WORKS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 14th 2011

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)