TITLE STANDARD GUIDELINE FOR THE PLANTING OF TREES **SCD-517** PIT TO BE DUG WITH BACKHOE METAL "T" STAKE ON ONE OR TWO SIDES AND GUYING STRAP (WHERE REQUIRED) TREE GUARD: 100mm DIA. x 600mm LENGTH WEEPING TILE MATERIAL SLICED AND WRAPPED AROUND TREE SET PLUMB BASE OF TREE WOOD CHIP MULCH (100mm DEPTH) BERM FORMING WATER DISH USING SOIL AROUND THE OUTSIDE EDGE OF THE ROOT BALL **EXISTING FINISHED GRADE** SCARIFY SIDES OF TREE PIT TO THE DEPTH OF ONE SHOVEL BLADE CUT AND REMOVE BURLAP FROM THE TOP 1/3 OF ROOT BALL. FOLD BACK/CUT OFF WIRE BASKET FROM TOP OF ROOT BALL. REMOVE ALL

NOT TO SCALE DECEMBER 2008

THE CITY OF WINNIPEG Planning, Property and Development Department Planning and Land Use Division Unit 15 - 30 Fort Street, Winnipeg, MB, R3C 4X5

TWINE.

TAMPED SOIL MIX

UNDISTURBED SUBGRADE



Urban Forestry Branch March, 2008

SP

TREE PIT: 2 X DIAMETER OF ROOT BALI