



## 24-2011 ADDENDUM 2

### NAVIN DRAIN CROSSING: LAGIMODIERE MULTI-USE PATH CONSTRUCTION OF CAST-IN-PLACE CONCRETE CULVERT

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE BID  
OPPORTUNITY**

ISSUED: January 21, 2011  
BY: Coleen Groening  
TELEPHONE NO. (204) 986-2491

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID OPPORTUNITY AND SHALL  
FORM A PART OF THE CONTRACT  
DOCUMENTS**

Template Version: A20070419

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.**

---

#### **PART E – SPECIFICATIONS**

Revise: E12.2.4 to read:

Crushed Limestone Sub-Base Course Material

- a) Crushed limestone base course material shall be supplied in accordance with City of Winnipeg Specification CW 3110-R13 with maximum 50 mm size.
- b) Place in lifts of no more than 150mm and compact to a minimum of 95% Standard Proctor Density.

#### **DRAWINGS**

Replace: 24-2011\_Drawing\_C378-11-02\_R0 with 24-2011\_Addendum\_2-Drawing\_C378-11-02\_R1

24-2011\_Drawing\_C378-11-03\_R0 with 24-2011\_Addendum\_2-Drawing\_C378-11-03\_R1

24-2011\_Drawing\_C378-11-05\_R0 with 24-2011\_Addendum\_2-Drawing\_C378-11-05\_R1

24-2011\_Drawing\_C378-11-06\_R0 with 24-2011\_Addendum\_2-Drawing\_C378-11-06\_R1

24-2011\_Drawing\_C378-11-07\_R0 with 24-2011\_Addendum\_2-Drawing\_C378-11-07\_R1